

# Template RMarkdown File

Robert J. Dellinger

April 05, 2025

## Contents

<b>Introduction</b>	<b>1</b>
Methodology . . . . .	2
Math Equations with LaTeX . . . . .	2
Loading Data . . . . .	2
Cleaning Data . . . . .	3
Data Exploration . . . . .	3
Data Visualization . . . . .	3
<b>Literature Cited</b>	<b>4</b>

## Introduction

This document outlines the methodology for data cleaning, exploration, and visualization. It is structured to ensure transparency and reproducibility of all analyses.

## Methodology

Briefly describe the methods used in the project, including data sources, cleaning steps, and techniques applied to handle missing or inconsistent data.

## Math Equations with LaTeX

Here is an inline equation:  $E = mc^2$ .

And here is a displayed equation:

$$f(x) = \int_{-\infty}^{\infty} e^{-x^2} dx$$

Both inline and block math can be rendered seamlessly with LaTeX.

You can also create multiline equations with alignment:

$$a = b + c$$

$$d = e + f$$

## Loading Data

The first step in any data analysis is to load the data. This section outlines the process of importing the data into R, including any necessary transformations or adjustments to ensure compatibility with the analysis.

```
# Example of loading data from a CSV file raw_data <- read_csv(here('Data',
# 'Raw', 'data_file.csv')) raw_data <- read_excel(here('Data', 'Raw',
# 'data_file.xlsx'))
```

## Cleaning Data

The data cleaning process involves several steps to ensure the data is in a suitable format for analysis. This includes handling missing values, correcting data types, and removing duplicates.

```
# Example of cleaning data - Removing duplicates - Handling missing values -  
# Converting data types and cleaning white space - Renaming columns, etc.  
  
# cleaned_data <- raw_data %>% clean_names() %>% mutate(column_name =  
# as_factor(column_name)) %>% mutate(date_column = as.Date(date_column, format  
# = '%Y-%m-%d')) %>% # convert to date mutate(numeric_column =  
# as.numeric(numeric_column)) %>% # convert to numeric  
# mutate(across(everything(), ~str_squish())) %>% # clean whitespace  
# drop_na()
```

## Data Exploration

Data exploration is a crucial step in understanding the dataset and identifying patterns or anomalies. This section includes summary statistics, visualizations, and any other relevant analyses to gain insights into the data.

```
# Explore the cleaned data using basic summaries: glimpse(cleaned_data)  
# summary(cleaned_data) str(cleaned_data)
```

## Data Visualization

Data visualization is an essential part of data analysis, allowing for the communication of findings in a clear and effective manner. This section includes various plots and charts to illustrate key insights from the data.

```
# Example of creating a summary table
summary_table <- cleaned_data %>%
# group_by(group_var) %>% summarise(mean_value = mean(value_var, na.rm = TRUE))
# %>% ungroup() %>% kable() %>% kable_styling(full_width = F, position =
# 'left')

# save_kable(summary_table, file = here(output_path_tables,
# 'summary_table.html'), bootstrap_options = c('striped', 'hover',
# 'condensed'), full_width = F, position = 'left')

# Example of visualization plot
ggplot(cleaned_data, aes(x = var1, y = var2)) +
# geom_point() + theme_minimal()

# Example of saving a plot
ggsave(filename = here(output_path_images,
# 'plot_name.png'), plot = last_plot(), width = 6, height = 4)
```

## Literature Cited

Citing the packages and data used in the analysis is important for reproducibility and transparency. The following code generates a bibliography of all loaded packages. Items can be cited directly within the documentation using the syntax `@key` where `key` is the citation key in the first line of the entry, e.g., R Core Team (2024), Wickham et al. (2024), Wickham (2023), Müller (2020). To put citations in parentheses, use `[@key]` instead.

Müller, K. (2020). *Here: A simpler way to find your files*. <https://here.r-lib.org/>

R Core Team. (2024). *R: A language and environment for statistical computing*. R Foundation for Statistical Computing. <https://www.R-project.org/>

Wickham, H. (2023). *Tidyverse: Easily install and load the tidyverse*. <https://tidyverse.tidyverse.org>

Wickham, H., Chang, W., Henry, L., Pedersen, T. L., Takahashi, K., Wilke, C., Woo, K., Yutani, H., Dunnington, D., & van den Brand, T. (2024). *ggplot2: Create elegant data visualisations using the grammar of graphics*. <https://ggplot2.tidyverse.org>