

Inicializando:



```
MINGW64:/c:/Users/juninho/meu-projeto


juninho@DESKTOP-7Q3CVN8 MINGW64 ~
$ mkdir meu-projeto

juninho@DESKTOP-7Q3CVN8 MINGW64 ~
$ cd meu-projeto

juninho@DESKTOP-7Q3CVN8 MINGW64 ~/meu-projeto
$ git init
Initialized empty Git repository in C:/Users/juninho/meu-projeto/.git/

juninho@DESKTOP-7Q3CVN8 MINGW64 ~/meu-projeto (master)
$ |
```

Fazendo o primeiro commit:



```
juninho@DESKTOP-7Q3CVN8 MINGW64 ~/meu-projeto (master)
$ echo "# Meu Projeto" > README.md

juninho@DESKTOP-7Q3CVN8 MINGW64 ~/meu-projeto (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
      README.md


nothing added to commit but untracked files present (use "git add" to track)

juninho@DESKTOP-7Q3CVN8 MINGW64 ~/meu-projeto (master)
$ git add README.md
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it

juninho@DESKTOP-7Q3CVN8 MINGW64 ~/meu-projeto (master)
$ git commit -m "Primeiro commit: adicionando README.md"
[master (root-commit) 0c37ae5] Primeiro commit: adicionando README.md
1 file changed, 1 insertion(+)
 create mode 100644 README.md

juninho@DESKTOP-7Q3CVN8 MINGW64 ~/meu-projeto (master)
$ |
```

Criação do repositório (<https://github.com/roberto16477/meu-projeto>) no Github:



Fazendo o push:

```
juninho@DESKTOP-7Q3CVN8 MINGW64 ~/meu-projeto (master)
$ git push -u origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 246 bytes | 246.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/roberto16477/meu-projeto.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.
```

```
juninho@DESKTOP-7Q3CVN8 MINGW64 ~/meu-projeto (master)
$
```

Criando uma nova branch:

```
juninho@DESKTOP-7Q3CVN8 MINGW64 ~/meu-projeto (master)
$ git checkout -b feature/nova-funcionalidade
Switched to a new branch 'feature/nova-funcionalidade'
```

```
juninho@DESKTOP-7Q3CVN8 MINGW64 ~/meu-projeto (feature/nova-funcionalidade)
$
```

Fazendo push da nova branch:

```
juninho@DESKTOP-7Q3CVN8 MINGW64 ~/meu-projeto (feature/nova-funcionalidade)
$ echo "Nova funcionalidade em desenvolvimento" > nova-funcionalidade.txt

juninho@DESKTOP-7Q3CVN8 MINGW64 ~/meu-projeto (feature/nova-funcionalidade)
$ git add nova-funcionalidade.txt
warning: in the working copy of 'nova-funcionalidade.txt', LF will be replaced by CRLF the next time
Git touches it

juninho@DESKTOP-7Q3CVN8 MINGW64 ~/meu-projeto (feature/nova-funcionalidade)
$ git commit -m "Adiciona nova funcionalidade"
[feature/nova-funcionalidade 8570bf1] Adiciona nova funcionalidade
1 file changed, 1 insertion(+)
create mode 100644 nova-funcionalidade.txt

juninho@DESKTOP-7Q3CVN8 MINGW64 ~/meu-projeto (feature/nova-funcionalidade)
$ git push -u origin feature/nova-funcionalidade
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 338 bytes | 338.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature/nova-funcionalidade' on GitHub by visiting:
remote:   https://github.com/roberto16477/meu-projeto/pull/new/feature/nova-funcionalidade
remote:
To https://github.com/roberto16477/meu-projeto.git
 * [new branch]      feature/nova-funcionalidade -> feature/nova-funcionalidade
branch 'feature/nova-funcionalidade' set up to track 'origin/feature/nova-funcionalidade'.

juninho@DESKTOP-7Q3CVN8 MINGW64 ~/meu-projeto (feature/nova-funcionalidade)
$
```

Fazendo o merge:

```
juninho@DESKTOP-7Q3CVN8 MINGW64 ~/meu-projeto (feature/nova-funcionalidade)
$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.

juninho@DESKTOP-7Q3CVN8 MINGW64 ~/meu-projeto (master)
$ git pull origin master
From https://github.com/roberto16477/meu-projeto
 * branch      master      -> FETCH_HEAD
Already up to date.

juninho@DESKTOP-7Q3CVN8 MINGW64 ~/meu-projeto (master)
$ git merge feature/nova-funcionalidade
Updating 0c37ae5..8570bf1
Fast-forward
 nova-funcionalidade.txt | 1 +
1 file changed, 1 insertion(+)
create mode 100644 nova-funcionalidade.txt

juninho@DESKTOP-7Q3CVN8 MINGW64 ~/meu-projeto (master)
$ git push origin master
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/roberto16477/meu-projeto.git
0c37ae5..8570bf1 master -> master

juninho@DESKTOP-7Q3CVN8 MINGW64 ~/meu-projeto (master)
$
```

Repositório após o merge:

 **meu-projeto** Public

Pin Watch 0

🔗 master ▾

🔗 2 Branches

🏷️ 0 Tags

T

Add file ▾

<> Code ▾

 **roberto16477**

Adiciona nova funcionalidade

8570bf1 · 8 minutes ago

🕒 2 Commits

 README.md

Primeiro commit: adicionando README.md

1 hour ago

 nova-funcionalidade.txt

Adiciona nova funcionalidade

8 minutes ago

 **README**



Meu Projeto
