










Testet Output Pins:
P10: INVERT SCREEN (Low is inverted) (CTRL + 2)
P11: TXT ON/OFF (CTRL + 1)
P12: INTENSITY High (only w. characters w. Bit 7 set)
P13: INVERT CHARACTER (only with NOT inverted screen and w. characters w. Bit 7 set)
P14: n.c.
P15: Charset (CTRL + 9)
P16: Text/Graphic(Screen1.0 or 0.1)
P17: HIRES (CTRL + 3.4 or CTRL + 7.8)



v0.2: Production version		change: U17 Pin1 n.c.	
v0.1: Initial Release		Cap. by MAX232	
100% Offner		6803 Pin2 solder Jumper for 6303	
Sheet: /		6803 Pullup/down for P20, P21	
File: EVA1_production.kicad_sch			
Title: EVA1 (Epson Video Adapter)			
Size: A3	Date: 2025-01-09	Rev: v0.2	
KiCad E.D.A. 8.0.9		Id: 1/6	



v0.1: Initial Release

100% Offner

Sheet: /Clock/

File: clock.kicad_sch

Title: EVA1 (Epson Video Adapter) – Clock Generation


Size: A4


Date: 2025-01-09


Rev: v0.1

KiCad E.D.A. 8.0.9

Id: 2/6







v0.1: Initial Release

100% Offner

Sheet: /Video Signal Genration/
File: videosignal.kicad_sch

Title: EVA1 (Epson Video Adapter) – Video Output

Size: A4

Date: 2025-01-09

Rev: v0.1

KiCad E.D.A. 8.0.9

Id: 5/6

