

Corso APEX ODCEC Milano: Edizione 2024

Lezione 16 - 13 Maggio 2024

Ing. Roberto Capancioni



Chi Sono

Ing. Roberto Capancioni

-Trainer Oracle Academy

capancioni.com







Email: roberto.capancioni@oracle.com

Linkedin: https://www.linkedin.com/in/robertocapancioni



D16 – XML e Fattura Elettronica



XML - Attributo xmlns

Aggiungo 2 attributi speciali nell'Elemento persone:

xmlns:axmlns:m

```
<persone xmlns:a = "http://anna.it/persona"</pre>
         xmlns:m = "http://marco.it/persona"
         xmlns = "http://standard.it/persona">
  <a:persona>
    <a:nome>Maria Rossi</a:nome>
  </a:persona>
  <m:persona>
    <m:nome>Maria</m:nome>
    <m:cognome>Rossi</m:cognome>
  </m:persona>
</persone>
```

XML - Prologo

Prima di un documento XML possono essere presenti delle ulteriori informazioni all'interno dei seguenti delimitatori <? ?> :

Dichiarazioni XML

```
<?xml version="1.0" encoding="iso-8859-1"?> Latin
<?xml version="1.0" encoding="utf-8"?> Unicode
```


Direttive di Processo

<?xml-stylesheet type="text/xsl" href="fatturaordinaria_v1.2.1.xsl"?>



Fattura Elettronica

https://www.fatturapa.gov.it/it/lafatturapa/esempi/



Fattura Elettronica

```
<p:FatturaElettronica
    xmlns:ds
                       = "http://www.w3.org/2000/09/xmldsig#"
                       = "http://ivaservizi.agenziaentrate.gov.it/docs/xsd/fatture/v1.2"
    xmlns:p
                       = "http://www.w3.org/2001/XMLSchema-instance" versione="FPR12"
    xmlns:xsi
    xsi:schemaLocation = "http://ivaservizi.agenziaentrate.gov.it/docs/xsd/fatture/v1.2
                          http://www.fatturapa.gov.it/export/fatturazione/sdi/fatturapa/v1.2/Schema del file xml FatturaPA versione 1.2.xsd">
    <FatturaElettronicaHeader>
        <DatiTrasmissione>
              <!-- ... -->
        </DatiTrasmissione>
        <CedentePrestatore>
              <!-- ... -->
        </CedentePrestatore>
        <CessionarioCommittente>
           <!-- ... -->
        </CessionarioCommittente>
    </FatturaElettronicaHeader>
    <FatturaElettronicaBodv>
        <DatiGenerali>
            <DatiGeneraliDocumento>
                   <!-- ... -->
            </DatiGeneraliDocumento>
            <DatiOrdineAcquisto>
                   <!-- ... -->
           </DatiOrdineAcquisto>
            <DatiContratto>
                   <!-- ... -->
            </DatiContratto>
            <DatiTrasporto>
                   <!-- ... -->
            </DatiTrasporto>
        </DatiGenerali>
        <DatiBeniServizi>
            <DettaglioLinee>
               <!-- ... -->
           </DettaglioLinee>
            <DatiRiepilogo>
                   <!-- ... -->
            </DatiRiepilogo>
        </DatiBeniServizi>
        <DatiPagamento>
           <!-- ... -->
        </DatiPagamento>
    </FatturaElettronicaBody>
-</p:FatturaElettronica>
```

Fattura Elettronica – Header & Body

```
<FatturaElettronica>
<FatturaElettronicaBody>
        <DatiGenerali>
        </DatiGenerali>
        <DatiBeniServizi>
            <DettaglioLinee>
            </DettaglioLinee>
            <DatiRiepilogo>
            </DatiRiepilogo>
        </DatiBeniServizi>
        <DatiPagamento>
        </DatiPagamento>
    </FatturaElettronicaBody>
</FatturaElettronica>
```



Fattura Elettronica – DettaglioLinee

```
<FatturaElettronica>
    <FatturaElettronicaBody>
        <DatiBeniServizi>
            <DettaglioLinee>
                <NumeroLinea>1</NumeroLinea>
               <Descrizione>DESCRIZIONE DELLA FORNITURA
               <Quantita>5.00</Quantita>
                <PrezzoUnitario>1.00</PrezzoUnitario>
               <PrezzoTotale>5.00</PrezzoTotale>
               <AliquotaIVA>22.00</AliquotaIVA>
            </DettaglioLinee>
            <DatiRiepilogo>
               <AliquotaIVA>22.00</AliquotaIVA>
                <ImponibileImporto>5.00</ImponibileImporto>
               <Imposta>1.10</Imposta>
               <EsigibilitaIVA>I</EsigibilitaIVA>
            </DatiRiepilogo>
        </DatiBeniServizi>
        <DatiPagamento>
            <CondizioniPagamento>TP01</CondizioniPagamento>
            <DettaglioPagamento>
                <ModalitaPagamento>MP01</modalitaPagamento>
                <DataScadenzaPagamento>2015-01-30/DataScadenzaPagamento>
               <ImportoPagamento>6.10</ImportoPagamento>
            </DettaglioPagamento>
        </DatiPagamento>
    </FatturaElettronicaBody>
</FatturaElettronica>
```

D16 – Fattura Elettronica



```
select ft.anno,
   ft.numero,
   ft.data,
        c.ragione_sociale,
        c.piva,
        c.indirizzo,
        c.codice_sdi
   from d16_fattura_testata ft
   join d16_cliente c on ft.cliente_id = c.id;
```



```
select xmlelement("FatturaElettronica",'')XML
from d16_fattura_testata ft
  join d16_cliente c on ft.cliente_id = c.id
fetch next row only;

<FatturaElettronica></FatturaElettronica>
```

```
select xmlelement("FatturaElettronica",
                    xmlelement("FatturaElettronicaHeader",
                           xmlelement("DatiTrasmissione",
                                            xmlelement("IdTrasmittente",
                                                           xmlelement("IdPaese",'IT'),
                                                           xmlelement("IdCodice",'000')
                                            xmlelement("ProgressivoInvio",ft.id),
                                            xmlelement("FormatoTrasmissione",'FPR12'),
                                            xmlelement("CodiceDestinatario",c.codice sdi),
                                            xmlelement("PECDestinatario", 'nail@pec.it')
                    xmlelement("FatturaElettronicaBody",'')
                    )XML
 from d16 fattura testata ft
                                                           <FatturaElettronica>
 join d16_cliente c on ft.cliente_id = c.id
                                                              <FatturaElettronicaHeader>
                                                                  <DatiTrasmissione>
fetch next row only;
                                                                     <IdTrasmittente>
                                                                        <IdPaese>IT</IdPaese>
                                                                        <IdCodice>000</IdCodice>
                                                                     </IdTrasmittente>
                                                                     <ProgressivoInvio>31427040034870992707134032988921790837/ProgressivoInvio>
                                                                     <FormatoTrasmissione>FPR12</formatoTrasmissione>
                                                                     <CodiceDestinatario>520672</CodiceDestinatario>
                                                                     <PECDestinatario>nail@pec.it</PECDestinatario>
                                                                 </DatiTrasmissione>
                                                              </FatturaElettronicaHeader>
                                                              <FatturaElettronicaBody></FatturaElettronicaBody>
```

</FatturaElettronica>

```
select xmlelement("FatturaElettronica",
                       xmlelement("FatturaElettronicaHeader",
                               xmlelement("DatiTrasmissione",
                                                  xmlelement("IdTrasmittente",
                                                                  xmlelement("IdPaese",'IT'),
                                                                  xmlelement("IdCodice",'000')
                                                  xmlelement("ProgressivoInvio",ft.id),
                                                  xmlelement("FormatoTrasmissione", 'FPR12'),
                                                  xmlelement("CodiceDestinatario",c.codice_sdi),
                                                                                                                                                                                      xmlelement("IscrizioneREA",
                                                  xmlelement("PECDestinatario", 'nail@pec.it')
                                                                                                                                                                                                       xmlelement("Ufficio", 'Uff REA' ),
                                                                                                                                                                                                       xmlelement("NumeroREA", 'Num REA' ),
                              xmlelement("CedentePrestatore",
                                                                                                                                                                                                       xmlelement("StatoLiquidazione",'ST' )
                                                  xmlelement("DatiAnagrafici",
                                                                 xmlelement("IdFiscaleIVA",
                                                                               xmlelement("IdPaese",'IT'),
                                                                               xmlelement("IdCodice",'000000000000)
                                                                                                                                                xmlelement("CessionarioCommittente",
                                                                                                                                                                      xmlelement("DatiAnagrafici",
                                                                 xmlelement("CodiceFiscale",'000000000000),
                                                                                                                                                                                       xmlelement("IdFiscaleIVA",
                                                                 xmlelement("Anagrafica",
                                                                                                                                                                                                      xmlelement("IdPaese",'IT'),
                                                                                xmlelement("Denominazione", 'Mia Azienda SPA' )
                                                                                                                                                                                                      xmlelement("IdCodice",c.piva)
  <FatturaElettronicaHeader)</pre>
    <DatiTrasmissione>
       <IdTrasmittente>
         <IdPaese>IT</IdPaese>
<IdCodice>000</IdCodice>
                                                                 xmlelement("Sede",
       </IdTrasmittente>
                                                                                                                                                                                      xmlelement("CodiceFiscale",c.piva) ,
       <
                                                                                xmlelement("Indirizzo", 'Mio Indirizzo'),
       <CodiceDestinatario>520672</CodiceDestinatario>
<PECDestinatario>nail@pec.it</PECDestinatario>
                                                                                                                                                                                       xmlelement("Anagrafica",
                                                                                xmlelement("NumeroCivico",'0'),
    </DatiTrasmissione>
                                                                                                                                                                                                       xmlelement("Denominazione",c.ragione sociale )
                                                                                xmlelement("CAP",'00000'),
       <DatiAnagrafici>
         <TdFigcaleTVA>
           <IdPaese>IT</IdPaese>
                                                                                xmlelement("Comune", 'Mio Comune'),
           <TdCodice>00000000000</TdCodice>
         </IdFiscaleIVA>
                                                                                xmlelement("Provincia",'MI'),
                                                                                                                                                                                      xmlelement("Sede",
         <CodiceFiscale>00000000000</CodiceFiscale>
         <Anagrafica>
           <Denominazione>Mia Azienda SPA</Denominazione>
                                                                                xmlelement("Nazione",'IT' )
                                                                                                                                                                                                       xmlelement("Indirizzo",c.indirizzo ),
         </Anagrafica>
         <Sede>
<Indirizzo>Mio Indirizzo</Indirizzo>
                                                                                                                                                                                                       xmlelement("CAP",'00000'),
           <NumeroCivico>0</NumeroCivico>
<CAP>00000</CAP>
                                                                                                                                                                                                       xmlelement("Comune",'Comune Cliente'),
           <Comune>Mio Comune</Comune>
           xmlelement("Provincia",'XX' ),
          <IscrizioneREA>
                                                                                                                                                                                                       xmlelement("Nazione",'IT')
           <Ufficio>Uff REA</Ufficio>
           <NumeroREA>Num REA</NumeroREA>
<StatoLiquidazione>ST</StatoLiquidazione>
         </IscrizioneREA>
       </DatiAnagrafici>
    </CedentePrestatore>
       <DatiAnagrafici>
         <TdFiscaleTVA>
           <IdPaese>IT</IdPaese>
           <IdCodice>94529114335</IdCodice>
                                                                                                                                         xmlelement("FatturaElettronicaBody",'')
         </IdFiscaleIVA>
          <CodiceFiscale>94529114335</CodiceFiscale>
            <Denominazione>Ius Cum Has Et Populo Putent.
         </Anagrafica>
         <Sede>
<Indirizzo>18374 PHANTOM</Indirizzo>
                                                                                                                  from d16 fattura testata ft
           <CAP>00000</CAP>
                                                                                                                  join d16_cliente c on ft.cliente_id = c.id
            <Comune>Comune Cliente</Comune>
           <Provincia>XX</Provincia>
            <Nazione>IT</Nazione>
                                                                                                                 fetch next row only;
       </DatiAnagrafici>
  </FatturaElettronicaHeader>
  <FatturaElettronicaBody></FatturaElettronicaBody>
```

```
xmlelement("DatiBeniServizi",
           (select xmlagg(xmlelement("DettaglioLinee",
                                      xmlelement("NumeroLinea",fd.riga),
                                      xmlelement("Descrizione", fd.Descrizione),
                                      xmlelement("PrezzoUnitario",replace(to char(case when nvl(fd.quantita,0) <> 0 then fd.importo/fd.quantita else 0 end,'999999990000'),',','.')),
                                      xmlelement("Quantita",fd.Quantita),
                                      xmlelement("PrezzoTotale",replace(to_char(fd.importo,'999999990D00'),',','.')),
                                      xmlelement("AliquotaIVA",replace(to_char('22,00','990D00'),',','.')),
                                      xmlelement("Natura",'')
                         order by fd.riga) from d16_fattura_dettaglio fd
                           where fd.fattura testata id = ft.id
                           --order by fd.riga
          ( select xmlagg(xmlelement("DatiRiepilogo",
                                     xmlelement("AliquotaIVA", replace(to char('22,00','990D00'),',',',')),
                                     xmlelement("Natura",''),
                                     xmlelement("importoImporto",replace(to_char(sum(fd.importo),'999G999G9990D00'),',','.')),
                                     xmlelement("Imposta",replace(to char(round(sum(fd.importo*22.00/100),2),'999G999G999G000'),',','.')),
                                     xmlelement("RiferimentoNormativo",'RIF'),
                                     xmlelement("EsigibilitaIVA",'I')
         order by fd.riga) a
             from d16 fattura dettaglio fd
             where fd.fattura_testata_id = ft.id
             group by fd.riga
            xmlelement("DatiPagamento",
                      xmlelement("CondizioniPagamento", 'TP02'),
                      xmlelement("DettaglioPagamento",
                                 xmlelement("ModalitaPagamento",'MP01'),
                                 xmlelement("DataScadenzaPagamento",ft.data + 30),
                                 xmlelement("ImportoPagamento",(select replace(to char(sum(importo)+sum(round(importo*22.0/100,2)),'999G999G9990D00'),',',') importo pagamento
                                                                  from d16_fattura_dettaglio
                                                                 where fattura testata id = ft.id)
                                 xmlelement("IstitutoFinanziario",'XXX'),
                                 xmlelement("IBAN",'XXX')
```

```
j.getClobval() XML
from d16_fattura_testata ft
join d16_cliente c on ft.cliente_id = c.id;
```

Fattura Elettronica – Vista

1 select * from d16_fattura_elettronica_xml_vw							
Risultati Spiega Descrivi SQL salvato Cronologia							
ID	ANNO	NUMERO	RAGIONE_SOCIALE	XML			
31427040034870992707134032988921790837	2024	1759	lus Cum Has Et Populo Putent.	ml version="1.0" encoding="utf-8"? mml-stylesheet type="text/ssl" href="fatturacidinaria_v1.2.1.xsl"? <fatturaelettronica 1.0"="" ?="" encoding="utf-8" version="FPRI2" xmlns="http://www.w3.org/2001/Xml</td></tr><tr><td>31427040034886708742789023168192971125</td><td>2024</td><td>7349</td><td>Sectetuer Vel Ex Qui
Et Lib.</td><td><?ml version=" xmlns_xsi="http://www.w3.org/2001/XML5chema"><?ml-stylesheet type="text/xsl" href="fatturacrdinaria_v1.2.1.xsl"?><fatturaelettronica 1.0"="" encoding="utf-8" version="http://www.w3.org/2001/XML5chema-intp://www.w3.o</td></tr><tr><td></td><td></td><td></td><td></td><td><ami version=" wilns="http://www.w3.org/2001/XML5chema" xmlns_xsl="http://www.w3.org/2001/XML5chema"><?xml-stylesheet type="text/xsl" href="fatturaordinaria_v1.2.1.xsl">>FatturaElettronica xmlns_xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns_xsd="http://www.w3.org/2001/XMLSchema-instance" xmlns_xsd="http://www.w3.org/</fatturaelettronica></fatturaelettronica>			

Fattura Elettronica – Elenco

Fatture XML


Qv	Vai	Azioni ~

Xm

D16 – Applicativo Fattura




D16 Applicativo Fattura







D16 Applicativo Fattura



D16 Applicativo Fattura







```
select empno,
    ename,
    job,
    mgr,
    hiredate,
    sal
from emp;
```



```
select empno,
        ename,
        job,
        mgr,
        hiredate,
        sal
    from emp
    start with mgr is null
    connect by prior empno = mgr;
```





```
select empno,
       ename,
       job,
       mgr,
       prior ename mgr_ename,
       prior job mgr_job,
       hiredate,
       sal,
       level
  from emp
  start with mgr is null
  connect by prior empno = mgr
  order siblings by ename;
```

```
select empno,
       ename,
       job,
       mgr,
       prior ename mgr_ename,
       prior job mgr_job,
       connect by root empno root empno,
       hiredate,
       sal,
       level
  from emp
  start with mgr is null
  connect by prior empno = mgr
  order siblings by ename;
```

```
select empno,
       ename,
       job,
       mgr,
       prior ename mgr_ename,
       prior job mgr_job,
       connect_by_root empno root_empno,
       hiredate,
       sal,
       level,
       SYS_CONNECT_BY_PATH(ename, '/') path
  from emp
  start with mgr is null
  connect by prior empno = mgr
  order siblings by ename;
```

```
select empno,
       ename,
       job,
       mgr,
       prior ename mgr_ename,
       prior job mgr_job,
       connect_by_root empno root_empno,
       hiredate,
       sal,
       level,
       SYS_CONNECT_BY_PATH(ename,'/') path,
       CONNECT BY ISLEAF leaf
  from emp
  start with mgr is null
  connect by prior empno = mgr
  order siblings by ename;
```

```
update emp set mgr = 7566 where empno=7839
 select empno,
       ename,
       job,
       mgr,
       prior ename mgr_ename,
       prior job mgr job,
       connect by root empno root empno,
       hiredate,
       sal,
       level,
       SYS CONNECT BY PATH(ename, '/') path,
       CONNECT_BY_ISLEAF leaf
  from emp
  start with empno = 7839
  connect by prior empno = mgr
  order siblings by ename;
```

```
select empno,
       ename,
       job,
       mgr,
       prior ename mgr_ename,
       prior job mgr_job,
       connect_by_root empno root_empno,
       hiredate,
       sal,
       level,
       SYS_CONNECT_BY_PATH(ename,'/') path,
       CONNECT_BY_ISLEAF leaf
  from emp
  start with empno = 7839
  connect by nocycle prior empno = mgr
  order siblings by ename;
```

```
select empno,
       ename,
       job,
       mgr,
       prior ename mgr_ename,
       prior job mgr_job,
       connect_by_root empno root_empno,
       hiredate,
       sal,
       level,
       SYS_CONNECT_BY_PATH(ename,'/') path,
       CONNECT_BY_ISLEAF leaf,
       CONNECT BY ISCYCLE cycle
  from emp
  start with empno = 7839
  connect by nocycle prior empno = mgr
  order siblings by ename;
```

```
update emp set mgr = null where empno=7839;
select empno,
       ename,
       job,
      mgr,
       prior ename mgr_ename,
       prior job mgr_job,
       connect by root empno root empno,
       hiredate,
       sal,
       level,
       SYS_CONNECT_BY_PATH(ename,'/')path,
       lpad(' ', level,'*' )||ename as ename_indented,
       --CONNECT_BY_ISCYCLE cycle,
       CONNECT BY ISLEAF leaf
 from emp
start with mgr is null
connect by -- nocycle
   prior empno = mgr
order siblings by ename;
```

Elementi Applicativi

Elementi Applicativi Predefiniti

Nome

Nel codice SQL

Nel testo Statico

APP ID

APP ALIAS

APP IMAGES

APP_PAGE_ID

APP SESSION

APP_USER

:APP ID

:APP ALIAS

:APP IMAGES

:APP_PAGE_ID &APP_PAGE_ID.

:APP_SESSION

:APP USER

&APP ID.

&APP ALIAS.

&APP IMAGES.

&APP SESSION.

&APP_USER.

https://docs.oracle.com/en/database/oracle/apex/23.2/htmdb/using-substitution-strings.html#GUID-34118202-1B85-4D38-8C27-F819679504DB