Hushtide

Training overload and poor sleep raise injury risk.

+400%
Higher injury risk due to training load imbalance
Gabbett, T.J. (2016) · British Journal of Sports Medicine

64%
Reported worse sleep before an important competition
Juliff et al. · 283 elite Australian athletes · J Sci Med Sport, 2015

1.7×
More likely to have had an injury when averaging <8h of sleep/night
Milewski et al. · adolescent athletes · J Pediatr Orthop, 2014

2–4×
Higher injury risk in the following week
Gabbett TJ · The training–injury prevention paradox · BJSM, 2016

That's why we built Hushtide.

Concentric Activity Rings

Sleep recovery.




Score 95 · "Ready to Push"

Live readiness.



Circadian Shield & Habit Nudges

Bedtime guidance.



Dynamic autoregulation

In-gym strain prevention.

Turns sub-7h sleep and workload spikes into real-time prompts, before joint injuries occur.

Rosaria, 21

Medical student & powerlifter.

Goal: Avoid joint injuries after clinical shifts.
Friction: Heavy barbell loads and sleep <7h.
Opportunity: Live in-gym autoregulation.

Diamond Team & TestFlight Beta.

Francesco Micallo, Roberto Montella, Daniele Mammola, Gianmarco Ravo, Francesco Langella, Giuseppe Teodorici.

Sport, Health & Care Track • Apple Developer Academy (Naples, Italy).

See you on TestFlight