

Configuración de PHP en producción

System	Linux h1136.dinaserver.com 2.6.32-45-server #104-Ubuntu SMP Tue Feb 19 21:35:01 UTC 2013 x86_64
Build Date	Sep 12 2012 19:12:31
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php5/apache2
Loaded Configuration File	/etc/php5/apache2/php.ini
Scan this dir for additional .ini files	/etc/php5/apache2/conf.d
Additional .ini files parsed	/etc/php5/apache2/conf.d/20ioncube.ini, /etc/php5/apache2/conf.d/20mysqli.ini, /etc/php5/apache2/conf.d/20mysql.ini, /etc/php5/apache2/conf.d/20pdo_mysql.ini, /etc/php5/apache2/conf.d/20pdo_pgsql.ini, /etc/php5/apache2/conf.d/20pspell.ini, /etc/php5/apache2/conf.d/20xcache.ini, /etc/php5/apache2/conf.d/20xsl.ini, /etc/php5/apache2/conf.d/curl.ini, /etc/php5/apache2/conf.d/gd.ini, /etc/php5/apache2/conf.d/intl.ini, /etc/php5/apache2/conf.d/mcrypt.ini, /etc/php5/apache2/conf.d/mssql.ini, /etc/php5/apache2/conf.d/mysqli.ini, /etc/php5/apache2/conf.d/mysql.ini, /etc/php5/apache2/conf.d/pdo.ini, /etc/php5/apache2/conf.d/pdo_mysql.ini, /etc/php5/apache2/conf.d/pdo_pgsql.ini, /etc/php5/apache2/conf.d/pdo_sqlite.ini, /etc/php5/apache2/conf.d/soap.ini, /etc/php5/apache2/conf.d/tokenizer.ini, /etc/php5/apache2/conf.d/xml.ini, /etc/php5/apache2/conf.d/xmlrpc.ini, /etc/php5/apache2/conf.d/xsl.ini
PHP API	20090626
PHP Extension	20090626
Zend Extension	220090626
Zend Extension Build	API220090626,NTS
PHP Extension Build	API20090626,NTS
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
Zend Multibyte	disabled

Support	
IPv6 Support	enabled
Registered PHP Streams	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk

This server is protected with the Suhosin Patch 0.9.9.1
 Copyright (c) 2006-2007 [Hardened-PHP Project](#) Copyright (c) 2007-2009 [SektionEins GmbH](#)

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.3.0, Copyright (c) 1998-2010 Zend Technologies
 with the ionCube PHP Loader v4.0.12, Copyright (c) 2002-2011, by ionCube Ltd., and
 with XCache v1.3.0, Copyright (c) 2005-2009, by mOo
 with Suhosin v0.9.29, Copyright (c) 2007, by SektionEins GmbH

Configuration

apache2handler

Apache Version	Apache
Apache API Version	20051115
Server Administrator	webmaster@life-ecoraee.eu
Hostname:Port	life-ecoraee.eu:0
User/Group	www-data(33)/33
Max Requests	Per Child: 10000 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 15
Virtual Server	Yes
Server Root	/etc/apache2
Loaded Modules	core mod_log_config mod_logio itk http_core mod_so mod_alias mod_auth_basic mod_authn_file mod_authz_default mod_authz_groupfile mod_authz_host mod_authz_user mod_autoindex mod_cgi mod_deflate mod_dir mod_env mod_mime mod_security2 mod_negotiation mod_php5 mod_proxy mod_proxy_http mod_reqtimeout mod_rewrite

	mod_setenvif mod_ssl mod_status mod_unique_id
--	---

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
UNIQUE_ID	UWPvg1JihgMAABhpRUUAAABp
HTTP_HOST	www.life-ecoraee.eu
HTTP_USER_AGENT	Mozilla/5.0 (X11; Ubuntu; Linux x86_64; rv:18.0) Gecko/20100101 Firefox/18.0
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_LANGUAGE	en-US,en;q=0.5
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_COOKIE	PHPSESSID=bpgv18n0vuscfr0sq4c8ttp9u6
HTTP_CONNECTION	keep-alive
PATH	/usr/local/bin:/usr/bin:/bin
SERVER_SIGNATURE	<i>no value</i>
SERVER_SOFTWARE	Apache
SERVER_NAME	www.life-ecoraee.eu
SERVER_ADDR	82.98.134.3
SERVER_PORT	80
REMOTE_ADDR	193.147.87.205
DOCUMENT_ROOT	/home/life-ecoraee/www
SERVER_ADMIN	webmaster@life-ecoraee.eu
SCRIPT_FILENAME	/home/life-ecoraee/www/es/phpinfo.php
REMOTE_PORT	53003

GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/es/phpinfo.php
SCRIPT_NAME	/es/phpinfo.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /es/phpinfo.php HTTP/1.1
Host	www.life-ecoraee.eu
User-Agent	Mozilla/5.0 (X11; Ubuntu; Linux x86_64; rv:18.0) Gecko/20100101 Firefox/18.0
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language	en-US,en;q=0.5
Accept-Encoding	gzip, deflate
Cookie	PHPSESSID=bpgv18n0vuscfr0sq4c8ttp9u6
Connection	keep-alive
HTTP Response Headers	
Vary	Accept-Encoding
Content-Encoding	gzip

bcmath

BCMath support	enabled
-----------------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bz2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.5, 10-Dec-2007

calendar

Calendar support	enabled
-------------------------	---------

Core

PHP Version	5.3.2-1ubuntu4.18
--------------------	-------------------

Directive	Local Value	Master Value
allow_call_time_pass_reference	Off	Off
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>

default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	Off	Off
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	Off	Off
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	4177	4177
exit_on_timeout	Off	Off
expose_php	Off	Off
extension_dir	/usr/lib/php5/20090626	/usr/lib/php5/20090626
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	Off	Off
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off

implicit_flush	Off	Off
include_path	./usr/share/php:/usr/share/pear	./usr/share/php:/usr/share/pear
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.add_x_header	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60
max_input_vars	3000	3000
memory_limit	128M	128M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	4096	4096
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	20M	20M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
register_globals	Off	Off
register_long_arrays	Off	Off
report_memleaks	On	On
report zend debug	On	On

request_order	GP	GP
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/bin/phpmailer	/usr/bin/phpmailer
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	20M	20M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.enable_gc	On	On

ctype

ctype functions	enabled
------------------------	---------

curl

cURL support	enabled
cURL Information	7.19.7
Age	3
Features	
AsynchDNS	No
Debug	No
GSS-Negotiate	Yes
IDN	Yes
IPv6	Yes
Largefile	Yes
NTLM	Yes
SPNEGO	No
SSL	Yes
SSPI	No
krb4	No
libz	Yes
CharConv	No
Protocols	fttp, ftp, telnet, dict, ldap, ldaps, http, file, https, ftps
Host	x86_64-pc-linux-gnu
SSL Version	OpenSSL/0.9.8k
ZLib Version	1.2.3.3

date

date/time support	enabled
"Olson" Timezone Database Version	0.system

Timezone Database	internal
Default timezone	Europe/Berlin

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

dba

DBA support	enabled
Supported handlers	cdb cdb_make db4 inifile flatfile

Directive	Local Value	Master Value
dba.default_handler	flatfile	flatfile

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.6
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library	Bundled library enabled
---------------	-------------------------

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c 293036 2010-01-03 09:23:27Z sebastian \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

ffmpeg

ffmpeg-php version	0.6.0-svn
ffmpeg-php built on	Mar 2 2010 18:48:35
ffmpeg-php gd support	enabled
ffmpeg libavcodec version	Lavc52.20.0
ffmpeg libavformat version	Lavf52.31.0
ffmpeg swscaler version	SwS0.7.1

Directive	Local Value	Master Value
ffmpeg.allow_persistent	0	0
ffmpeg.show_warnings	0	0

fileinfo

fileinfo support	enabled
version	1.0.5-dev

filter

Input Validation and Filtering	enabled
Revision	\$Revision: 294106 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
-------------	---------

gd

GD Support	enabled
GD Version	2.0
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.3.11

T1Lib Support	enabled
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.2.42
WBMP Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

gettext

GetText Support	enabled
------------------------	---------

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.11.1

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imap

IMAP c-Client Version	2007e
SSL Support	enabled
Kerberos Support	enabled

interbase

Firebird/InterBase Support	dynamic
Compile-time Client Library Version	Firebird API version 21
Run-time Client Library Version	LI-V6.3.3.18185 Firebird 2.1

Directive	Local Value	Master Value
ibase.allow_persistent	On	On
ibase.dateformat	%Y-%m-%d	%Y-%m-%d
ibase.default_charset	<i>no value</i>	<i>no value</i>
ibase.default_db	<i>no value</i>	<i>no value</i>
ibase.default_password	<i>no value</i>	<i>no value</i>
ibase.default_user	<i>no value</i>	<i>no value</i>
ibase.max_links	Unlimited	Unlimited
ibase.max_persistent	Unlimited	Unlimited
ibase.timeformat	%H:%M:%S	%H:%M:%S
ibase.timestampformat	%Y-%m-%d %H:%M:%S	%Y-%m-%d %H:%M:%S

intl

Internationalization support	enabled
version	1.0.3
ICU version	4.2.1

Directive	Local Value	Master Value
intl.default_locale	no value	no value
intl.error_level	0	0

json

json support	enabled
json version	1.2.1

ldap

LDAP Support	enabled
RCS Version	\$Id: ldap.c 293036 2010-01-03 09:23:27Z sebastian \$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20421
SASL Support	Enabled

Directive	Local Value	Master Value
ldap.max_links	Unlimited	Unlimited

libxml

libXML support	active
libXML Compiled Version	2.7.6
libXML Loaded Version	20706
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text application/xhtml\+xml)	^(text application/xhtml\+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off

mbstring.substitute_character	<i>no value</i>	<i>no value</i>
--------------------------------------	-----------------	-----------------

mcrypt

mcrypt support	enabled
Version	2.5.8
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

ming

Ming SWF output library	enabled
Version	0.4.3

mongo

MongoDB Support	enabled
Version	1.2.7

Directive	Local Value	Master Value
mongo.allow_empty_keys	0	0
mongo.allow_persistent	1	1
mongo.auto_reconnect	1	1
mongo.chunk_size	262144	262144
mongo.cmd	\$	\$
mongo.default_host	localhost	localhost
mongo.default_port	27017	27017
mongo.long_as_object	0	0
mongo.native_long	0	0
mongo.no_id	0	0
mongo.utf8	1	1

mssql

MSSQL Support	enabled
Active Persistent Links	0
Active Links	0
Library version	FreeTDS

Directive	Local Value	Master Value
mssql.allow_persistent	On	On
mssql.batchsize	0	0
mssql.charset	<i>no value</i>	<i>no value</i>
mssql.compatability_mode	Off	Off
mssql.connect_timeout	5	5
mssql.datetimeconvert	On	On
mssql.max_links	Unlimited	Unlimited

mssql.max_persistent	Unlimited	Unlimited
mssql.max_procs	Unlimited	Unlimited
mssql.min_error_severity	10	10
mssql.min_message_severity	10	10
mssql.secure_connection	Off	Off
mssql.textlimit	Server default	Server default
mssql.textsize	Server default	Server default
mssql.timeout	60	60

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.1.67
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/run/mysqld/mysqld.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib -lmysqlclient_r

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock

mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysql Support	enabled
Client API library version	5.1.67
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0
Client API header version	5.1.63
MYSQLI_SOCKET	/var/run/mysqld/mysqld.sock

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

odbc

ODBC Support	enabled
Active Persistent Links	0
Active Links	0
ODBC library	unixODBC
ODBC_INCLUDE	-I/usr/include
ODBC_LFLAGS	-L/usr/lib
ODBC_LIBS	-lodbc

Directive	Local Value	Master Value
odbc.allow_persistent	On	On
odbc.check_persistent	On	On
odbc.default_cursortype	Static cursor	Static cursor
odbc.default_db	<i>no value</i>	<i>no value</i>
odbc.default_pw	no value	no value
odbc.default_user	<i>no value</i>	<i>no value</i>
odbc.defaultbinmode	return as is	return as is
odbc.defaultlrl	return up to 4096 bytes	return up to 4096 bytes
odbc.max_links	Unlimited	Unlimited
odbc.max_persistent	Unlimited	Unlimited

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 0.9.8k 25 Mar 2009
OpenSSL Header Version	OpenSSL 0.9.8k 25 Mar 2009

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	7.8 2008-09-05

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	dblib, mysql, odbc, pgsql

pdo_dblib

PDO Driver for FreeTDS/Sybase DB-lib	enabled
Flavour	freetds

pdo_mysql

PDO Driver for MySQL	enabled
Client API version	5.1.67

PDO_ODBC

PDO Driver for ODBC (unixODBC)	enabled
ODBC Connection Pooling	Enabled, strict matching

pdo_pgsql

PDO Driver for PostgreSQL	enabled
PostgreSQL(libpq) Version	8.4.13
Module version	1.0.2
Revision	\$Id: pdo_pgsql.c 293036 2010-01-03 09:23:27Z sebastian \$

pgsql

PostgreSQL Support	enabled
PostgreSQL(libpq) Version	8.4.13
Multibyte character support	enabled
SSL support	enabled
Active Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
pgsql.allow_persistent	On	On
pgsql.auto_reset_persistent	Off	Off
pgsql.ignore_notice	Off	Off
pgsql.log_notice	Off	Off
pgsql.max_links	Unlimited	Unlimited
pgsql.max_persistent	Unlimited	Unlimited

Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	\$Revision: 290435 \$

Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	enabled
OpenSSL support	enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
Phar fully realized by Gregory Beaver and Marcus Boerger.
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

posix

Revision	\$Revision: 293036 \$
-----------------	-----------------------

pspell

PSpell Support	enabled
-----------------------	---------

Reflection

Reflection	enabled
Version	\$Revision: 293036 \$

session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/tmp	/tmp
session.serialize_handler	php	php

session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

shmop

shmop support	enabled
----------------------	---------

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 293036 \$
Schema support	enabled

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
------------------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/bin/phpmailer

Directive	Local Value	
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry,fieldset=	a=href,area=href
user_agent	<i>no value</i>	<i>no value</i>

suhosin

This	server	is	protected	with	the	Suhosin	Extension	0.9.29
Copyright	(c)	2006-2007	Hardened-PHP					
Copyright (c) 2007-2008	SektionEins GmbH							
Project								

Directive	Local Value	Master Value
suhosin.apc_bug_workaround	Off	Off
suhosin.cookie.checkraddr	0	0
suhosin.cookie.cryptdocroot	On	On
suhosin.cookie.cryptkey	[protected]	[protected]
suhosin.cookie.cryptlist	<i>no value</i>	<i>no value</i>
suhosin.cookie.cryptraddr	0	0
suhosin.cookie.cryptua	On	On
suhosin.cookie.disallow_nul	1	1
suhosin.cookie.disallow_ws	1	1
suhosin.cookie.encrypt	Off	Off
suhosin.cookie.max_array_depth	50	50
suhosin.cookie.max_array_index_length	64	64
suhosin.cookie.max_name_length	64	64
suhosin.cookie.max_totalname_length	256	256
suhosin.cookie.max_value_length	10000	10000
suhosin.cookie.max_vars	100	100
suhosin.cookie.plainlist	<i>no value</i>	<i>no value</i>
suhosin.coredump	Off	Off
suhosin.disable.display_errors	Off	Off
suhosin.executor.allow_symlink	Off	Off
suhosin.executor.disable_emodifier	Off	Off

suhosin.executor.disable_eval	Off	Off
suhosin.executor.eval.blacklist	<i>no value</i>	<i>no value</i>
suhosin.executor.eval.whitelist	<i>no value</i>	<i>no value</i>
suhosin.executor.func.blacklist	<i>no value</i>	<i>no value</i>
suhosin.executor.func.whitelist	<i>no value</i>	<i>no value</i>
suhosin.executor.include.allow_writable_files	On	On
suhosin.executor.include.blacklist	<i>no value</i>	<i>no value</i>
suhosin.executor.include.max_traversal	0	0
suhosin.executor.include.whitelist	<i>no value</i>	<i>no value</i>
suhosin.executor.max_depth	0	0
suhosin.filter.action	<i>no value</i>	<i>no value</i>
suhosin.get.disallow_nul	1	1
suhosin.get.disallow_ws	0	0
suhosin.get.max_array_depth	50	50
suhosin.get.max_array_index_length	64	64
suhosin.get.max_name_length	64	64
suhosin.get.max_totalname_length	256	256
suhosin.get.max_value_length	512	512
suhosin.get.max_vars	100	100
suhosin.log.file	0	0
suhosin.log.file.name	<i>no value</i>	<i>no value</i>
suhosin.log.phpscript	0	0
suhosin.log.phpscript.is_safe	Off	Off
suhosin.log.phpscript.name	<i>no value</i>	<i>no value</i>
suhosin.log.sapi	0	0
suhosin.log.script	0	0
suhosin.log.script.name	<i>no value</i>	<i>no value</i>
suhosin.log.syslog	<i>no value</i>	<i>no value</i>

suhosin.log.syslog.facility	<i>no value</i>	<i>no value</i>
suhosin.log.syslog.priority	<i>no value</i>	<i>no value</i>
suhosin.log.use-x-forwarded-for	Off	Off
suhosin.mail.protect	0	0
suhosin.memory_limit	0	0
suhosin.mt_srand.ignore	On	On
suhosin.multiheader	Off	Off
suhosin.perdir	0	0
suhosin.post.disallow_nul	1	1
suhosin.post.disallow_ws	0	0
suhosin.post.max_array_depth	50	50
suhosin.post.max_array_index_length	64	64
suhosin.post.max_name_length	64	64
suhosin.post.max_totalname_length	256	256
suhosin.post.max_value_length	1000000	1000000
suhosin.post.max_vars	7600	7600
suhosin.protectkey	On	On
suhosin.request.disallow_nul	1	1
suhosin.request.disallow_ws	0	0
suhosin.request.max_array_depth	50	50
suhosin.request.max_array_index_length	64	64
suhosin.request.max_totalname_length	256	256
suhosin.request.max_value_length	1000000	1000000
suhosin.request.max_varname_length	64	64
suhosin.request.max_vars	7600	7600
suhosin.server.encode	On	On
suhosin.server.strip	On	On
suhosin.session.checkraddr	0	0

suhosin.session.cryptdocroot	On	On
suhosin.session.cryptkey	[protected]	[protected]
suhosin.session.cryptaddr	0	0
suhosin.session.cryptua	Off	Off
suhosin.session.encrypt	Off	Off
suhosin.session.max_id_length	128	128
suhosin.simulation	Off	Off
suhosin.sql.bailout_on_error	Off	Off
suhosin.sql.comment	0	0
suhosin.sql.multiselect	0	0
suhosin.sql.opencomment	0	0
suhosin.sql.union	0	0
suhosin.sql.user_postfix	<i>no value</i>	<i>no value</i>
suhosin.sql.user_prefix	<i>no value</i>	<i>no value</i>
suhosin.srand.ignore	On	On
suhosin.stealth	On	On
suhosin.upload.disallow_binary	0	0
suhosin.upload.disallow_elf	1	1
suhosin.upload.max_uploads	25	25
suhosin.upload.remove_binary	0	0
suhosin.upload.verification_script	<i>no value</i>	<i>no value</i>

sysvmsg

sysvmsg support	enabled
Revision	\$Revision: 293036 \$

tokenizer

Tokenizer Support	enabled
-------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

XCache

XCache Support	enabled
Version	1.3.0
Modules Built	cache optimizer coverage assembler encoder decoder
Readonly Protection	N/A
Cache Init Time	2013-04-09 06:44:59
Cache Instance Id	20406
Opcode Cache	enabled, 16,777,216 bytes, 1 split(s), with 8192 slots each
Variable Cache	disabled
Shared Memory Schemes	mmap
Coverage Auto Dumper	disabled

Directive	Local Value	Master Value
xcache.admin.enable_auth	On	On
xcache.cacher	On	On
xcache.coredump_directory	<i>no value</i>	<i>no value</i>
xcache.count	1	1
xcache.coveragedump_directory	<i>no value</i>	<i>no value</i>
xcache.coverager	Off	Off
xcache.gc_interval	0	0

xcache.mmap_path	/dev/zero	/dev/zero
xcache.optimizer	Off	Off
xcache.readonly_protection	<i>no value</i>	<i>no value</i>
xcache.shm_scheme	mmap	mmap
xcache.size	16M	16M
xcache.slots	8K	8K
xcache.stat	On	On
xcache.test	<i>no value</i>	<i>no value</i>
xcache.ttl	0	0
xcache.var_count	1	1
xcache.var_gc_interval	300	300
xcache.var_maxttl	0	0
xcache.var_size	0M	0M
xcache.var_slots	8K	8K
xcache.var_ttl	0	0

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.6

xmlreader

XMLReader	enabled
------------------	---------

xmlrpc

core library version	xmlrpc-epi v. 0.51
-----------------------------	--------------------

php extension version	0.51
author	Dan Libby
homepage	http://xmlrpc-epi.sourceforge.net
open sourced by	Epinions.com

xmlwriter

XMLWriter	enabled
------------------	---------

xsl

XSL	enabled
libxslt Version	1.1.26
libxslt compiled against libxml Version	2.7.6
EXSLT	enabled
libexslt Version	1.1.26

zip

Zip	enabled
Extension Version	\$Id: php_zip.c 294817 2010-02-09 17:51:39Z pajoye \$
Zip version	1.9.1
Libzip version	0.9.0

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate

Compiled Version	1.2.1.1
Linked Version	1.2.3.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
ionCube Loader
sysvsem
sysvshm

Environment

Variable	Value
APACHE_PID_FILE	/var/run/apache2.pid
APACHE_RUN_USER	www-data
PATH	/usr/local/bin:/usr/bin:/bin
PWD	/root
APACHE_RUN_GROUP	www-data
LANG	C
SHLVL	1
_	/usr/sbin/apache2