


MV DEBIAN

1. Interfaz gráfica




```
sudo apt update
```

```
sudo apt install tasksel
```

```
sudo tasksel (con barra espaciadora seleccionar la opción de la GUI)
```

```
sudo update-alternative --config x-session-manager (escoger la opción de la GUI)
```

Reiniciar



2. Instalar un programa en este caso VS Code

`sudo dpkg -i ruta_del_archivo_.deb`

```
Actividades Terminal mar, 22 de jun, 22:32
esteban@debiancliente: ~
Archivo Editar Ver Buscar Terminal Ayuda
esteban@debiancliente:~$ sudo dpkg -i Descargas/code_1.57.1-1623937013_amd64.deb


We trust you have received the usual lecture from the local System
Administrator. It usually boils down to these three things:

#1) Respect the privacy of others.
#2) Think before you type.
#3) With great power comes great responsibility.

[sudo] password for esteban:
Sorry, try again.
[sudo] password for esteban:
Seleccionando el paquete code previamente no seleccionado.
(Leyendo la base de datos ... 136804 ficheros o directorios instalados actualmente.)
Preparando para desempaquetar .../code_1.57.1-1623937013_amd64.deb ...
Desempaquetando code (1.57.1-1623937013) ...
Configurando code (1.57.1-1623937013) ...
Procesando disparadores para gnome-menus (3.31.4-3) ...
Procesando disparadores para desktop-file-utils (0.23-4) ...
Procesando disparadores para mime-support (3.62) ...
Procesando disparadores para shared-mime-info (1.10-1) ...
esteban@debiancliente:~$ code .
esteban@debiancliente:~$
```

3. Actualizar


`sudo apt-get update`



The screenshot shows a terminal window titled 'DebianCliente [Corriendo] - Oracle VM VirtualBox'. The terminal prompt is 'esteban@debiancliente: ~'. The user has entered the command 'sudo apt-get update'. The output shows the password prompt, followed by four repository objects being processed: 'http://packages.microsoft.com/repos/code stable InRelease', 'http://security.debian.org/debian-security buster/updates InRelease', 'http://deb.debian.org/debian buster InRelease', and 'http://deb.debian.org/debian buster-updates InRelease'. The process concludes with 'Leyendo lista de paquetes... Hecho'.

```
esteban@debiancliente:~$ sudo apt-get update
[sudo] password for esteban:
Obj:1 http://packages.microsoft.com/repos/code stable InRelease
Obj:2 http://security.debian.org/debian-security buster/updates InRelease
Obj:3 http://deb.debian.org/debian buster InRelease
Obj:4 http://deb.debian.org/debian buster-updates InRelease
Leyendo lista de paquetes... Hecho
esteban@debiancliente:~$
```

4. Borrar la raíz



The screenshot shows a terminal window titled 'DebianCliente [Corriendo] - Oracle VM VirtualBox'. The terminal prompt is 'esteban@debiancliente: ~'. The user has entered the command 'sudo apt-get update', which produces the same output as in the previous screenshot. After this, the user enters 'sudo rm -r /'. The terminal displays a warning: 'rm: es peligroso operar recursivamente sobre '/'' and 'rm: utilice --no-preserve-root para saltarse esta medida de seguridad'.

```
esteban@debiancliente:~$ sudo apt-get update
[sudo] password for esteban:
Obj:1 http://packages.microsoft.com/repos/code stable InRelease
Obj:2 http://security.debian.org/debian-security buster/updates InRelease
Obj:3 http://deb.debian.org/debian buster InRelease
Obj:4 http://deb.debian.org/debian buster-updates InRelease
Leyendo lista de paquetes... Hecho
esteban@debiancliente:~$ sudo rm -r /
rm: es peligroso operar recursivamente sobre '/'
rm: utilice --no-preserve-root para saltarse esta medida de seguridad
esteban@debiancliente:~$
```