



CI-ION NATP Final Exam

(100 Questions – Answers Marked)

Part 1: Questions 1–25

1. Upon successful completion of a Nurse Assistant training program, the candidate has how much time to complete the state certification exam?
A. 3 months
B. 6 months
☒ C. 2 years
D. 4 years
2. The abbreviation OBRA stands for:
A. Occupational Behavior Resource Act
B. Organization of Basic Rights Association
☒ C. Omnibus Budget Reconciliation Act
D. Office of Basic Residential Assistance
3. The primary goal of OBRA is to:
A. Establish new guidelines for nurse training
B. Limit the cost of long-term care
☒ C. Improve the quality of life for residents in nursing facilities
D. Fund elder care programs
4. When lifting a heavy object, the correct body mechanics include:
A. Keeping legs straight and bending at the waist
B. Twisting your back as you lift
☒ C. Bending your knees and keeping your back straight
D. Lifting quickly using your back muscles
5. To maintain proper posture while standing:
A. Keep weight mostly on the toes
☒ B. Keep shoulders back and knees slightly bent
C. Lean forward from the waist
D. Rest on one leg for comfort
6. The base of support is best described as:
☒ A. The area between your feet when standing
B. The strength in your back muscles
C. How far your hands can reach



- D. Your ability to balance on one foot
7. Repositioning a resident every 2 hours helps prevent:
- A. Dehydration
 - ☒ B. Pressure ulcers
 - C. Hypothermia
 - D. Urinary infections
8. The most important reason for using proper body mechanics is to:
- A. Save time
 - B. Impress supervisors
 - ☒ C. Prevent injury
 - D. Build muscle
9. A medical term for difficulty swallowing is:
- A. Dyspnea
 - B. Dysphasia
 - ☒ C. Dysphagia
 - D. Aphasia
10. Which prefix means "slow"?
- A. Hyper-
 - B. Tachy-
 - ☒ C. Brady-
 - D. A-
11. The suffix "-itis" means:
- ☒ A. Inflammation
 - B. Infection
 - C. Disease
 - D. Swelling
12. Which abbreviation is used for taking medication "by mouth"?
- A. IV
 - B. IM
 - C. SC
 - ☒ D. PO
13. A CNA is told to record "I&O". This refers to:
- A. Insurance and Observation
 - ☒ B. Intake and Output



- C. Injection and Output
- D. Input and Observation

14. The abbreviation "PRN" means:

- A. Scheduled time
- ☒ B. As needed
- C. Daily
- D. Before meals

15. What does the suffix "-emia" mean?

- A. Condition of the skin
- ☒ B. Condition of the blood
- C. Inflammation of a tissue
- D. Pain in the muscles

16. When using a gait belt to ambulate a resident:

- A. Place it over bare skin
- ☒ B. Place it around the waist over clothing
- C. Secure it under the arms
- D. Use only when the resident requests it

17. The best way to prevent falls is to:

- A. Keep the resident's bed in a high position
- B. Encourage fast walking
- ☒ C. Keep floors dry and free from obstacles
- D. Leave side rails down at all times

18. If a resident begins to fall while walking, you should:

- A. Pull them upright immediately
- ☒ B. Gently lower them to the floor
- C. Let them fall naturally
- D. Walk away and call for help

19. When using a fire extinguisher, the acronym PASS stands for:

- A. Push, Aim, Squeeze, Slide
- B. Pull, Alert, Sweep, Stop
- ☒ C. Pull, Aim, Squeeze, Sweep
- D. Press, Activate, Spray, Sweep

20. If a resident is found smoking in a non-smoking area, the CNA should:

- A. Ignore the behavior



- ☒ B. Report it to the nurse
- C. Confiscate the cigarette
- D. Yell at the resident

21. Hand hygiene must be performed:

- ☒ A. Before and after each resident contact
- B. Only at the beginning of the shift
- C. Only after handling dirty linen
- D. When the hands appear dirty

22. The most effective way to reduce the spread of infection is:

- A. Wearing gloves at all times
- ☒ B. Frequent hand washing
- C. Cleaning rooms weekly
- D. Isolating all residents

23. PPE stands for:

- A. Personal Property Equipment
- ☒ B. Personal Protective Equipment
- C. Patient Protection Essentials
- D. Professional Performance Evaluation

24. When removing gloves after providing care:

- A. Touch the outside of the glove with bare skin
- ☒ B. Peel off one glove inside out and hold it in the other gloved hand
- C. Wash gloves before removal
- D. Remove them quickly and throw on the floor

25. An example of standard precaution is:

- ☒ A. Wearing gloves during oral care
- B. Asking the resident to wear gloves
- C. Using sterile technique for bed making
- D. Never touching a resident



Part 2: Questions 26–50

26. What is the normal adult body temperature in Fahrenheit?
- A. 96.4°F
 - ☒ B. 98.6°F
 - C. 99.9°F
 - D. 100.5°F
27. Which site provides the most accurate body temperature reading?
- ☒ A. Rectal
 - B. Oral
 - C. Axillary
 - D. Tympanic
28. Which of the following pulse rates is considered normal for an adult?
- A. 50 bpm
 - ☒ B. 72 bpm
 - C. 120 bpm
 - D. 130 bpm
29. Respiration is measured by:
- A. Counting the number of coughs per minute
 - ☒ B. Watching the rise and fall of the chest
 - C. Taking blood pressure
 - D. Observing pupil reaction
30. What is systolic blood pressure?
- A. Pressure when the heart relaxes
 - ☒ B. Pressure when the heart contracts
 - C. Pressure in the lungs
 - D. None of the above
31. Which is a sign of low blood pressure?
- ☒ A. Dizziness and fainting
 - B. High fever
 - C. Slow pulse
 - D. Red face
32. When is it best to count a resident's respirations?
- ☒ A. Right after counting the pulse, without letting them know
 - B. After informing the resident



- C. Before taking the temperature
- D. Only when they are awake

33. The best time to weigh a resident is:

- A. Before breakfast
- ☒ B. At the same time each day
- C. After lunch
- D. In the evening

34. Which scale is most accurate for a bedbound resident?

- A. Bathroom scale
- B. Digital foot scale
- ☒ C. Mechanical or digital lift scale
- D. Kitchen scale

35. What does the abbreviation "NPO" mean?

- A. New patient orientation
- ☒ B. Nothing by mouth
- C. Nurse patient order
- D. Needs physical observation

36. Which nutrient helps build and repair tissue?

- A. Carbohydrates
- ☒ B. Protein
- C. Fats
- D. Vitamins

37. What is the purpose of a calorie?

- A. Build protein
- ☒ B. Provide energy
- C. Fight infection
- D. Prevent disease

38. A low-sodium diet restricts:

- ☒ A. Salt
- B. Sugar
- C. Water
- D. Protein

39. Which food is high in protein?

- A. Bread



- B. Apple
- ☒ C. Chicken
- D. Rice

40. A resident on fluid restriction should:
- A. Be offered drinks frequently
 - ☒ B. Have limited intake monitored and recorded
 - C. Drink only water
 - D. Have IV fluids only
41. Dehydration occurs when:
- A. Too much sugar is consumed
 - ☒ B. The body loses more fluid than it takes in
 - C. The resident eats too little protein
 - D. There's too much fluid in the cells
42. What is the first step in feeding a resident?
- ☒ A. Confirm identity and explain the procedure
 - B. Start with dessert
 - C. Place food on tray
 - D. Offer fluids
43. What should be done if a resident begins to cough while eating?
- ☒ A. Stop feeding and report to the nurse
 - B. Give more food
 - C. Tilt their head back
 - D. Ignore it
44. Which position helps prevent aspiration while feeding?
- A. Supine
 - ☒ B. Upright sitting
 - C. Trendelenburg
 - D. Side-lying
45. Which of the following is a sign of choking?
- A. Slow eating
 - ☒ B. Inability to speak
 - C. Belching
 - D. Red skin



46. When caring for dentures, the CNA should:
- A. Scrub with hot water
 - ☒ B. Handle carefully and store in cool water
 - C. Use toothpaste and a hard brush
 - D. Dry them out
47. Oral hygiene should be given:
- ☒ A. At least twice a day
 - B. Once a week
 - C. Only if requested
 - D. Only in the morning
48. When giving oral care to an unconscious resident, use:
- A. A toothbrush and water
 - B. No water at all
 - ☒ C. A sponge-tipped applicator with minimal fluid
 - D. A suction machine only
49. The first step in giving a bed bath is to:
- ☒ A. Provide privacy and explain the procedure
 - B. Remove all clothing
 - C. Apply soap
 - D. Raise the side rails
50. What is the best way to promote independence in bathing?
- A. Do it all for the resident
 - ☒ B. Encourage them to do as much as they can
 - C. Limit their participation
 - D. Skip parts they cannot do



Part 3: Questions 51–75

51. Perineal care should always be provided:
- A. Only when requested
 - ☒ B. From front to back
 - C. From back to front
 - D. Using circular motions
52. When changing bed linens, the CNA should:
- A. Shake the linens to fluff them
 - B. Place soiled linens on the floor
 - ☒ C. Hold linens away from the body and place in linen hamper
 - D. Reuse linens if not visibly soiled
53. When giving a back rub, it is best to use:
- ☒ A. Long, gentle strokes
 - B. Hard, fast rubbing
 - C. Powder
 - D. Hot water
54. When dressing a resident with a weak arm, the CNA should:
- A. Start with the strong side
 - ☒ B. Start with the weak side
 - C. Dress both arms at the same time
 - D. Skip dressing the weak side
55. The first step in assisting with a bedpan is to:
- ☒ A. Wash hands and put on gloves
 - B. Position the resident on their side
 - C. Place the bedpan
 - D. Raise the head of the bed
56. When performing catheter care, it is important to:
- ☒ A. Clean away from the urethra
 - B. Clean from the tubing up
 - C. Use alcohol
 - D. Rinse with hot water
57. A resident who is incontinent should be checked:
- A. Once per shift
 - ☒ B. Frequently and regularly



- C. Every 8 hours
- D. Only when there is a complaint

58. The purpose of using a draw sheet is to:

- A. Protect the mattress
- B. Add softness
- ☒ C. Assist in repositioning without friction
- D. Keep the bed flat

59. Which statement about restraints is true?

- ☒ A. Restraints require a physician's order
- B. CNAs may apply restraints at will
- C. Restraints prevent all injuries
- D. All residents need restraints

60. Alternatives to restraints include:

- A. Tying the resident's hands
- ☒ B. Providing activities and supervision
- C. Ignoring wandering behavior
- D. Giving extra medication

61. The best way to communicate with a resident with hearing loss is to:

- A. Yell loudly
- ☒ B. Face them and speak clearly
- C. Speak rapidly
- D. Use only gestures

62. A resident is confused and thinks it's 1955. The CNA should:

- A. Correct them immediately
- ☒ B. Redirect the conversation calmly
- C. Laugh it off
- D. Argue until they understand

63. Validation therapy involves:

- ☒ A. Accepting the resident's reality
- B. Forcing reality on them
- C. Using memory games only
- D. Ignoring delusions

64. When assisting a resident to ambulate with a cane, the cane should be held:

- A. On the weak side



- ☒ B. On the strong side
- C. With both hands
- D. Behind the back

65. A resident with a recent stroke may experience:

- A. Full independence
- ☒ B. One-sided weakness (hemiparesis)
- C. Increased appetite
- D. Excessive talking

66. What is the proper response if a resident begins to have a seizure?

- ☒ A. Protect their head and stay with them
- B. Restrain their movements
- C. Put something in their mouth
- D. Leave the room

67. Signs of hypoglycemia include:

- A. Flushed skin and dry mouth
- ☒ B. Shakiness and sweating
- C. Slow heart rate
- D. High blood pressure

68. When caring for a diabetic resident, report if they:

- ☒ A. Do not finish meals
- B. Take naps
- C. Complain of boredom
- D. Want snacks

69. If a resident expresses feelings of hopelessness, the CNA should:

- A. Ignore the statement
- ☒ B. Report it to the nurse immediately
- C. Say "you'll be fine"
- D. Change the topic

70. A CNA suspects a resident is being abused. They must:

- ☒ A. Report it to the nurse or supervisor
- B. Ignore it unless witnessed
- C. Tell another resident
- D. Keep it secret



71. What is the best way to respect resident dignity?
- A. Talk over their heads
 - B. Make fun of their condition
 - ☒ C. Knock before entering and use preferred names
 - D. Rush through care
72. When assisting with range-of-motion exercises, stop if:
- A. The resident wants to continue
 - ☒ B. The resident complains of pain
 - C. The resident is quiet
 - D. The resident closes their eyes
73. Passive range of motion means:
- ☒ A. The CNA moves the joints for the resident
 - B. The resident exercises alone
 - C. The joints are kept still
 - D. Exercise is not performed
74. A resident tells the CNA about chest pain. The CNA should:
- A. Ignore it unless repeated
 - ☒ B. Report immediately to the nurse
 - C. Tell them to lie down
 - D. Offer water
75. The most important way to support a resident's rights is to:
- A. Make choices for them
 - B. Do everything independently
 - ☒ C. Involve them in decisions about their care
 - D. Avoid discussions



Part 4: Questions 76–100

76. Advance directives are used to:
- ☒ A. Communicate a person's healthcare wishes when they can't speak for themselves
 - B. Assign power of attorney for financial matters
 - C. Explain billing procedures
 - D. Set up dietary preferences
77. A living will is a type of:
- A. Power of attorney
 - ☒ B. Advance directive
 - C. Insurance plan
 - D. Legal guardianship
78. The resident's Bill of Rights includes the right to:
- A. Smoke anywhere in the facility
 - ☒ B. Refuse treatment
 - C. Choose their roommate's care plan
 - D. Skip hygiene care at staff discretion
79. HIPAA is a law that:
- A. Allows facilities to share patient info
 - ☒ B. Protects patient health information
 - C. Requires daily reporting
 - D. Applies only to doctors
80. A breach of confidentiality includes:
- ☒ A. Talking about a resident in public areas
 - B. Recording vital signs
 - C. Giving medication
 - D. Assisting with hygiene
81. A resident requests to see their medical record. The CNA should:
- ☒ A. Inform the nurse
 - B. Deny the request
 - C. Call the family
 - D. Ignore the question
82. Cultural sensitivity means:
- ☒ A. Respecting and understanding different backgrounds
 - B. Making fun of accents



- C. Only learning English culture
- D. Telling residents to adapt

83. A resident tells you, "God is punishing me." You should:

- A. Argue with them
- ☒ B. Listen and report concerns
- C. Change the topic
- D. Tell them to pray harder

84. Which of the following promotes effective communication?

- ☒ A. Active listening
- B. Multitasking during care
- C. Avoiding eye contact
- D. Using only medical terms

85. Nonverbal communication includes:

- A. Speaking slowly
- ☒ B. Facial expressions and gestures
- C. Reading instructions
- D. Talking on the phone

86. When documenting care, entries must be:

- ☒ A. Accurate and timely
- B. In pencil
- C. Written by memory
- D. Written only at shift's end

87. A CNA charts something they didn't do. This is:

- A. A harmless error
- ☒ B. Fraudulent documentation
- C. Acceptable with permission
- D. Time-saving

88. Incident reports should be completed:

- ☒ A. Immediately after an unusual event
- B. Only at the end of shift
- C. Weekly
- D. Only by the nurse

89. Abuse includes:

- A. Rough care



- B. Yelling at residents
- C. Ignoring needs
- ☒ D. All of the above

90. Neglect is:

- A. Doing too much for a resident
- ☒ B. Failing to provide needed care
- C. Over-communicating
- D. Writing false notes

91. Emotional abuse includes:

- A. Pushing a resident
- ☒ B. Calling a resident names
- C. Giving a resident snacks
- D. Assisting with bathing

92. The role of a CNA does **not** include:

- A. Reporting observations
- ☒ B. Administering medication
- C. Assisting with hygiene
- D. Measuring vital signs

93. What is the chain of command?

- ☒ A. A line of authority in a facility
- B. The cafeteria schedule
- C. The list of residents
- D. Medication guidelines

94. A resident wants to leave the facility against medical advice. The CNA should:

- A. Restrain them
- ☒ B. Report immediately to the nurse
- C. Call the family
- D. Lock the door

95. The Heimlich maneuver is used for:

- A. Heart attacks
- B. Seizures
- ☒ C. Choking
- D. Hypoglycemia



96. CPR should begin:
- ☒ A. Immediately if the resident is unresponsive and not breathing
 - B. After calling family
 - C. Once the supervisor arrives
 - D. Only with permission
97. Before beginning CPR, the CNA must:
- ☒ A. Check for responsiveness and breathing
 - B. Shake the resident hard
 - C. Administer fluids
 - D. Check their temperature
98. The first step when encountering a fire is to:
- ☒ A. Remove anyone in immediate danger
 - B. Grab the fire extinguisher
 - C. Call the family
 - D. Turn off all lights
99. The RACE acronym for fire stands for:
- A. Run, Alert, Call, Escape
 - ☒ B. Rescue, Alarm, Confine, Extinguish
 - C. Rest, Alert, Close, Exit
 - D. Race, Act, Call, Evacuate
100. Which of the following is considered a safety measure?
- A. Leaving spills on the floor
 - ☒ B. Locking wheels on beds and wheelchairs
 - C. Allowing frayed cords
 - D. Keeping clutter in walkways