










MODULE CONTRACT – generated, do not hand-edit (kicad_contracts.py --stamp)
 IN: IRB0-7 <- Memory Data Register
 IN: T0-3 <- root
 OUT: CW10=SA1, CW11=SA0, CW9=SA2 -> ALU Module
 OUT: CW0-8 -> Control Word Module
 OUT: CW14=PC_MAR_MUX -> Memory Address Register
 OUT: CW13=PC_UP -> Program Counter
 OUT: CW12=END, CW15=HALT -> root

A Turing-Complete 8-bit "Computer"
 An 8-bit computer with 16-bit addressing and 16-bit control words


The Microcode Decoder Module


Sheet: /Microcode_Decoder/
 File: microcode.kicad_sch


Title: Dino v0.0.3


Size: USLetter Date: 2026-07-12
 KiCad E.D.A. 10.0.4


Rev: v1.2.0
 Id: 3/10














MODULE CONTRACT - generated, do not hand-edit (kicad_contracts.py --stamp)
 IN: ALU_OUT, REG_A_LOAD, REG_B_LOAD <- Control Word Module
 IN: CW10=SA1, CW11=SA0, CW9=SA2 <- Microcode_Decoder
 IN: CLK, CLK, RESET <- root
 OUT: FLAG_Z -> Control Word Module
 BIDIR: W0-7 <-> Memory Address Register, Memory Data Register, Output


A Turing-Complete 8-bit "Computer"
 An 8-bit computer with 16-bit addressing and 16-bit control words

Sheet: /ALU Module/
 File: alu.kicad_sch

Title: Dino v0.0.3

Size: USLetter Date: 2026-07-12
 KiCad E.D.A. 10.0.4

Rev: v1.2.0
 Id: 9/10



MODULE CONTRACT – generated, do not hand-edit (kicad_contracts.py --stamp)
 IN: SW_OUT <- Control Word Module
 IN: OB0-7 <- Register Modules
 OUT: W0-7 -> ALU Module, Memory Address Register, Memory Data Register

A Turing-Complete 8-bit "Computer"
 An 8-bit computer with 16-bit addressing and 16-bit control words

Input Output Components

Sheet: /Output/
 File: input_output.kicad_sch

Title: Dīno v0.0.3

Size: USLetter Date: 2026-07-12
 KiCad E.D.A. 10.0.4

Rev: v1.2.0
 Id: 10/10