

Spec Amendment — Guild Roadmap Visual Hierarchy

Created: 2026-06-17 — Claude.ai Amends: `spec_guild_roadmap_maturity_2026-06-17.md`

Status: Ready for `_working/` — build alongside or immediately after roadmap maturity spec

Problem

The rendered roadmap is structurally correct but not readable at a glance. Two issues from Robert's review:

- 1. **Phases create repetition.** Learning System Phase 0 / Phase 1 / Phase 2 / Phase 3 appear as four equal-weight rows. The reader has to parse four rows to understand one initiative. Same pattern repeats across Gespräche phases. The project-level picture is buried in row count.
 - 2. **Status doesn't drive visual weight.** `in_progress` items look the same as `target` items except for a badge. You should be able to scan vertically and immediately know what's active, what's coming, and what's done — without reading every row.
-

Fix 1 — Phase grouping in ROADMAP.md

Restructure multi-phase initiatives into a parent + indented children pattern in the markdown table. Use a `⦿` indent prefix for phase rows:

markdown

|
Item

|
Phase

|
Status

|
Source

|
|

|

|

|

|
|
**
Learning System
**

|
|
|
LEARNING_SYSTEM_ROADMAP.md

|
|
|
· Phase 0 · Foundation

|
Phase 0

|
done

|
|
|
· Phase 1 · RAG layer

|
Phase 1

|
target

|
|

|
· Phase 2 · LoRA training

|
Phase 2

|
target

|
· Phase 3 · local-first

|
Phase 3

|
target

|
**

Gespräche mobile

**

|
GESPRACHE_ROADMAP.md

|
· Mobile fixes

|
Phase 0

|
queued

|
· Automatic transcript handoff

|
Phase 1

|
target

|
· Voice command routing

Phase 2

|

target

|

|

|

· PWA wrapper

|

post-mobile

|

target

|

|

Parent rows (bold, no phase, no status) give the initiative name and source doc. Child rows (· prefix) give the phase detail. Source doc on parent only — child rows inherit it visually.

Single-phase items stay as single rows — no change needed for those.

Fix 2 — Renderer: parent/child row styling

Detect rows where the Item cell starts with (·) — these are child rows. Detect rows where the Item cell is ****bold**** — these are parent rows.

Parent row style:

- Item cell: bold, full weight, slightly larger (1.05em)
- Phase cell: empty, no content
- Status cell: empty, no badge
- Source cell: rendered as GitHub link if known filename
- Background: very slight amber tint ((`rgba(198,138,94,0.06)`)) to group visually without being heavy

Child row style:

- Item cell: normal weight, (`padding-left: 1.5rem`), muted (85% opacity)
 - Phase, Status, Source: normal rendering
 - No bottom border on child rows between siblings — only on last child before the next parent
-

Fix 3 — Status drives row visual weight

Extend the existing status badge styling to also affect the whole row:

Status	Row treatment
<code>in_progress</code>	Left border 3px green tint, item cell full weight
<code>queued</code>	Left border 2px amber, item cell full weight
<code>target</code>	No border, item cell normal weight
<code>done</code>	Item cell 60% opacity, no left border

The left border is the scan signal — running your eye down the left edge of the table tells you immediately what's active and what's queued. `target` items are neutral. `done` items recede. `in_progress` and `queued` items pop.

Fix 4 — Domain section as card, not just header

Wrap each domain section (`## German`, `## Platform` etc.) in a card container — light border, slight padding, consistent spacing. This creates the "big blocks of the solution" visual that Robert described.

Each card contains:

- Domain header (existing `##` style)
- Agreed targets table
- Discussion list (muted, below the table)
- Horizontal rule between cards

The card wrapper is purely CSS — a `<div class="roadmap-domain">` around each domain's content. The renderer detects `## DomainName` headings and opens/closes the wrapper automatically.

Updated ROADMAP.md content

Replace the German and Platform sections with the grouped version. Other domains (Curator, Guild, Done) stay as single-row tables — no phases to group there.

German

Agreed targets

|
Item

|
Phase

|
Status

|
Source

|
|

|

|

|

|
|
**

Gespräche mobile

**

|
|
|
GESPRACHE_ROADMAP.md

|
|
· Mobile fixes

|
Phase 0

|
queued

|
|
|
· Automatic transcript handoff

|
Phase 1

|
target

|
|
|
· Voice command routing

|
Phase 2

|
target

|
|
|
· PWA wrapper

|
post-mobile

|
target

|
|
|
· LoRA German error adapter

|
Phase 2

|
target

|
LEARNING_SYSTEM_ROADMAP.md

|
|
· Persona aus echtem Gespräch

|
Phase 3

|
target

|
|
|
· Cross-session error detection

|
Phase 4

|
target

|

Discussion – not yet agreed

- Swipe between German tabs (E7)
- Persona card preview on tap (E5)
- Schreiben history rows clickable

Platform

Agreed targets

|

Item

|

Phase

|

Status

|

Source

|

|

|

|

|

|

|

Decision Records practice

|

Phase 0

|

done

|

DECISION_RECORD_PRACTICE.md

|

|

**

Learning System

**

|
|
|
LEARNING_SYSTEM_ROADMAP.md
|
|

· Phase 0 · Foundation
|

Phase 0
|

in_progress
|
|
|

· Phase 1 · RAG layer
|

Phase 1
|

target
|
|
|

· Phase 2 · LoRA training
|

Phase 2
|

target
|
|
|

· Phase 3 · local-first
|

Phase 3
|

target
|
|

Discussion – not yet agreed

- Model merging / adapter routing
- On-device inference for voice

Definition of Done

- ROADMAP.md updated with parent/child grouping for Gespräche and Learning System
- Parent rows render bold with amber tint background
- Child rows render indented, muted, without inter-sibling borders
- `in_progress` rows have green left border
- `queued` rows have amber left border
- `done` rows render at 60% opacity
- Each domain section wrapped in a card with light border
- Verified: scan the left edge of any table — active items immediately visible without reading row content
- Verified: Curator, Guild, and Done sections unaffected (single rows, no grouping needed)
- Verified: no regression on existing status badge rendering

Commit

`Roadmap view: visual hierarchy – phase grouping, status-driven row weight, domain cards.`
