Home.html

```
<title>Home Page</title>
<link rel="stylesheet" type="text/css" href="styles.css">
</head>
<body>
<nav>
class="dropdown">
<a href="#" class="dropbtn">Pages</a>
<div class="dropdown-content">
<a href="home.html">Home</a>
<a href="page2.html">Extra</a>
</div>
</nav>
≤?php $IPATH = $_SERVER["DOCUMENT_ROOT"]."/"; include($IPATH. "home.html"); ?>
```

page2.html

```
<link rel="stylesheet" type="text/css" href="styles.css">
</head>
<body>
<nav>
ul>
<a href="#" class="dropbtn">Pages</a>
<div class="dropdown-content">
<a href="home.html">Home</a>
<a href="robert.html">Robert</a>
</div>
</nav>
<?php $IPATH = $_SERVER["DOCUMENT_ROOT"]."/"; include($IPATH. "menu.html"); ?>
<h2>This is another page</h2>
</body>
</html>
```

Robert.html

```
chead>
<meta charset="UTF-8">
<ititle>I am robert</title>
<!-- Add other head elements as needed -->
<link rel="stylesheet" type="text/css" href="styles.css">

</head>
</body>
<nav>

cli class="dropdown">
<a href="#" class="dropdown-pages</a>
<div class="dropdown-content">
<a href="home.html">Home</a>
<a href="home.html">Robert</a>
<a href="robert.html">Robert</a>
<a href="robert.html">Robert</a>
<a href="page2.html">Extra</a>
</div>
</div>
<//di>
</div>
```

```
</nav>
</nav>
</php $IPATH = $_SERVER["DOCUMENT_ROOT"]."/"; include($IPATH. "menu.html"); ?>

<h2>I am robert

</body>
</pr>
```

Styles.css

```
body, ul {
margin: 0;
padding: 0;
nav {
color: #fff;
ul {
list-style-type: none;
.dropdown {
display: inline-block;
.dropbtn {
background-color: #333;
color: #fff;
padding: 10px;
text-decoration: none;
display: inline-block;
.dropdown-content {
display: none;
position: absolute;
background-color: #333;
box-shadow: 0 8px 16px rgba(0, 0, 0, 0.2);
.dropdown-content a {
color: #fff;
padding: 12px 16px;
text-decoration: none;
display: block;
.dropdown:hover .dropdown-content {
display: block;
.dropdown-content a:hover {
background-color: #555;
```