

1 2D-neutronics

1.1 2D-unitcell-reflecB-action

- Input file: *2D-unitcell-reflecB-action.i*
- Mesh: *2D-unitcell-reflecB.msh*
- Transient problem.

Figure 1 displays the geometry. Figures 2 and 3 show the results.





Figure 1: *2D-unitcell-reflecB* scaled down geometry.



(a) Fuel centerline between points (0.94,-160,0) and (0.94,913,0). (b) Coolant centerline between points (2.82,-160,0) and (2.82,913,0).

Figure 2: Group 1 and 2 axial fluxes in different locations of the unitcell at 10 msec.

1.2 2D-unitcell-reflec-action

- Input file: *2D-unitcell-reflec-action.i*
- Mesh: *2D-unitcell-reflec.msh*




Figure 3: Group 1 and 2 fluxes across the cell between points (0,400,0) and (5.64,400,0) at 10 msec.

- Transient problem.

Figure 4 displays the geometry. Figures 5 and 6 show the results.





Figure 4: *2D-unitcell-reflec* scaled down geometry.

1.3 2D-fullcore-reflec-action


- Input file: *2D-fullcore-reflec-action.i*
- Mesh: *2D-fullcore-reflec.msh*
- Transient problem.

Figure 7 displays the geometry. Figure 8 shows the results.



(a) Fuel centerline between points (0.94,-160,0) and (0.94,913,0). (b) Coolant centerline between points (2.82,-160,0) and (2.82,913,0).

Figure 5: Group 1 and 2 axial fluxes in different locations of the unitcell at 10 msec.



(a) Group 1.

(b) Group 2.

Figure 6: Group 1 and 2 fluxes across the cell between points (0,400,0) and (5.64,400,0) at 10 msec.




Figure 7: RZ-plane of *2D-fullcore-reflec-action* geometry.




Figure 8: Group 1 and 2 fluxes at 1 msec.