1 3D-neutronics

1.1 3D-assembly-30-homo-eig

- Mesh: 3D-assembly-30deg-reflec.msh
- Eigenvalue problem.

Figure 1 displays the geometry. Figure 2 shows the results. Figure 3 shows the eigenvalue vs number of iterations.




Figure 1: 3D-assembly-30deg-reflec scaled down geometry.




Figure 2: Group 1 and 2 steady-state axial flux.

1.2 3D-assembly-homo-action

- \bullet Mesh: 3D-assembly-30deg-reflec.msh
- Transient problem.




Figure 3: Eigenvalue calculation convergence.

• Fuel, Moderator, and coolant are homogenized.

Figure 1 displays the geometry. Figure 4 shows the results.




Figure 4: Group 1 and 2 axial flux at 1 msec.

1.3 3D-fullcore-60-homo-eig

- \bullet Mesh: 3D-fullcore-60-homo.msh
- Eigenvalue problem.

Figure 5 displays the geometry. Figure 6 shows the results.





Figure 5: 3D-fullcore-60-homo geometry.



(259,150,400). (85,55,1073).

Figure 6: Group 1 and 2 steady state axial fluxes. $K_{eff}=1.430523.$

(a) Radial flux between points (0,0,400) and (b) Axial flux between points (85,55,0) and