1 1D-neutronics-ss

1.1 1D-fuel-eig

- Mesh: *1D-fuel.msh*
- Eigenvalue problem: InversePowerMethod

Figure 1 shows the results. FDM $k_{eff} = 1.415296$. Both fluxes are normalized to the maximum value of the group 1 flux. Moltres: $k_{eff} = 1.415418$.



(a) FDM. (b) Moltres.

Figure 1: Steady state Group 1 and 2 fluxes.

1.2 1D-fuel-reflec-eig

- Input files: *1D-fuel-reflec-eig1.i* and *1D-fuel-reflec-eig2.i*
- Mesh: *1D-fuel-reflec.msh*
- Eigenvalue problem: InversePowerMethod and NonlinearEigen.

Figures 2 and 3 show the results. FDM $k_{eff} = 1.424280$. Both fluxes are normalized to the maximum value of the group 1 flux. Moltres:

- Inverse power method $k_{eff} = 1.424621$.
- Non linear eigenvalue method $k_{eff} = 1.424644$.



Figure 2: Steady state Group 1 and 2 fluxes using 1D FDM.



(a) Inverse Power Method.

(b) Non Linear Eigen.

Figure 3: Steady state Group 1 and 2 fluxes for different eigenvalue iteration methods.

1.3 1D-assembly-eig

- Mesh: *1D-fuel-reflec.msh*
- Eigenvalue problem.

Figure 4 shows the results.



(a) 1D FDM. $k_{eff} = 1.407314$. (b) Moltres. $k_{eff} = 1.407798$.

Figure 4: Steady state Group 1 and 2 fluxes for different methods.