OSPT-0035

Penetration Test Closing Meeting

Leave with a shared result, a named next decision, and a route back to the testing team.

Editable public template · fictional examples only · adapt locally

What this meeting must settle

01 · What was tested?

Confirm scope, dates, access, and meaningful limits. Do not let an untested area inherit the result.

02 · What was observed?

Walk the owner through evidence and the exact consequence supported by it.

03 · Who owns the next move?

Name the issue owner, technical support route, and any separate governance decision.

04 · What closes the loop?

Agree the change/evidence/retest route and where the official record will live.

Scope gives every result its ceiling

TESTED

[In-scope assets]
[Test window]
[Tester starting position]
[Methods actually exercised]

NOT TESTED

[Unreachable targets]
[Excluded techniques]
[Unavailable roles]
[Evidence gaps]

NEXT QUESTION

[Owner / system]
[Separate scope decision]
[Needed evidence]
[Responsible route]

FICTIONAL EXAMPLE

A finding is a claim with a boundary

EXPECTED

Account A should not receive Account B’s record.

OBSERVED

A controlled request using A’s test identity returned one synthetic B record.

SUPPORTED IMPACT

Cross-account disclosure in this route under the tested roles and build.

NOT CLAIMED

No proof of all records, all tenants, production exposure, or a broader chain.

Fictional illustration — replace with one real finding from the report.

One packet, two jobs

PROTECTED RECORD

Originals, time/build/identity, reproduction conditions, reviewer disposition, custody and access controls.

OWNER COPY

Redacted proof, clear remediation direction, affected in-scope instances, and a retest condition.

A screenshot helps orient. It does not replace a reproducible condition or a protected original.

Route the question to the right owner

Finding / reproduction	Testing team explains evidence and retest condition.
Remediation design	System owner and engineering choose and implement the fix.
Issue record / closure	Adopter’s vulnerability-management workflow owns state.
Risk, exception, deferral	Governance authority decides; testing team provides technical facts.
Urgent broad pattern	Follow local incident / enterprise-pattern escalation.

Retest starts with readiness, not optimism

ENVIRONMENT

Named, reachable, and authorized for the retest.

CHANGE

The fix is deployed in that environment; state what changed.

ACCESS

Required test identities, roles, and data are available.

EVIDENCE

Owner evidence and expected pass condition are attached.

The adopter chooses the request channel and service target; this template sets neither.

Leave with a named next move

OPEN ITEM	OWNER	NEXT ACTION	RECORD / ROUTE
[Finding / question]	[Named owner]	[Specific step]	[System / link]
[Finding / question]	[Named owner]	[Specific step]	[System / link]
[Finding / question]	[Named owner]	[Specific step]	[System / link]

Before ending: confirm the owner heard the same boundary, action, and route.