

PNY Youth Coding Bootcamp Cohort #4

Final Exam

Name: _____

1. Which of the following is an example of a class CSS selector?

- A. #header
- B. .header
- C. header
- D. :header

2. What tag is used to create a paragraph in HTML?

- A. <p>
- B. <text>
- C. <paragraph>
- D. <div>

3. Which of the following selectors selects all <div> elements?

- A. #div
- B. .div
- C. div
- D. *div

4. Which HTML tag is used to insert an image?

- A. <image>
- B.
- C. <src>
- D. <pic>

5. What is the correct way to link a CSS file in HTML?

- A. <script src="style.css">
- B. <link rel="stylesheet" href="style.css">
- C. <css href="style.css">
- D. <style src="style.css">

6. Which selector targets an element with id="main"?

- A. .main
- B. #main
- C. main
- D. *main

7. Which HTML tag creates a button?

- A. <btn>
- B. <button>
- C. <click>
- D. <input-button>

8. Which of the following is the correct entry point file name for a website?

- A. home.html
- B. index.html
- C. start.html
- D. main.html

9. What does the CSS color property affect?

- A. Background color
- B. Text color
- C. Border color
- D. Image color

10. Which of the following CSS selectors will select for the below HTML element? (Multiple possible answers)

```

```

- A. .img
- B. img
- C. #photo
- D. .main-image

11. What is the output of this function call?

```
function test(n) {  
    return n < 5;  
}  
test(3);
```

- A. 3
- B. true
- C. false
- D. undefined

12. What is returned by this function call?

```
function test(n) {  
    return n + 2;  
}  
test(5);
```

- A. 7
- B. 5
- C. true
- D. undefined

13. What is returned by this function call?

```
function test(n) {  
    if (n % 2 === 0) {  
        return true;  
    } else {  
        return false;  
    }  
}  
test(4);
```

- A. true
- B. false
- C. 4
- D. undefined

14. What is returned by this function call?

```
function test(word) {  
    return word.length;  
}  
test("Hi");
```

- A. 2
- B. 1
- C. "Hi"
- D. undefined

15. Which operator checks strict equality?

- A. =
- B. ===
- C. =>
- D. !=

16. What does the following code return?

```
const x = 10;  
x > 5;
```

- A. true
- B. false
- C. 10
- D. undefined

17. What does the .class selector target?

- A. An id
- B. A tag
- C. A class
- D. A function

18. What HTML element is used for a top-level heading?

- A. <h6>
- B. <h1>
- C. <head>
- D. <header>

19. What is the result of this function call?

```
function check(n) {  
  if (n >= 10) {  
    return "big";  
  } else {  
    return "small";  
  }  
}  
check(10);
```

- A. big
- B. small
- C. true
- D. false

20. Which of the following is a boolean expression?

- A. $x + 5$
- B. $x * y$
- C. $x > 10$
- D. "hello"