



Claude Cooldown

Your Claude plan limits on your Android home screen –
two accounts, live widgets, alerts before you hit the wall.

WIDGETS


USAGE HISTORY

PINNED NOTIFICATION


GRANULAR ALERTS

PERSONAL + WORK


SIGN IN ON THE PHONE



Live usage, per profile



Home-screen widget



Signs in right on the phone



What it is & what's inside

Claude Cooldown (CCooldown) is a personal home-screen widget app for your Claude plan limits – for **two accounts at once**. It shows the 5-hour and 7-day rolling windows for your **Personal** and **Work** profiles (including per-model caps like Fable), when each resets, how far into the week you are, forecasts *when* you'll hit a limit at your current pace – and warns you *before* you hit it, and again the moment a window resets.

Both windows, at a glance
5-hour session bar and the 7-day bars (All models, per-model caps, days elapsed) with exact reset times.

Usage history
NEW
A scrollable bar for every 5-hour session, week by week – see how many you ran and which hit 100%.

Pinned notification
NEW
An optional always-on, silent notification with a status-bar gauge that fills as you use your 5-hour window.

Granular alerts
Per-window threshold chips, reset pings set to off / if-busy / always, and a per-profile mute – no more all-or-nothing.

Burn-rate forecast
A sparkline of each window's usage curve plus a plain-words projection: "At this pace: 100% at Thu 2:40 PM."

Personal + Work
Two fully independent profiles – separate sign-ins, tabs, widgets, tiles and alerts – now with editable names.

Widgets & tiles
A full widget, a single-bar mini widget (place as many as you like), and two Quick Settings tiles.

Private, and backed up
No servers or telemetry; the token is Keystore-encrypted. History & settings now survive a reinstall (token excluded).

Contents


★	New in 0.13	history, pinned notification, granular alerts · page 3
1	Install	sideload the APK · page 4
2	Connect your accounts	sign in on the phone · page 4-5
3	Backup: computer token	paste / QR from Claude Code · page 6
4	Reading the screens	bars, pacing, forecast · page 7
5	Widgets	full & single-bar · page 8
6	Alerts & Quick Settings tiles	page 9
7	Settings reference	page 10
8	Troubleshooting · Privacy	page 11
9	Version history & dev notes	page 12

Heads-up (the honest part): reading the usage API with a Pro token outside Claude Code / claude ai isn't covered by Anthropic's consumer ToS – this is a personal-use tool and that risk was accepted when it was built. It's shared privately, free, for people who already pay for Claude.




New in 0.13


What changed since v0.12



Usage history – a bar per session
(illustration of a full week)



Pinned notification – always-on,
expands to 7-day & Refresh



Granular alert controls –
chips & reset-ping modes

17 Usage history

A new screen (calendar icon, top bar) shows a **scrollable bar for every 5-hour session** – newest first, labelled with day and start time, coloured by peak, and **red when a session hit 100%**. Page back through earlier weeks; a summary counts the sessions and how many maxed out. Switch to **7-day** for one bar per week. Recorded as each window closes (kept a year), so it fills in over time.

Pinned notification

An optional **always-on, silent** notification with a **status-bar gauge that fills** as you burn your 5-hour window. Collapsed shows the reset countdown and 7-day %; expanded adds the 7-day and per-model bars with one-tap **Refresh**. Follows your theme, turning orange then red near the limit. Enable it in **Settings → Pinned notification** and pick the icon (Ring / Pie / Battery / Number).

🔔 Granular alerts

No more all-or-nothing: tap **threshold chips** to choose exactly which levels warn you per window (5-hour 80/90/95, 7-day & per-model 75/90), set reset pings to **Off / If busy / Always** (*If busy* only pings when that window had reached 80%), and mute a whole profile with one switch.

📌 Also new

- **Editable profile names** – rename Personal / Work; it flows through tabs, widgets, tiles and notifications.
- **Clearer warning colours** – a true red at 100%, distinct from the Claude Orange theme.
- **Auto Backup** – history & settings survive a reinstall or new phone (the encrypted token is excluded).

One-time reinstall for this update. v0.13 moves to a permanent app-signing key, so updating from v0.12 needs an **uninstall + reinstall** (Android blocks an in-place update when the signature changes) – you'll sign in once more. Every update *after* v0.13 installs in place and keeps your data.

1

Install

Android 12+ · sideloaded APK · about a minute

- 1 Get **CCooldown.apk** onto the phone – from the **GitHub Releases page** of the repo, or straight from the shared *Release* folder (OneDrive app → *Documents* ▶ *Apps* ▶ *ClaudeUsage* ▶ *Release*).
- 2 Tap the APK. When Android warns about unknown apps, **allow installs from the app you opened it with**, then tap **Install**. A Play Protect "scan app?" prompt may appear – scan or install anyway; you know where this one came from.
- 3 Open **CCooldown** and **allow notifications** when asked – that's what powers the usage alerts.

Updating from v0.13 onward? Just install the new APK over it – token, settings, history and widgets survive. **Coming from v0.12?** This one update needs an uninstall + reinstall (signing-key change) – see *New in 0.13*.

2

Connect your accounts

Two independent slots – Personal and Work

The app has two profile slots, **Personal** and **Work** – each with its own sign-in, polling, widgets, tiles and alerts. Set up one or both. Since v0.12, each profile signs in **right on the phone – no computer needed**:


- 1 Open ⚙ **Settings** and tap **"Sign in on this phone"** on the profile's card.
- 2 If you have several browsers, a picker appears – **choose the browser where that account is already logged in** to claude.ai (e.g. Work in Chrome, Personal in Brave). That's how you control *which* account gets connected.
- 3 The browser opens Claude's sign-in. Log in if needed, then tap **Authorize**.
- 4 The page shows a **code** – tap **Copy**, switch back to the app, tap **Paste**, then **Finish sign-in**.
- 5 The card turns **Active** and usage loads: *"signed in – usage fetched, polling started."*

Works for **Personal (Pro / Max)** and **Work (Team)** accounts alike. The sign-in is minted on the phone and is yours alone – no computer shares it, so nothing can rotate it away. It self-renews for about **a month** (the card shows *"Sign-in expires around ..."*); you'll get 7 / 3 / 1-day warnings before it lapses, and renewing is the same one-minute flow via **"Re-sign in"**.


2

Sign-in, step by step


What you'll see on screen




1 – Each account card has "Sign in on this phone"



2 – Authorize in the browser (the standard Claude consent page)



3 – Copy the code, Paste, Finish sign-in



4 – Usage loads immediately – done, polling runs on its own

Why the browser picker matters

The sign-in lands on whatever claude.ai account that browser is logged into. Keeping **Work in Chrome** and **Personal in another browser** gives you a clean, repeatable way to connect each profile to the right account – no logging in and out.

What the card shows afterwards

- Status chip – **Active** / Needs re-auth
- Plan badge – Pro, Max or Team
- Last checked, with a one-tap "check now" button
- Auto-renew countdown & last auto-renewed time
- "Sign-in expires around ..." (≈30-day estimate)

Token safety: the sign-in is stored **encrypted on the phone only** (Android Keystore) and is never sent anywhere except Anthropic's own API. No servers, no telemetry, no analytics – nothing else ever sees it.

3

Backup: use a computer token

Only needed if the phone can't run the browser sign-in

Each card keeps the old method under **"Use a computer token instead"**: copying the token that the **Claude Code CLI** holds on the machine where that account is signed in.

Windows

Open `C:\Users\<you>\.claude\.credentials.json` in Notepad, select all, copy.

macOS

The CLI keeps it in the Keychain. In Terminal:

```
security find-generic-password -s "Claude Code-credential
s" -w
```

Fastest transfer: QR code NO CLIPBOARD


If the computer has Node.js, show the token as a QR in the terminal, then tap **"Scan QR"** on the profile's card:

```
# Mac
npx -y qrcode-terminal "$(security find-generic-password
-s 'Claude Code-credentials' -w)"
# Windows (PowerShell)
(Get-Content "$env:USERPROFILE\.claude\.credentials.json"
-Raw | ConvertFrom-Json).claudeAiOAuth | ConvertTo-Json -
Compress | npx -y qrcode-terminal
```


Or the clipboard way: get the JSON onto the phone's clipboard privately (Link to Windows, Quick Share, a synced note – **delete it afterwards**) and tap **"Paste from clipboard"**. Either way the app validates the token with a live call and starts polling.

If the command finds nothing: the Claude Code CLI isn't installed or signed in on that machine (the desktop app's login is stored separately and can't be used). Install the CLI, run `claude`, sign in with the right account, retry.

Why phone sign-in is better: a pasted token is *shared* with that computer – if its Claude Code re-logs-in, the token rotates and the app asks for a re-paste. "Sign in on this phone" gives the phone its own token, so that can't happen.



"Use a computer token instead" reveals
Paste from clipboard & Scan QR



The full walkthrough also lives in-app:
"How do I get my token?" (macOS / Windows / Linux)

4

Reading the screens

Two tabs – Personal | Work – swipe or tap to switch

5-hour window card

"X% used", the bar, and a split reset line – *left*: Resets in 3h 27m . *right*: Resets at Mon 9:40 PM .

7-day window card

- **All models** – your total weekly usage
- **Fable** (and any other per-model cap the API reports)
- **Days elapsed** – how far through the 7-day window you are (time, not usage). All three share one reset footer – they reset together.

The pacing trick

Compare **Days elapsed** against the usage bars. Usage **behind** Days elapsed → you have headroom. Usage **ahead** of it → you may run out before the weekly reset.


Burn-rate forecast v0.9+

Once a window has ~20 minutes of history, each card grows a **sparkline** of that window's usage curve (solid = what happened, dashed = where it's heading) and a plain-words projection – *"At this pace: 100% at Thu 2:40 PM – 1h 20m before the reset"* in red when you're on course to hit the wall, or *"At this pace: ~62% when the window resets"* in grey when you're safe. History comes from the app's own polls and stays on the phone.


Bar colors

Your theme color normally → **yellow** above 80% → **orange** above 90% → **red** at 100%. Only the bars shift; text stays neutral.

Data refreshes automatically every 15 minutes (configurable, minimum 5). "Last success / Last attempt" under the Refresh button always tell you how fresh the numbers are.



Dark theme, live data – at 91% the 5-hour bar has shifted to its above-80% yellow




Light theme – same layout, same story


5

Widgets

The whole point – usage without opening anything



Full widget, dark – 5-hour, all 7-day bars, days elapsed and reset times



Full widget, light – follows the system theme and your accent color



Drop a widget → setup screen asks which profile it should show

Two widget types

- **Full widget (4×3 default)** – everything: 5-hour, 7-day bars, days elapsed, reset times.
- **Single-bar widget (2×1)** – one bar of your choice: 5-hour, 7-day all-models, per-model (Fable), or days elapsed. Place as many as you like, mixing profiles freely.

Resizing

Long-press → drag the handles: **small** = 5-hour only · **medium** = 5-hour + 7-day total · **large** (default) = everything.

Widget behavior

- **Refresh icon (top-right)** = refresh now – rate-limited to once per 3 minutes; the API forbids faster polling.
- **Tapping anywhere else** opens the app on that profile.
- **Footer** = weekly reset (left) and "updated Xm ago" (right). If it turns **amber**, the last fetch failed or data is >45 min old – you're seeing the last known good numbers, never a blank.

6

Alerts & Quick Settings tiles


The app taps you on the shoulder – you never babysit it

ALERT	WHEN IT FIRES
5-hour at 80%	Time to pace yourself
5-hour at 95%	You're about to be cut off
7-day at 90%	Weekly budget nearly spent
Per-model cap at 90%	A model's own weekly cap (e.g. Fable) is nearly spent – these used to fill up silently
Window reset	The 5-hour or 7-day window just reset – Claude is fresh again (scheduled at the known reset moment, lands within ~2 min)
Re-auth needed	The profile's token stopped working – or renewals have failed 6+ hours straight
Sign-in expiring	7 / 3 / 1 days before the known expiry – renew at your convenience
Usage data stale	Polls failing for 6+ hours – the widget numbers are old and nothing else would tell you


Every alert is prefixed with its profile ("Personal: ..." / "Work: ..."), fires **once per window/episode** and re-arms afterwards. Tapping one opens the app **on that profile's tab**; re-auth and stale alerts dismiss themselves once fixed. **Granular now:** threshold chips per window, reset pings set Off / If busy / Always, and a per-profile mute (Settings → Notifications).

Quick Settings tiles – one per profile

Usage from inside any app: pull down the shade – **"Personal 94% / 7d 14%"** and **"Work 37% / 7d 62%"** are separate tiles. Add them once: shade fully down → edit → drag **Claude Personal / Claude Work** in. Tapping a tile opens that profile's tab; opening the shade nudges a background refresh (skipped if data is under 3 minutes old, so shade-flicking doesn't spam the API).




Threshold + reset notifications, prefixed per profile




Two tiles in the shade – Personal and Work

SETTING	WHAT IT DOES
Account cards	"Sign in on this phone" (with browser picker) – or the paste / QR backup. Once signed in: status chip, plan badge (Pro / Max / Team), last-checked with check-now, auto-renew countdown, "Sign-in expires around ...", added date, token tail, backoff status, Re-sign in / Clear.
Profile names	Rename Personal / Work to anything – flows through tabs, widgets, tiles and notifications
Check usage every	5 / 15 / 30 / 60 min presets (default 15) – saves on tap
Usage warnings	Per-window threshold chips (5-hour 80/90/95, 7-day & per-model 75/90)
Reset pings	Per window: Off / If busy (only if it reached 80%) / Always
Profile / sign-in / stale alerts	Per-profile mute, plus separate sign-in and stale-data toggles
Pinned notification	Always-on usage notification: on/off, which profile, status-bar icon style
System notif. settings	Opens Android's per-channel controls
24-hour time	Off = "Thu 11:45 PM" (default) · On = "Thu 23:45"
Theme color	13 choices: Material You (dynamic), Claude Orange (default), Blue, Indigo, Cyan, Teal, Green, Amber, Deep Orange, Red, Pink, Purple, Brown – applies to app and widget bars
Widgets	"Add widget to home screen" shortcuts for both types
About	Version, credits, Share feedback (WhatsApp). Tap the version 7× to unlock the debug raw-response viewer.

Below the Refresh button the app shows **Last success** and **Last attempt** as "Mon 6:14 PM (2m ago)". A red status line appears only when something's wrong.



Accounts & polling – light theme



Theme colors, widget shortcuts, About

8 Troubleshooting & privacy

SYMPTOM	MEANING / FIX
Widget footer is amber	Data is stale (failed fetch or >45 min old). Usually temporary; self-heals on the next poll.
"Re-auth needed"	The token and its refresh both failed. Tap "Re-sign in" on that card – or re-paste from a computer if you use the backup method.
"Rate limited (429)"	The API asked us to back off; automatic retries with increasing delays (5 min → 1 h max).
"Token refresh failed (HTTP 429)"	Usually a <i>dead</i> refresh token, not real rate-limiting – the source machine's Claude Code rotated it. Fix: "Sign in on this phone" , which gives the phone its own sign-in so this can't recur. (Through v0.11 the app itself could trigger this on every renewal – fixed in v0.12.)
Widget says "No data yet"	No successful fetch so far – tap the widget refresh icon, or open the app and check the status line.
Alerts never appear	Check notification permission and the Usage alerts toggle.
Anything else	Settings → Show last raw response (7 taps on the version) + the red status line tell the whole story.

Privacy & good-to-know

- **No servers, no telemetry, no analytics.** The app talks only to `api.anthropic.com` (usage), `platform.claude.com` (sign-in code exchange + token refresh) and `claude.com` (the sign-in page in your browser) – the same endpoints Claude Code uses.
- The token lives in **Android-Keystore-encrypted storage**; cached usage numbers contain nothing sensitive.
- Polling is deliberately gentle – 15-minute default, 3-minute manual floor, exponential backoff on 429s.
- Reading the usage API with a Pro token outside Claude Code / claude.ai is not covered by Anthropic's consumer ToS; personal-use risk was accepted when this was built.
- Not affiliated with or endorsed by Anthropic. Sideload-only, free, no accounts, no strings.

VER. HIGHLIGHTS

- | | |
|---------|---|
| 0.13 | History, pinned notification & finer alerts. New Usage history screen (per-session and per-week bars, backed by a year-long session log); optional always-on pinned notification with a status-bar usage gauge; granular alerts (per-window threshold chips, off/if-busy/always resets, per-profile mute); editable profile names; true warning-red at 100%; Android Auto Backup for history + settings (token excluded). Now signed with a permanent key, so updates from here on retain data – the one-time cost was this upgrade needing a reinstall. |
| 0.12 | Native sign-in release. "Sign in on this phone" – the same PKCE flow Claude Code uses, no computer at all, browser picker included; works for Pro/Max and Team. Also fixed the chronic HTTP 429 on token exchange/renewal (Anthropic's token endpoint rejects requests identifying as <code>claude-code</code> – the app no longer sends that identity on token calls). Computer-token paste/QR stays as backup. |
| 0.10 | QR fixes & diagnostics – Windows QR command extracts just the sign-in object; refresh failures now say <i>why</i> in the status line. |
| 0.9 | Forecast & QR release – on-phone poll history (8 days) with sparkline + burn-rate forecast per window; per-model 90% alerts; "Scan QR" token import; notifications open the right profile tab. |
| 0.8 | Token health – plan badge, auto-renew countdown, sign-in expiry warnings (7/3/1 days), stale-data alert, self-dismissing notifications. |
| 0.7 | Renamed to Claude Cooldown , new launcher icon, grouped Settings, in-app token guide, poll presets, About & feedback. |
| 0.6 | Two profiles (Personal + Work), widget setup screen, single-bar widget, reset notifications at the exact moment, two Quick Settings tiles. |
| 0.5 | Redesign – grouped 7-day card with days-elapsed pacing bar, Claude-style bars, split reset rows, 13 theme colors, widget polish. |
| 0.4 | Usage alerts, Quick Settings tile, auto-refresh on open. |
| 0.1-0.3 | First working app + widget; large widget layout; Material You polish. |

For future rebuilds

- Single-module Android project – Kotlin · Jetpack Compose · Glance 1.1.1 · WorkManager · OkHttp · min SDK 31, target 36.
- Build (signed release): `JAVA_HOME=/opt/homebrew/opt/openjdk@17 ./gradlew :app:assembleRelease` → APK in `app/build/outputs/apk/release/`. Signing reads a gitignored `keystore.properties` + `.jks` at the repo root – back them up; losing them means no more updates.
- Glance gotcha: RemoteViews containers max out at 10 children – keep widget blocks in nested Columns.
- If Anthropic changes the undocumented response schema, the parser ignores unknown fields; if bars go blank, check the raw JSON in the debug view first.

**Built by Robin Richard Rajan – written end-to-end with Claude Code.**

Every line of Kotlin, every screenshot, this guide and the release pipeline were produced in Claude Code sessions – including reverse-engineering the sign-in flow the app now uses. If you'd like the APK or want to build something like this, just ask.