



Your Claude *and* ChatGPT limits on your Android home screen – as many accounts as you use, live widgets, alerts before you hit the wall.

CLAUDE + CHATGPT

PACE CHART


USAGE CREDITS

WIDGETS


NOTIFICATION STYLES

GRANULAR ALERTS


MULTI-ACCOUNT



Pace chart & usage credits



Home-screen widget



Signs in right on the phone

Before you install: this is an **unofficial** personal tool – to read your usage it signs in as the **Claude Code CLI** against an **undocumented** Anthropic endpoint, and uses the **Codex CLI's** client against an undocumented OpenAI one, so there's a small risk either could **revoke the token or flag the account**. It's read-only and signs in once; full detail on **page 4**. Use it at your own discretion.

Version 1.5 · September 2026

Built by Robin Richard Rajan – with Claude Code (Fable 5 · Opus 4.8 · Opus 5)

Personal sideloaded app – not on any store · not affiliated with Anthropic, OpenAI or Google

USER GUIDE



What it is & what's inside

Cooldown is a personal home-screen widget app for your **Claude** and **ChatGPT** plan limits – for **as many accounts as you use**, on either service. It shows the 5-hour and 7-day rolling windows for each account (including per-model caps like Fable and Spark), when each resets, how far into the week you are, forecasts *when* you'll hit a limit at your current pace – and warns you *before* you hit it, and again the moment a window resets.



Usage history

A scrollable bar for every 5-hour session, week by week – see how many you ran and which hit 100%.



Pinned notification

4 STYLES

An always-on, silent notification with a status-bar gauge that fills – now in four layouts, including a big-number one.



Granular alerts

Per-window threshold chips, reset pings set to off / if-busy / always, and a per-account mute – no more all-or-nothing.



Pace chart

Every reading plotted against an *even-pace* line – stay below it and you finish the window inside your limit.



Claude + ChatGPT

NEW

Add as many accounts as you use, on either service – separate sign-ins, tabs, widgets, tiles and alerts each, and each wearing its own provider's mark and colour.



Widgets & tiles

3 NEW FACES

A full widget, a single-bar mini, and now Ring, Mini-Rings and Pace faces – plus a Quick Settings tile per account.



Usage credits

Pay-as-you-go credits as their own card – spent, total and what's left. Hidden if your plan has none.



Private, and backed up

No servers or telemetry; the token is Keystore-encrypted. History & settings now survive a reinstall (token excluded).

Contents

★	New in v1.5	ChatGPT accounts, the Cooldown rename, provider marks & colours · page 3
1	Install	sideload the APK · page 4
2	Connect your accounts	Claude on the phone · page 4-5 · ChatGPT by code · page 6
3	Backup: computer token	paste / QR from Claude Code · page 7
4	Reading the screens	bars, pace chart, credits · page 8
5	Widgets	full & single-bar · page 9
6	Alerts & Quick Settings tiles	page 10
7	Settings reference	page 11
8	Troubleshooting · Privacy	page 12
9	Version history & dev notes	page 13



New in v1.5

what changed since v1.4

ChatGPT accounts

The app now tracks **ChatGPT** alongside Claude. Tap **" + Add account"**, pick the service, and sign in with a **short code** at `auth.openai.com` – on this phone or your laptop, no computer token to copy. Everything downstream is unchanged: its own tab, widgets, tiles, alerts, history and pace chart, mixed freely with your Claude accounts. Full walkthrough on [page 6](#).



It's just "Cooldown" now

Tracking three services made "Claude Cooldown" the wrong name. New **three-sand hourglass** icon – one band per service, with the Claude grain still pouring – and each account carries its **provider's own mark** on its card, its tab, the pinned notification and the widget picker. The update installs in place; nothing to re-sign-in.



Per-provider colours

A new **"Per provider"** theme, now the default: each account simply wears its own service's colour – Claude orange, ChatGPT green – instead of one global accent for everything. Prefer otherwise? Pick any of the 15 colours globally as before, or override just one account from its card's : → **Accent colour**.

Windows you don't have are gone

If an account has no 5-hour window – OpenAI has suspended it on some plans – that card, widget line and bar are no longer drawn at all. Previously you'd get a dash or an empty bar and be left guessing whether it was missing or broken. This applies to Claude accounts too. A widget configured on a window that's gone says so in words.



Gemini: listed, not hidden

Google's **Antigravity** (Gemini) is the third row in the Add-account sheet, **greyed out**. Its sign-in needs a callback only a desktop can answer, so it can't be finished on a phone today. It's shown disabled rather than omitted so you know it's known about – and it'll light up if that changes.



Under the hood

Each account now records *which service* it belongs to, and the app swaps in that service's fetcher behind one shared interface – so tabs, widgets, tiles and alerts never learn the difference. Existing installs read as Claude accounts automatically; no migration, no action needed.

Updating from v1.0-v1.4 is in place – same signing key, so your sign-ins, history, settings and widgets all survive.

1

Install

Android 12+ · sideloaded APK · about a minute

Before you install – the honest part. Claude: to read your usage, Cooldown signs in with the **same OAuth client as the Claude Code CLI** (identical client ID and scopes) and identifies itself as `claude-code` when it calls an **undocumented** endpoint – deliberately, since otherwise it's routed to an aggressively rate-limited bucket. In effect it **impersonates the official CLI**. **ChatGPT:** same posture, one difference – it mints **its own token** via OpenAI's device-code flow using the **Codex CLI's client ID**, reads an **undocumented** endpoint, but identifies itself **honestly** as Cooldown, since OpenAI's endpoint doesn't penalise an unfamiliar client. Neither is sanctioned, and both companies' consumer terms restrict using consumer tokens in third-party tools, so installing means accepting a small but real risk that either could **revoke the token or flag the account**. What limits it: the app is **read-only** (never sends prompts or spends quota), signs in **once per install**, and is shared privately – never on a store. Use it at your own discretion.

- 1 Download the **APK** onto the phone from the **latest GitHub release** (github.com/robineam360/Cooldown/releases/latest). In-app, **Settings → About → Check for updates** links you straight to it.
- 2 Tap the APK. When Android warns about unknown apps, **allow installs from the app you opened it with**, then tap **Install**. A Play Protect "scan app?" prompt may appear – scan or install anyway; you know where this one came from.
- 3 Open **Cooldown** and **allow notifications** when asked – that's what powers the usage alerts.

Updating an existing install? From v0.13 onward, just install the new APK over it – token, settings, history and widgets survive. (Coming from v0.12 or earlier needs a one-time uninstall + reinstall – the signing key is permanent from v0.13 on.)

2

Connect your accounts

Personal and Work by default – add as many more as you use

The app starts with two account cards, **Personal** and **Work** – each with its own sign-in, polling, widgets, tiles and alerts. Tap **"+ Add account"** in Settings for a third, fourth, or more; each new one gets an editable name too. Every profile signs in **right on the phone – no computer needed**:


- 1 Open **Settings** and tap **"Sign in on this phone"** on the account's card.
- 2 If you have several browsers, a picker appears – **choose the browser where that account is already logged in** to claude.ai (e.g. Work in Chrome, Personal in Brave). That's how you control *which* account gets connected.
- 3 The browser opens Claude's sign-in. Log in if needed, then tap **Authorize**.
- 4 The page shows a **code** – tap **Copy**, switch back to the app, tap **Paste**, then **Finish sign-in**.
- 5 The card turns **Active** and usage loads: *"signed in – usage fetched, polling started."*

Works for **Pro / Max** and **Team** accounts alike, on any card. The sign-in is minted on the phone and is yours alone – no computer shares it, so nothing can rotate it away. It self-renews for about **a month** (the card shows *"Sign-in expires around ..."*); you'll get 7 / 3 / 1-day warnings before it lapses, and renewing is the same one-minute flow via **"Re-sign in"**. An account with no token yet carries no tab, no widget and no tile – it appears the moment it's signed in.

2

Sign-in, step by step

What you'll see on screen



1 – Tap "Sign in on this phone", then pick your browser

2 – Authorize in the browser (the standard Claude consent page)

3 – Paste the code, Finish – signed in, usage loads, polling runs

Why the browser picker matters

The sign-in lands on whatever claude.ai account that browser is logged into. Keeping **Work in Chrome** and **Personal in another browser** gives you a clean, repeatable way to connect each profile to the right account – no logging in and out.

What the card shows afterwards

- Status chip – **Active** / Needs re-auth
- Plan badge – Pro, Max or Team
- Last checked, with a one-tap "check now" button
- Auto-renew countdown & last auto-renewed time
- "Sign-in expires around ..." (≈30-day estimate)

Token safety: the sign-in is stored **encrypted on the phone only** (Android Keystore) and is never sent anywhere except Anthropic's own API. No servers, no telemetry, no analytics – nothing else ever sees it.

2

ChatGPT: sign in with a code

A short code, typed on this phone or any other device – new in v1.5

A ChatGPT account is added the same way as a Claude one, and behaves the same way afterwards – its own tab, widgets, tiles, alerts and history. Only the sign-in differs: instead of a browser round-trip and a pasted code, OpenAI shows you a **short code** to approve.

- 1 In **Settings**, tap **" + Add account "**. A sheet lists the three services – pick **ChatGPT**.
- 2 The app shows a **code** in large type and a **countdown** (the code is good for 15 minutes). Tap **Copy code** if you like.
- 3 Go to **auth.openai.com/codex/device** – tap **Open in browser** to do it right here, or type the address on your laptop. Either works; the code is not tied to this phone.
- 4 Log in to ChatGPT if needed, enter the code, and approve.
- 5 The sheet closes by itself and the new tab appears with your usage already loaded.

If something goes wrong

- **The code expired** – the countdown ran out. Tap **"Get a new code"**; nothing is lost.
- **Denied** – the approval was rejected in the browser. Start again.
- **Unavailable** – OpenAI has the device flow switched off. Rare; the sheet tells you what to do.
- **You closed the app mid-flow** – reopen it and the sheet comes back where it was, still counting down.

What the card shows afterwards

- The **ChatGPT** mark before the account name
- Status chip – **Active** / Needs re-auth
- Plan badge – Plus, Pro, Team, Business...
- Buttons: **Sign in with a code** · **Refresh** · **Clear**
- No "expires around ..." line – see the note below

How a ChatGPT tab reads differently

Mostly it doesn't – the same bars, the same pace chart, the same alerts. Three differences worth knowing:

- **A window you don't have isn't drawn.** OpenAI suspended the 5-hour limit on some plans; if yours has no 5-hour window, that card simply isn't there – no dash, no empty bar. (Claude accounts follow the same rule now.)
- **Extra caps** such as **Spark** appear as per-model rows under the 7-day card, exactly like Claude's per-model caps.
- **Credits** show as a plain **"\$12.40 balance"** rather than a spent/total bar – OpenAI reports a balance, not a monthly cap. An unlimited plan shows nothing at all.

Why there's no expiry countdown. A Claude sign-in has a predictable ~30-day life, so the app shows one. OpenAI's has no published lifetime, and a wrong estimate is worse than none – so the app stays quiet and simply tells you if a refresh ever fails.

The phone mints its own sign-in. Nothing is copied from a computer – and deliberately so: reusing the token your desktop Codex CLI holds would trip OpenAI's rotation detection and sign you out of your own CLI. There is no paste or QR option for ChatGPT, and that's the reason.

Gemini is greyed out. The third row in the Add-account sheet is Google's Antigravity (Gemini). Its sign-in can't be completed on a phone today – Google's flow needs a callback only a desktop can answer. The row is shown, disabled, rather than hidden, so you know it's known about. It'll light up if that changes.

3

Backup: use a computer token

Claude accounts only – and only if the phone can't run the browser sign-in

Each **Claude** card keeps the old method under **"Use a computer token instead"**: copying the token that the **Claude Code CLI** holds on the machine where that account is signed in. ChatGPT cards don't offer it – see page 6 for why.

Windows

Open `C:\Users\<you>\.claude\.credentials.json` in Notepad, select all, copy.

macOS

The CLI keeps it in the Keychain. In Terminal:

```
security find-generic-password -s "Claude Code-credentials" -w
```

Fastest transfer: QR code NO CLIPBOARD

If the computer has Node.js, show the token as a QR in the terminal, then tap **"Scan QR"** on the profile's card:


```
# Mac
npx -y qrcode-terminal "$(security find-generic-password -s 'Claude Code-credentials' -w)"

# Windows (PowerShell)
(Get-Content "$env:USERPROFILE\.claude\.credentials.json" -Raw | ConvertFrom-Json).claudeAiOAuth | ConvertTo-Json -Compress | npx -y qrcode-terminal
```


Or the clipboard way: get the JSON onto the phone's clipboard privately (Link to Windows, Quick Share, a synced note – **delete it afterwards**) and tap **"Paste from clipboard"**. Either way the app validates the token with a live call and starts polling.

If the command finds nothing: the Claude Code CLI isn't installed or signed in on that machine (the desktop app's login is stored separately and can't be used). Install the CLI, run `claude`, sign in with the right account, retry.

Why phone sign-in is better: a pasted token is *shared* with that computer – if its Claude Code re-logs-in, the token rotates and the app asks for a re-paste. "Sign in on this phone" gives the phone its own token, so that can't happen.



"Use a computer token instead" reveals
Paste from clipboard & Scan QR



The full walkthrough also lives in-app:
"How do I get my token?" (macOS / Windows / Linux)

4

Reading the screens

One tab per signed-in account – swipe or tap to switch

5-hour window card

"X% used", the bar, and a split reset line – left: **Resets in 3h 27m** · right: **Resets at Mon 9:40 PM**.

7-day window card

- **All models** – your total weekly usage
- **Fable** (and any other per-model cap the API reports). Both share one reset footer – they reset together.

The pace chart v1.1

Every card carries a chart of that window: a **dot for each reading** the app has taken, dashed guides at **80 / 90 / 100%**, a marker on the latest figure, and the forecast as a **dashed tail** to where you'll land. The x axis spans the whole window – start on the left, reset on the right, **now** marked in between.

The even-pace line – the one to watch

The dashed **yellow diagonal** runs from 0% at the window's start to 100% at its reset: spend evenly and you'd track it exactly. So **below the line = you'll finish inside your limit**; above it you're on course to run out early, and the overshoot **shades amber** to show when you crossed and by how much. The readout says it in words too – "33 points below even pace", or "13 points above even pace".

Burn-rate forecast

After ~20 minutes of history and some movement: **"100% at Thu 2:40 PM – 1h 20m before the reset"** in red when you're heading for the wall, or **"~62% when the window resets · 0.4%/h"** when you're safe. It fits a line across **every** reading, so one early burst won't skew it – and if it can't say anything honest yet, it tells you why instead of showing nothing.

Usage credits v1.1

Plans with **pay-as-you-go credits** get a third card: **\$5.99 / \$100.00** with the percentage spent and what's left. No credit budget, no card.


Bar colors

Your theme color normally → **yellow** above 80% → **orange** above 90% → **red** at 100%. Only the bars shift; text stays neutral.


Usage history

The **calendar icon** in the top bar opens a bar for **every 5-hour session** – newest first, coloured by its peak and **red when one hit 100%**. Page back through earlier weeks, or switch to **7-day** for one bar per week. Written as each window closes and kept a year.

Data refreshes automatically every 15 minutes (configurable, minimum 5). "Last success / Last attempt" under the Refresh button always tell you how fresh the numbers are.



Both windows charted, each against its even-pace line




The 7-day chart and the usage-credits card below it

5

Widgets

The whole point – usage without opening anything



On the home screen – the full widget for Work, plus two single-bar widgets for Personal

Two widget types

- **Full widget (4×3 default)** – everything: 5-hour, the 7-day bars, per-model caps, reset times (and usage credits if you opt in).
- **Single-bar widget (2×1)** – one bar of your choice: 5-hour, 7-day all-models, per-model (Fable), or **usage credits**. Place as many as you like, mixing profiles freely.

Resizing

Long-press → drag the handles: **small** = 5-hour only · **medium** = 5-hour + 7-day total · **large** (default) = everything.

Widget behavior

- **Refresh icon (top-right)** = refresh now – rate-limited to once per 3 minutes; the API forbids faster polling.
- **Tapping anywhere else** opens the app on that profile.
- **Footer** = weekly reset (left) and "updated Xm ago" (right). If it turns **amber**, the last fetch failed or data is >45 min old – you're seeing the last known good numbers, never a blank.

6

Alerts & Quick Settings tiles


The app taps you on the shoulder – you never babysit it

ALERT	WHEN IT FIRES
5-hour at 80%	Time to pace yourself
5-hour at 95%	You're about to be cut off
7-day at 90%	Weekly budget nearly spent
Per-model cap at 90%	A model's own weekly cap (e.g. Fable) is nearly spent – these used to fill up silently
Window reset	The 5-hour or 7-day window just reset – Claude is fresh again (scheduled at the known reset moment, lands within ~2 min)
Re-auth needed	The profile's token stopped working – or renewals have failed 6+ hours straight
Sign-in expiring	7 / 3 / 1 days before the known expiry – renew at your convenience
Usage data stale	Polls failing for 6+ hours – the widget numbers are old and nothing else would tell you

Every alert is prefixed with its profile ("Personal: ..." / "Work: ..."), fires **once per window/episode** and re-arms afterwards. Tapping one opens the app **on that profile's tab**; re-auth and stale alerts dismiss themselves once fixed. **Granular now:** threshold chips per window, reset pings set Off / If busy / Always, and a per-profile mute (Settings → Notifications).

Quick Settings tiles – one per account

Usage from inside any app: pull down the shade – **"Personal 94% / 7d 14%"** and **"Work 37% / 7d 62%"** are separate tiles, one for every account you've signed in. Add them once: shade fully down → edit → drag each one in. Tapping a tile opens that profile's tab; opening the shade nudges a background refresh (skipped if data is under 3 minutes old, so shade-flicking doesn't spam the API). Android statically declares each tile, so a 5th account works everywhere except here – the first four still get theirs.



Threshold + reset notifications, prefixed per profile




Two tiles in the shade – Personal and Work


7 Settings reference

Everything lives on one screen

SETTING	WHAT IT DOES
Account cards	" + Add account" for more than the default two; "Sign in on this phone" (with browser picker) or the paste / QR backup on each. Once signed in: status chip, plan badge, last-checked, auto-renew and sign-in-expiry countdowns, token tail, Re-sign in / Clear. Card's : menu: Rename, Remove account.
Check usage every	5 / 15 / 30 / 60 min presets (default 15) – saves on tap
Usage warnings	Per-window threshold chips (5-hour 80/90/95, 7-day & per-model 75/90)
Reset pings	Per window: Off / If busy (only if it reached 80%) / Always
Profile / sign-in / stale alerts	Per-profile mute, plus separate sign-in and stale-data toggles
Pinned notification	Always-on usage notification: on/off, which profile, notification style (Gauge / Number tile / Progress bar / Huge number), what a tap opens (this app or the Claude app), and the status-bar icon style
Quick Settings tile	What the tile's subtitle shows: Countdown ("resets in 2h 14m") or Clock time ("resets 4:12 PM")
Usage credits	Show the pay-as-you-go credits card, per profile – plus an opt-in to add it to the tall widget
System notif. settings	Opens Android's per-channel controls
24-hour time	Off = "Thu 11:45 PM" (default) · On = "Thu 23:45"
Theme color	13 choices – Material You (dynamic), Claude Orange (default) and 11 more; applies to the app and the widget bars
Widgets	"Add widget to home screen" shortcuts for both types
About	Version, credits, Share feedback , Check for updates (asks GitHub for the latest release). Tap the version 7× for the debug viewer.



Accounts & profile names



Theme colors, widget shortcuts, About

SYMPTOM	MEANING / FIX
Widget footer is amber	Data is stale (failed fetch or >45 min old). Usually temporary; self-heals on the next poll.
"Re-auth needed"	The token and its refresh both failed. Tap "Re-sign in" on that card – or re-paste from a computer if you use the backup method.
"Rate limited (429)"	The API asked us to back off; automatic retries with increasing delays (5 min → 1 h max).
"Token refresh failed (HTTP 429)"	Usually a <i>dead</i> refresh token, not real rate-limiting – the source machine's Claude Code rotated it. Fix: "Sign in on this phone" , which gives the phone its own sign-in so this can't recur. (Through v0.11 the app itself could trigger this on every renewal – fixed in v0.12.)
Widget says "No data yet"	No successful fetch so far – tap the widget refresh icon, or open the app and check the status line.
Alerts never appear	Check notification permission and the Usage alerts toggle.
Anything else	Settings → Show last raw response (7 taps on the version) + the red status line tell the whole story.

Privacy & good-to-know

- **No servers, no telemetry, no analytics.** The app talks only to `api.anthropic.com` (usage), `platform.claude.com` (sign-in code exchange + token refresh) and `claude.com` (the sign-in page in your browser) – the same endpoints Claude Code uses.
- The token lives in **Android-Keystore-encrypted storage**; cached usage numbers contain nothing sensitive.
- Polling is deliberately gentle – 15-minute default, 3-minute manual floor, exponential backoff on 429s.
- Reading the usage API with a Pro token outside Claude Code / claude.ai is not covered by Anthropic's consumer ToS; personal-use risk was accepted when this was built.
- Not affiliated with or endorsed by Anthropic. Sideload-only, free, no accounts, no strings.

VER.

HIGHLIGHTS

- | | |
|-----------|---|
| 1.5 | ChatGPT accounts, and the app becomes just "Cooldown". A ChatGPT account is added from "+ Add account" and signed in with a short code at <code>auth.openai.com</code> – no computer, no copied token – then behaves exactly like a Claude one: its own tab, widgets, tiles, alerts, history and pace chart. New three-sand hourglass icon; each account carries its provider's mark and, by default, its provider's colour, overridable globally or per account. A window an account doesn't have is now hidden rather than drawn as a dash – on both services. Gemini (Google AntigraVity) is listed but greyed out: its sign-in can't be completed on a phone. Built with Claude Opus 5 and Sonnet 5 . |
| 1.4 | As many accounts as you use, a clock-hand gauge, and alerts that actually turn off. Accounts moved to a proper registry – "+ Add account" for a third, fourth, or more, each with its own tab, widgets, tiles and alerts, renamed from its card's : menu. The always-on notification's small icon gets a rails-style gauge: tick-mark rungs and a clock-hand pace needle, shared by Ring and Pie styles. Fixed: switching an alert off in Settings left its pinned-notification strip stuck on screen until its own lifetime ran out; "keep alerts in the shade for" was a one-time stamp instead of a live rule. Built with Claude Sonnet 5 . |
| 1.3 | A status-bar meter you can read, the weekly dot, one alert surface. The tiny status-bar icon rebuilt around its real rendered size, with a theme-coloured 5-hour ring and a pace line; a dot in the ring's middle for when the 7-day window needs a look; every alert for every profile folds into the pinned notification's one panel; a new hourglass launcher icon; Used-or-Left and countdown-or-clock display switches; typed error messages and a shareable app log. Fixed: the light theme's white-on-pink status-bar icons, and a second notification hiding the live meter. |
| 1.1 | Credits, a readable chart, and a notification you can read at a glance. Pay-as-you-go usage credits on the main screen and as a widget; four notification styles including a big-number layout; the Quick Settings tile now shows the 5-hour reset; a rebuilt pace chart with an even-pace line, per-reading dots and threshold guides. Fixed: the chart and forecast almost never appeared (readings were matched to a window by an exact reset timestamp the server keeps nudging forward), usage history was wiped on sign-out, and the forecast fitted only the first and last reading. Retired the Days-elapsed bar. Built with Claude Opus 5 . |
| 1.0 | First official release. The v0.1–v0.14 beta, now official: live 5-hour & 7-day windows for Personal + Work, usage history, pinned notification, granular alerts, burn-rate forecast, home-screen widgets & Quick Settings tiles, on-phone sign-in – private, no servers, backed up. Prototyped and built in a weekend by Claude Fable 5 ; the native sign-in Fable declined, and all the docs, finished by Claude Opus 4.8 . |
| 0.14 | Feedback, updates & distribution. Share feedback now opens an email to <code>robin@eam360.com</code> (was WhatsApp); new Check for updates in About queries the public GitHub Releases API; the APK ships only as a GitHub Release asset. |
| 0.13 | History, pinned notification & finer alerts. Usage history screen (per-session & per-week bars, year-long log); always-on pinned notification with a status-bar gauge; granular alerts (threshold chips, off/if-busy/always resets, per-profile mute); editable profile names; true warning-red at 100%; Android Auto Backup. Now signed with a permanent key (this upgrade needed a reinstall). |
| 0.12 | Native sign-in release. "Sign in on this phone" – the PKCE flow Claude Code uses, no computer, browser picker included; Pro/Max and Team. Fixed the chronic HTTP 429 on token exchange/renewal (the app no longer identifies as <code>claude-code</code> on token calls). Computer-token paste/QR stays as backup. |
| 0.10-0.11 | QR fixes & diagnostics – Windows QR command extracts just the sign-in object; refresh failures now say <i>why</i> in the status line. (0.11 was an internal build, never released.) |
| 0.6-0.9 | The beta's second half – on-phone poll history with sparkline and burn-rate forecast, per-model 90% alerts and "Scan QR" import (0.9); plan badge, auto-renew countdown and sign-in expiry warnings (0.8); renamed to Claude Cooldown with a new launcher icon, grouped Settings and the in-app token guide (0.7); two profiles, the widget setup screen, the single-bar widget and Quick Settings tiles (0.6). |
| 0.1-0.5 | The bootstrap – first widget, Material You polish, usage alerts, the 0.5 redesign. |



For the curious

how it's built – and how to rebuild it

For future rebuilds

- Single-module Android project – Kotlin · Jetpack Compose · Glance 1.1.1 · WorkManager · OkHttp · min SDK 31, target 36.
- Build (signed release): `JAVA_HOME=/opt/homebrew/opt/openjdk@17 ./gradlew :app:assembleRelease` → APK in `app/build/outputs/apk/release/`. Signing reads a gitignored `keystore.properties` + `.jks` at the repo root – back them up; losing them means no more updates.
- Glance gotcha: RemoteViews containers max out at 10 children – keep widget blocks in nested Columns.
- If Anthropic changes the undocumented response schema, the parser ignores unknown fields; if bars go blank, check the raw JSON in the debug view first.



Built by Robin Richard Rajan – with Claude Code, by two Claude models.

Prototyped and built in a weekend by **Claude Fable 5** – the app, the widgets, this guide's first drafts. When the OAuth sign-in tripped Fable's cybersecurity guardrails, **Claude Opus 4.8** built that handshake and finished the docs. If you'd like the APK or want to build something like this, just ask.