

如何在晶創26主機進行大語言模型微調訓練計算？

Step 1 透過 iService 申請計畫錢包

🤔 LLM 大小 → 至少需要多少張 H200, 程式執行時間

🤔 用微調訓練的資料集大小 → 需要多少硬碟空間 (預設100 GB /home, /work)

Step 2 使用大家共用的大型計算資源


🔔 保護大家資訊安全 → 雙因子驗證

🔔 登入節點禁止執行程式 → 透過 slurm 使用計算節點

Step 3 程式選擇、安裝方式

- Swift, llama-factory, etc.
- conda vs aptainer (or singularity)
- Hugging Face 帳密 (Token)

安裝策略分析



Running Environment:				
	Range	Recommended	Notes	
python	>=3.10	3.12		
cuda		cuda12.8/13.0	No need to install if using CPU, NPU, MPS	

- miniconda3/26.1.1 ➔ 建立 conda 計算環境 python 版本 3.12
- cuda/13.0

安裝步驟、指令 (1/3)

\$ module purge # 乾淨工作環境

\$ module load miniconda3/26.1.1 cuda/13.0 # 載入 conda 工作環境、CUDA v13.0

\$ conda create -n llm_swift_cuda13 python=3.12 -y # 建立 Python 3.12 的環境

```
## Package Plan ##

environment location: /home/mlib2018/.conda/envs/llm_swift_cuda13

added / updated specs:
- python=3.12
```

The following packages will be downloaded:

package	build	
ca-certificates-2026.7.16	h06a4308_0	106 KB
libexpat-2.8.2	h7354ed3_1	126 KB
libffi-3.4.8	h06d3fd0_3	137 KB
libzlib-1.3.2	h47b2149_0	60 KB
openssl-3.5.7	h1b28b03_0	5.5 MB
packaging-26.2	py312h06a4308_0	287 KB
pip-26.1.2	pyhc872135_0	1.1 MB
pthread-stubs-0.3	h47b2149_2	7 KB
python-3.12.13	hc5f7cf0_3	30.2 MB
setuptools-83.0.0	py312h06a4308_0	1.6 MB
sqlite-3.53.2	h795bf6d_0	1.2 MB
tzdata-2026c	he532380_0	117 KB
wheel-0.47.0	py312h06a4308_0	72 KB
xorg-xorgproto-2024.1	h47b2149_2	550 KB

Downloading and Extracting Packages:

Preparing transaction: done

Verifying transaction: done

Executing transaction: done

#

To activate this environment, use

#

\$ conda activate llm_swift_cuda13

#

To deactivate an active environment, use

#

\$ conda deactivate

llm_swift_cuda13 工作環境成功安裝訊息

安裝步驟、指令 (2/3)

\$ conda activate llm_swift_cuda13 #進入 swift_cuda13 工作環境

```
$ conda activate llm_swift_cuda13  
(llm_swift_cuda13) [uid@25a-lgn02 ~]$
```

? 如何離開此工作環境 \$ conda deactivate

➤ 下載 swift 及其安裝 <https://github.com/modelscope/ms-swift>



\$ git clone https://github.com/modelscope/ms-swift.git #下載 swift

\$ cd ms-swift

\$ pip install uv


```
Collecting uv  
  Downloading uv-0.12.5-py3-none-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (11 kB)  
  Downloading uv-0.12.5-py3-none-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (23.7 MB)  
    ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ 23.7/23.7 MB 17.2 MB/s 0:00:01  
Installing collected packages: uv  
Successfully installed uv-0.12.5
```

安裝步驟、指令 (3/3)

\$ uv pip install -e . --torch-backend=auto #安裝

```
Using Python 3.12.13 environment at: /home/mlib2018/.conda/envs/llm_swift_cuda13
Resolved 152 packages in 13.61s
  Built ms-swift @ file:///work/mlib2018/20260826-training-course/ms-swift
  Built oss2==2.19.1
  Built aliyun-python-sdk-core==2.16.0
  Built crcmod==1.7
  Built transformers-stream-generator==0.0.5
Prepared 150 packages in 1m 37s
Installed 150 packages in 9.62s
+ absl-py==2.5.0
+ accelerate==1.14.0
+ addict==2.4.0
+ aiofiles==24.1.0
+ aiohappyeyeballs==2.7.1
+ aiohttp==3.14.3
+ aiosignal==1.4.0
+ aliyun-python-sdk-core==2.16.0
+ aliyun-python-sdk-kms==2.16.5
+ annotated-doc==0.0.5
+ annotated-types==0.8.0
+ anyio==4.14.2
+ attrdict==2.0.1
+ attrs==26.1.0
+ binpacking==2.0.1
+ brotli==1.2.0
+ certifi==2026.7.22
+ cffi==2.1.1
+ charset-normalizer==3.5.1
```

```
+ six==1.17.0
+ sniffio==1.3.1
+ sortedcontainers==2.4.0
+ starlette==0.52.1
+ sympy==1.14.0
+ tensorboard==2.21.0
+ tensorboard-data-server==0.7.2
+ tiktoken==0.14.0
+ tokenizers==0.22.2
+ tomlkit==0.13.3
+ torch==2.13.0+cu132
+ tqdm==4.70.0
+ transformers==5.15.0
+ transformers-stream-generator==0.0.5
+ triton==3.7.1
+ trl==0.29.1
+ truststore==0.10.4
+ typer==0.27.1
+ typing-extensions==4.16.0
+ typing-inspection==0.4.4
+ tzdata==2026.3
+ urllib3==2.7.0
+ uvicorn==0.52.3
+ websockets==15.0.1
+ werkzeug==3.1.8
+ xxhash==4.0.1
+ yarl==1.24.5
+ zipp==4.1.0
+ zstandard==0.25.0
```

```
# pip install git+https://github.com/modelscope/ms-swift.git

git clone https://github.com/modelscope/ms-swift.git
cd ms-swift
# The main branch is for swift 4.x. To install swift 3.x, please run the following command:
# git checkout release/3.12
pip install -e .

# Using uv
uv pip install -e . --torch-backend=auto
```

LLM Fine Tuning 訓練計算規劃

- LLM: LLaMA-3.1-8B ➔ 1 H200
- 低秩適應(Low-Rank Adaptation, **LoRA**) ➔ 較小GPU記憶體空間需求 ➔ 1 H200
- 監督式微調(Supervised Fine-Tuning, **SFT**) #短時間內完成 1 Epoch
 - ✓ Hugging Face TRL
- 訓練集 vicgalle/alpaca-gpt4, 20,000筆
- 取得 Hugging Face Token

從 huggingface 下載 LLaMA-3.1-8B Model 放至 /work/uid/LLM/LLaMA-3-8B 目錄(1/2)

\$pip install --user --U huggingface_hub hf_transfer #安裝所需快速套件

```
Requirement already satisfied: httpx<1,>=0.23.0 in /home/mlib2018/.conda/envs/llm_swift_cuda13/lib/python3.12/site-packages (0.23.1)
Requirement already satisfied: packaging>=20.9 in /home/mlib2018/.conda/envs/llm_swift_cuda13/lib/python3.12/site-packages (23.1)
Requirement already satisfied: pyyaml>=5.1 in /home/mlib2018/.conda/envs/llm_swift_cuda13/lib/python3.12/site-packages (6.0.1)
Requirement already satisfied: tqdm>=4.42.1 in /home/mlib2018/.conda/envs/llm_swift_cuda13/lib/python3.12/site-packages (4.66.1)
Requirement already satisfied: typing-extensions>=4.1.0 in /home/mlib2018/.conda/envs/llm_swift_cuda13/lib/python3.12/site-packages (4.6.0)
Requirement already satisfied: anyio in /home/mlib2018/.conda/envs/llm_swift_cuda13/lib/python3.12/site-packages (4.14.2)
Requirement already satisfied: certifi in /home/mlib2018/.conda/envs/llm_swift_cuda13/lib/python3.12/site-packages (2026.7.22)
Requirement already satisfied: httpcore==1.* in /home/mlib2018/.conda/envs/llm_swift_cuda13/lib/python3.12/site-packages (1.0.9)
Requirement already satisfied: idna in /home/mlib2018/.conda/envs/llm_swift_cuda13/lib/python3.12/site-packages (3.19)
Requirement already satisfied: h11>=0.16 in /home/mlib2018/.conda/envs/llm_swift_cuda13/lib/python3.12/site-packages (0.16.0)
Downloading hf_xet-1.6.0-cp38-abi3-manylinux2014_x86_64.manylinux_2_17_x86_64.whl (4.5 MB)
4.5/4.5 MB 7.5 MB/s 0:00:00
Installing collected packages: hf-xet
  Attempting uninstall: hf-xet
    Found existing installation: hf-xet 1.5.0
    Uninstalling hf-xet-1.5.0:
      Successfully uninstalled hf-xet-1.5.0
Successfully installed hf-xet-1.6.0
```


透過 slurm 執行微調訓練工作(1/5)

```
#!/bin/bash          Job-1H200
```

```
#SBATCH --job-name=llm_finetune
```

```
#SBATCH --account=YOUR_PROJECT_ID
```

```
#SBATCH --partition=dev
```

```
#SBATCH --nodes=1
```

```
#SBATCH --gres=gpu:1
```

```
#SBATCH --ntasks-per-node=1
```

```
#SBATCH --output=finetune_%j_%N.out
```

```
#SBATCH --error=finetune_%j_%N.err
```

自訂您的工作名稱

替換為您的 iService 計畫代號 (-A)

選擇佇列 (例如 dev 測試區或一般計算區)

使用 1 台運算節點

申請該節點上的 1 張 GPU

每個 GPU 分配 1 個任務

標準輸出日誌 (%j 會被替換為 Job ID)

錯誤輸出日誌 %N 工作節點 hostname

透過 slurm 執行微調訓練工作(2/5)

Job-1H200

```
CUDA_VISIBLE_DEVICES=0 \  
swift sft \  
  --model_type llama \  
  --template llama \  
  --model /work/uid/LLM/LLaMA-3-8B \  
  --tuner_type lora \  
  --dataset '/work/uid/datasets/alpaca-gpt4#20000' \  
  --torch_dtype bfloat16 \  
  --num_train_epochs 1 \  
  --per_device_train_batch_size 16 \  
  --per_device_eval_batch_size 16 \  
  --learning_rate 1e-4 \  
  --lora_rank 8 \  
  --lora_alpha 32 \  
  --target_modules all-linear \  
  --gradient_accumulation_steps 16 \  

```

```
--eval_steps 50 \  
--save_steps 50 \  
--save_total_limit 2 \  
--logging_steps 5 \  
--max_length 8192 \  
--output_dir output \  
--system 'You are a helpful assistant.' \  
--warmup_ratio 0.05 \  
--dataset_num_proc 4 \  
--dataloader_num_workers 4 \  
--model_author swift \  
--model_name swift-robot
```


透過 slurm 執行微調訓練工作 (3/5)

\$ sbatch job-1H200

Submitted batch job job-ID ← %j

→ finetune_job-ID_hostname.out

Batch Size = 16

```
run sh: `/home/uid/.conda/envs/llm_swift_cuda13/bin/python3 $HOME/ms-swift/swift/cli/sft.py --model_type llama --template llama
[INFO:swift] Successfully registered `/work/uid/datasets/alpaca-gpt4/data/dataset_info.json`.
[INFO:swift] output_dir: ....
[INFO:swift] args: SftArguments( model=/work/uid/LLM/LLaMA-3-8B, dataset=['/work/uid/datasets/alpaca-gpt4#20000'],
    output_dir=...,
    :
    :
[INFO:swift] model_parameter_info: PeftModelForCausalLM: 8051.2328M Params (20.9715M Trainable [0.2605%]), 0.0001M Buffers.
[INFO:swift] use_reentrant: True
[INFO:swift] The logging file will be saved in: /work/mlib2018/20260826-training-course/ms-swift/output/v0-20260819-121439/loggi
[transformers] The tokenizer has new PAD/BOS/EOS tokens that differ from the model config and generation config. The model confi
Train:  0%|          | 0/79 [00:00<?, ?it/s][INFO:swift] use_logits_to_keep: True
Train: 16%|█         | 13/79 [03:42<17:41, 16.09s/it][2026-08-19T12:18:49.299]
```

Batch Size = 64

```
Train:  0%|          | 0/20 [00:00<?, ?it/s][INFO:swift] use_logits_to_keep: True
[W819 12:21:43.192188180 CUDACachingAllocator.cpp:3933] memory allocation failed with OOM on device 0 while trying to allocate 17272143872 bytes (free:
2069233664, total: 150110142464).
Train:  5%|█         | 1/20 [01:11<22:38, 71.48s/it][W819 12:23:08.077693715 CUDACachingAllocator.cpp:3933] memory allocation failed with OOM on device
0 while trying to allocate 17402167296 bytes (free: 14230618112, total: 150110142464).
Train: 25%|██        | 5/20 [05:47<17:21, 69.42s/it][W819 12:26:58.744830753 CUDACachingAllocator.cpp:3933] memory allocation failed with OOM on device
0 while trying to allocate 18452840448 bytes (free: 11946819584, total: 150110142464).
```


透過 slurm 執行微調訓練工作 (4/5)

```
$ squeue -u uid
```

JOBID	PARTITION	NAME	USER	ST	TIME	NODES	NODELIST(REASON)
276749	dev	aH200	uid	R	0:06	1	25a-hgpn002

```
$ ssh hostname
```

```
$ nvidia-smi -l #觀察 H200 使用狀態
```

Batch Size = 16

hostname

NVIDIA-SMI 580.65.06			Driver Version: 580.65.06			CUDA Version: 13.0		
GPU	Name		Persistence-M	Bus-Id	Disp.A	Volatile	Uncorr. ECC	
Fan	Temp	Perf	Pwr:Usage/Cap		Memory-Usage	GPU-Util	Compute M.	
							MIG M.	
0	NVIDIA H200		On	00000000:DA:00.0	Off		0	
N/A	58C	P0	628W / 700W	77037MiB / 143771MiB		100%	Default	Disabled
Processes:								
GPU	GI	CI	PID	Type	Process name	GPU Memory		
	ID	ID				Usage		
0	N/A	N/A	44092	C	.../llm_swift_cuda13/bin/python3	77028MiB		

BZ=64

NVIDIA-SMI 580.65.06			Driver Version: 580.65.06			CUDA Version: 13.0		
GPU	Name		Persistence-M	Bus-Id	Disp.A	Volatile Uncorr. ECC		
Fan	Temp	Perf	Pwr:Usage/Cap	Memory-Usage		GPU-Util	Compute	M. MIG M.
0	NVIDIA	H200	On	00000000:DA:00.0	Off	0		
N/A	58C	P0	681W / 700W	131757MiB / 143771MiB		100%	Default	Disabled
Processes:								
GPU	GI	CI	PID	Type	Process name	GPU Memory Usage		
	ID	ID						
0	N/A	N/A	47026	C	.../llm_swift_cuda13/bin/python3	13174...		

常用資訊

<https://man.twcc.ai/@nano4-manual/documentation>

客服專線：0809-091-365

帳號與計畫諮詢信箱：iservice@nlar.org.tw

技術諮詢信箱：isupport@nlar.org.tw

