Datatabase documentation

from

Martin Heigl

beas 2015

## administration

| | | |
|---|---|---|
| + | beas_sys_station | Station List |
| + | beas_sys_stationsetup | Station Settings |
| + | beas_sys_template | Templates |
| + | beas_sys_window | Window Extensions |
| + | beas_sys_winsetup | Window Extensions |
| + | beas_gg_vg | Hazardous Material VG-Nr |
| + | beas_gg_un_nr | Hazardous Material UN-Nr |

## attendance

| | | |
|---|---|---|
| + | beas_tagmuster | Attendance Day Model |
| + | beas_rglarbzeit | Attendance Shift Definition |
| + | beas_stundenregel | Attendance Period rule |
| + | beas_mde_message | MDE Message |
| + | beas_mde_status | MDE Status |
| + | beas_bonus_addition_line | Bonus Planning: Additional Costs Lines |
| + | beas_bonus_calc_data | Bonus Calculation Daten |
| + | beas_bonus_planning | Bonus Calculatoin Planning |
| + | beas_bonus_planning_area | bonus plannig area |
| + | beas_bonus_planning_area_keyfigure | keyfigure for area of planing |
| + | beas_bonus_planning_area_pers | bonus planning: personell for area |
| + | beas_bonus_planning_area_rating | bonus planning: rating from a area |
| + | beas_bonus_planning_report | bonus planning: report definition |
| + | beas_anwstmp | Attendance Clock in |
| + | beas_anwzeit | Attendance |
| + | beas_abwgrund | Absence Reason |
| + | beas_bonus_calc | Bonus Calculation Scheduling |
| + | beas_pers | Personnel |
| + | beas_pers_stdkontonr | Personnel - Overtime Planning |
| + | beas_pers_schichtplan | Personnel - Shift Schedule |
| + | beas_abwzeit | Absence Times |
| + | beas_pers_rglarbzeit | Personnel - Attendance Rules |
| + | beas_pers_monat | Personnel - Monthly Values |
| + | beas_pers_editrights | Erweiterte Personnel - Rights |
| + | beas_persgrp | Personnel - Group |
| + | beas_praemienbereich | Range of Rate |
| + | beas_praemien_geldtabelle_pos | Rate Money Table Positions |
| + | beas_praemien_geldtabelle | Rate Money Table |
| + | beas_benzing | benzing definition |
| + | beas_benzing_protokoll | Benzing Report |
| + | beas_bonus_addition | Bonus Planning: additional Costs |
| + | beas_bonus_keyfigure | Key Figure for Bonus Calculation |

| + | beas_bonus_planning_report_line | bonus planning: report definition line |
|---|---|---|

## calculation

| + | beas_pk_batchkalk | Batch calculation Planning |
|---|---|---|
| + | beas_pk_haupt | Calculation master data |
| + | beas_pk_pos | Calculation Columns |
| + | beas_pk_schema | Calculation Schemen |
| + | beas_pk_typen | Calculation Objects |
| + | beas_pk_cr | Calculation Temporary Table |

## costcenter

| + | beas_bab_ka | Cost Sheet Cost Elements |
|---|---|---|
| + | beas_bab_ka_dir | Cost Sheet Cost Elements Segmentation |
| + | beas_bab_ka_grdir | Cost Sheet Cost Element Groups-A |
| + | beas_bab_ka_grk | Cost Sheet Cost Element Groups-K |
| + | beas_bab_ka_grp | Cost Sheet Cost Element Groups |
| + | beas_bab_ka_zu | Cost Sheet Cost Elements Allocation |
| + | beas_bab_kst | Cost Sheet Cost Center |
| + | beas_bab_kst_grk | Cost Sheet Cost Center Groups |
| + | beas_bab_kst_grkfert | Cost Sheet Cost Center Groups - F |
| + | beas_bab_kst_grp | Cost Sheet Cost Center Groups |
| + | beas_bab_kst_vgr | Cost Sheet Distribution |
| + | beas_bab_kst_zu | Cost Sheet Cost Center Assignment |
| + | beas_bab_la_einh | Cost Sheet LA Unit |
| + | beas_bab_lohn | Cost Sheet Wage Data |
| + | beas_bab_ma | Cost Sheet Machines |
| + | beas_bab_ma_fert | Cost Sheet Machine - Non Material Service |
| + | beas_bab_mkv_pos | Cost Sheet mkv Pos |
| + | beas_bab_prodgr | Cost Sheet Production Groups |
| + | beas_bab_prodgr_pos | Cost Sheet Production Groups Position |
| + | beas_bab_sparte_buch | Cost Sheet Sector |
| + | beas_bab_verdichtung | Cost Sheet Concentrate |
| + | beas_bab_vert | Cost Sheet Distribution |
| + | beas_bab_vgr | Cost Sheet Distribution Groups |
| + | beas_abrbereich | Cost Sheet Statement Cycle |
| + | beas_bab_fibu | Cost Sheet Financial Data |
| + | beas_bab_fibukst | Cost Sheet Financial Data Split-up |
| + | beas_bab_kst_fert | Cost Sheet Cost Center Production |
| + | beas_bab_la | Cost Sheet LA |
| + | beas_bab_lohn_kst | Cost Sheet Wage Data Cost Center Assignment |
| + | beas_bab_mkv | Cost Sheet mkv |
| + | beas_bab_sparte | Cost Sheet Sector |
| + | beas_bab_vgr_monat | Cost Sheet Distribution Months |
| + | beas_bab_werte | Cost Sheet Values |

**extra**

| | | |
|---|---|---|
| + | beas_oprc_datum | oprc help table |
| + | beas_protokoll | Systemprotokol |
| + | beas_syntax_historie | History Developement |
| + | beas_sys_addon | addon administration |
| + | beas_sys_col | Column Definition Browser |
| + | beas_sys_columninfo | Tables and Column Definition |
| + | beas_sys_debug | Debug Temporary Table |
| + | beas_sys_device | Station Type (Device) |
| + | beas_sys_language | language |
| + | beas_sys_location | Location (WEB Printer) |
| + | beas_sys_menu | Menu Extensions - not used - |
| + | beas_sys_server | Server Setup |
| + | beas_sys_setup | Program Setup |
| + | beas_sys_sprachen_window | translate type for own window or addon |
| + | beas_scripte | Userscripts and Procedures |
| + | beas_sprachentexte | Translation |
| + | beas_benutzer | User (BEAS) |
| + | beas_benutzer_rechte | User Rights |
| + | beas_aenderung | Activity Log |
| + | beas_kalender | Calendar |
| + | beas_label | Label System |
| + | beas_import | Import Column Assignment |
| + | beas_import_log | Import Protokoll |
| + | beas_importkopf | Import Definition |
| + | beas_dokument | Documents Item OP etc |
| + | beas_errorlog | error report |
| + | beas_fileref | |
| + | beas_filereffile | |
| + | beas_sys_formdescription | Formdescription |
| + | beas_sys_formdescription_objects | windowdescription - objects |
| + | beas_sys_spr | Language Table |
| + | beas_sys_objects | objectdescription (Makro) |
| + | beas_sys_spr_col | Translate for Tablevalues |
| + | beas_sys_objects_beas | beas-objects (Makro) |
| + | beas_sys_spr_texte | Translation Table Messages |
| + | beas_sys_sprachen | Translatetable |
| + | beas_artgen | Generate Item |

**item**

| | | |
|---|---|---|
| + | beas_oitm_material | item full structure - bom |
| + | BEAS_STL_HEADER | Item Bill of Materials Header |
| + | BEAS_STL | Item Bill of Materials |
| + | BEAS_APL | Item Routing |

| | | |
|---|---|---|
| + | beas_apl_wkz | Item Routing Tool |
| + | beas_oitm_produktkonfigurator | Product Configurator definition |
| + | beas_oitm_parameter | Parameters for Item |
| + | beas_oitm_calcprice | calc price history |
| + | beas_artikeltexte | Item Text Languages |

**master data**

| | | |
|---|---|---|
| + | beas_timetypegroup | Time types groups |
| + | beas_oitm_resourcen | item resource |
| + | beas_aplatzgruppe | Resourcegroup |
| + | beas_aplatz | Work Center |
| + | beas_aplatz_stillstand | Standstill report |
| + | beas_aplatz_stl | Work Center Material Requirements |
| + | beas_aplatz_uebgzeit | Resource Transfer Times |
| + | BEAS_ME | Unit of M. |
| + | beas_me_umr | Unit of M. Calculations |
| + | BEAS_AG | Operation Templates |
| + | beas_matgrp | Material Group |
| + | beas_ag_wkz | Operation Templates resources |
| + | beas_matgrp_zuschlag | Material group calculation |
| + | beas_verschnitt_werte | Scrap Rate |
| + | beas_verschnitt | Scrap Table |
| + | BEAS_WKZ | Tool |
| + | beas_wkz_stl | Werkzeugstückliste |
| + | beas_wkz_aenderung | Tool Activity Log |
| + | BEAS_WST | Raw Material |
| + | beas_fracht_maut | Shipping Maut |
| + | beas_fracht_haussatz | Shipping Cost to Dest. |
| + | beas_fracht_entfernung | Shipping Distance Cost |
| + | beas_timetype | Time types |

**materialmanagement**

| | | |
|---|---|---|
| + | beas_oinm | Bin Warehouse Transaktion Protokoll |
| + | beas_oinm_batchnum | bin warehouse batchnum transfer protokoll |
| + | beas_versand_charge | Shipping Batch Reserve |
| + | beas_scm_r3p | |
| + | beas_mrp_planung | MRP Planung (Kopf) |
| + | beas_mrp | MRP Item |
| + | beas_mrp_detail | MRP Bewegungen |
| + | beas_mrp_fag | MRP Fremdarbeitsgänge |
| + | beas_mrp_order | Purchase Request |
| + | beas_whs | Warehouse location Bin location management |
| + | beas_whsarea | Bin Location Warehouse area |
| + | beas_whsbin | Bin Location Lagerplatzdefinition |

| | | | |
|---|---|---|---|
| | + | beas_whsbinitem | Bin Location Inventory |
| | + | beas_whsbinjournal | Bin Location Journal of Entries |
| + | | beas_whsareatyp | Bin Location Type |
| + | | beas_inventory_header | Inventory Kopf |
| | + | beas_inventory_items | Inventory item entrys |
| | + | beas_inventory_history | historie inventory |
| + | | beas_mrp_planung_prognose | Planning MRP Forcast |
| + | | beas_reclamation | Complaint  Work Order |
| | + | beas_reclamation_causer | Complaint origin |
| | + | beas_reclamation_causeruser | Complaint origin User |
| + | | beas_reclamation_dokument | Complaint documents |
| | + | beas_reclamation_typ | Complaint  Work Order Typen |
| + | | beas_reclamation_md_causer | Complaint origin |
| + | | beas_reclamation_md_typ | Complaint  Type |
| + | | beas_reclamation_repair | Complaint: Reparation |

production

| | | | |
|---|---|---|---|
| + | | beas_resourcen | Reservced Resouces |
| + | | beas_xgantt_methode | APS Methode |
| + | | beas_xgantt_planing | APS Planing |
| + | | beas_stillstandgrund | Interruption Reasons |
| + | | beas_ftplanung | APS workorder time planning |
| + | | beas_ftplanung_link | APS workorder reference |
| + | | beas_fttyp | Type of workorder |
| + | | BEAS_FTHAUPT | Production master data |
| | + | BEAS_FTPOS | Production Position |
| | + | BEAS_FTAPL | Production Routing |
| | + | beas_ftapl_wkz | Production Routing Tool |
| | + | beas_arbzeit | Production Time |
| | + | beas_ftaplcharge | batchnum information per routing |
| | + | beas_arbzeit_scrap | Scrap Report |
| | + | beas_ftstmp | Order Time Records |
| | + | beas_ftpool | Production Pool |
| + | | BEAS_FTSTL | Production Bill of Materials Item |
| | + | beas_ftpos_reservierung | Serial Number/Batch No. |
| + | | beas_ftpos_wip2 | WIP2 Information |
| | + | beas_ftpos_parameter | Fertigung Position Parameter |
| + | | beas_ftzuordnung | Production Customer Order Assignment |
| + | | beas_ftprior | Production Priority |
| + | | beas_reasonforscrap | reason for scrap |
| | + | beas_xgantt_methode_step | APS Methode step |
| | + | beas_xgantt_planing_methode | APS Planning Methode |
| | | beas_xgantt_rmenu | APS Planning Menu |
| + | | beas_xgantt_setup | APS Planning Display setup |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

| | | |
|---|---|---|
| + | beas_xgantt_view | APS Planning Setup |

**qualitycontrol**

| | | |
|---|---|---|
| + | beas_qs | Quality Control Definition |
| + | beas_qsartikel | Quality Control Columns |
| + | beas_qsartikelhaupt | Quality Control Header |
| + | beas_qsfthaupt | QC-Order |
| + | beas_qsftmessung | QC-Samples |
| + | beas_qsftpos | QC-Order Columns |
| + | beas_qssperrgrund | QC-Blockage Reason |
| + | beas_qsstichproben | QC-Samples Definition |
| + | beas_qsverweis | QC-Cross reference |

**report**

| | | |
|---|---|---|
| + | beas_document_header | sale and purgagesreport header |
| + | beas_document_line | sale and porgageserport line |
| + | beas_report_makroname | report makro defintion |
| + | beas_report_makrostep | report makrostep |
| + | beas_report_makrostep_output | report outputdefinition |
| + | beas_report_makrostep_variable | report variables |
| + | beas_report_text | report text |
| + | beas_reportauswertung | Temporary Table for Analyses |
| + | beas_report_makrostep_output_prt | report printerdefinition |

**variants**

| | | |
|---|---|---|
| + | beas_caft_ba | Caft Components |
| + | beas_caft_ba_pos | Caft Components Positions |
| + | beas_caft_formel | Caft Formulas |
| + | beas_caft_formel_var | Caft Formel-Variablen |
| + | beas_caft_herkunft | Caft Origin |
| + | beas_caft_tabelle | Caft Tables |
| + | beas_caft_tabelle_dim | Caft Tables Dimensions |
| + | beas_caft_tabelle_werte | Caft Tables Values |
| + | beas_caft_var | Caft Variables |
| + | beas_caft_variante | Caft Varianten |
| + | beas_caft_variante_kopf | Caft Varianten Kopf |
| + | beas_caft_verweis | Caft Table Link Header |
| + | beas_caft_verweis_pos | Caft Eingabetabellenverweise |

## Cost Sheet Statement Cycle

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| abrmonat | Month |
| aktuell | Current |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| beginn_geschjahr | Business year |
| bezeichnung | Description |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| kstgrp_id | Cost Type |
| raum_kosten | Occupancy Cost |
| strom_kosten | Electricity Cost |
| wasser_kosten | Water Cost |

## Absence Reason

| Column | Description |
| --- | --- |
| abwgrnd_id | Absence Reason |
| abwstd | Abwesenheitsstunden |
| addsollstd | Plan Hrs hinzufügen |
| AndTStamp | Date of Last Change |
| AndUser | Aenderer |
| anwbeachtung | Attendance beachten |
| bez | Description |
| bez_prozent | Percent Pay-out |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| krank_prozent | Percent Sickness |
| kz | Code |
| schulung_prozent | Percent Training |
| tag_std_art | Stundenberücksichtigung |
| urlaub_prozent | Percent Vacation |
| zeitbeachtung | Time beachten |

| Column | Description |
|---|---|
| abwgrnd_id | Absence Reason |
| abwstd | Abwesenheitsstunden |
| addsollstd | Plan Hrs hinzufügen |
| AndTStamp | Date of Last Change |
| AndUser | Aenderer |
| anwbeachtung | Attendance beachten |
| bez | Description |
| bis | To Date |
| buchnr_id | Booking No |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| pers_id | Employee Number |
| von | From Date |
| zeitbeachtung | Time beachten |

# beas_aenderung

## Activity Log

| Column | Description |
|---|---|
| aenderungstyp | Änderungstyp |
| altinhalt | old content |
| AndTStamp | Date of Last Change |
| AndUser | Aenderer |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| feld | Column Name |
| grund | Reason for Eintrag |
| kennung1 | ID 1 |
| kennung2 | ID 2 |
| kennung3 | ID 3 |
| neuinhalt | new content |
| nr | Number |
| typ | Meldungstyp |
| typ2 | Meldungstyp 2 |

| Column | Description |
|--------|-------------|
| AG_id | Operation ID |
| aktivformel | Formula aktivieren |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| anzahl | Number |
| AnzLs | Number of Pay Slips |
| APlatz_id | Work Center |
| ausschussfaktor | Scrap Factor |
| ba_id | Bausteinkennung |
| bde | Clock in/Clock out Mandatory |
| Bearbeitungs_Art | Edit Type |
| Bez | Description |
| bild1 | Anhang 1 |
| bild2 | Anhang 2 |
| bild3 | Anhang 3 |
| caftinfo | Caftformel |
| cardcode | Supplier |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| fag | External operation |
| fag_currency | External operation Currency |
| fag_itemcode | External operation |
| fag_minprice | External operation Minimum price |
| fag_price | External operation Price |
| fag_priceje | External operation Price per |
| fag_transportprice | External operation Shipping price |
| fag_transportpricea | External operation Shipment Lot Size |
| formel | Formula |
| Lohngruppe | Wage Group |
| MatchCode | Match Code |
| Mehrmasch_Bed | Machine Grouping |
| mehrmaschinenbelegung | Machine Grouping allowed |
| mehrmaschinenbelegung_ar | Resource Allocation Type |
| menge_je | Quantity per Finished Item |
| menge_zeitje | Times in (Std/Min) |
| mengenausschuss | Scrap Factor Bill of Materials |
| Nutzen | Use |
| PersGrp_id | Personnel Group |
| qs_id | Inspection Plan QA |
| rm_faktor | Factor per unit of warehouse |
| rm_me_id | Goods Receipt in Unit |
| TEAPlatz | Mach+Labor Time/unit |
| TEPersGrp | Mach+Labor Time/unit  Personnel Group |
| THAPlatz | Machine Time / unit |
| THPersGrp | Machine Time / unit Personnel Group |
| timetype_id | Time Type |
| TL | Idle Time |
| TNAPlatz | Labor Time / unit |
| TNPersGrp | Labor Time / unit Personnel Group |
| TR2APlatz | Setup for Sched+Cap. |
| TR2PersGrp | Setup for Sched+Cap.  Personnel Group |
| TRAPlatz | Setup for Calculation |
| TRPersGrp | Setup for Calculation Personnel Group |
| udf1 | Userfield 1 |
| udf2 | Userfield 2 |

| | |
|---|---|
| udf3 | Userfield 3 |
| udf4 | Userfield 4 |
| UeblGrz | Overlap Limit |
| ZeitAufnDat | Date Time Recording |
| ZeitAufnKz | Zeitaufnahmekennzeichen |
| ztart | Time Type |

Printed by: be.as

## Operation Templates resources

| Column | Description |
|---|---|
| ag_id | Operation |
| aktiv | Active |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| anzahl | Number Factor |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| menge | Quantity Unit of Store |
| menge_je | Quantity per |
| menge_zeitje | Times in (Std/Min) |
| nutzen | Use Factor |
| resourcentyp | Resourcentyp |
| te | Mach+Labor Time/unit |
| timetype_id | Time Type |
| tr | set-up time |
| wkz_id | Resource.id |
| wkzpos_id | Position |
| zusatzinfo | Additional Information |

Printed by: be.as
gedruckt: 27.08.2015 10:54:28

## Attendance Clock in

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| art | Item |
| buchnr_id | Buchungsnummer |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| pers_id | Employee Number |
| schicht_id | Shift |
| stmpdatzt | Beginn |

**Attendance**

| Column | Description |
|---|---|
| AndTStamp | Changed Date |
| AndUser | Changed User |
| bewertungdat | Validate - Date |
| bisdat | To Date |
| bisrechdat | To calculated |
| buchnr_id | internal number |
| dauer | Duration |
| dauer_min | Duration Minutes |
| ErfTStamp | Create Date |
| ErfUser | Create User |
| geaendert | Geänderter Eintrag |
| info | Info |
| manuell | Manueller Eintrag |
| orginalzeit | Orginalzeitinfo |
| pers_id | Employee Number |
| rech_schicht_id | Calculation: Shift |
| rech_stdrgl_id | Calculate: Rule-Id |
| rechdauer | Duration calculated |
| rechdauer_min | Calculation: Duration in Minute |
| schicht_id | Shift manual |
| stdrgl_id | Rule-Id manual |
| vondat | From Date |
| vonrechdat | From calculated |

| Column | Description |
|---|---|
| AG_id | Operation |
| aktivformel | Formular to set operation activ |
| AndTStamp | Modification Date |
| AndUser | Modified by |
| Anweisungen | instructions |
| Anzahl | run time factor |
| AnzLs | Number of Pay Slips |
| APlatz_id | Work Center |
| ausschussfaktor | Scrap Factor |
| ba_id | Assembly Caft |
| bde | Labour Postings Mandatory |
| Bearbeitungs_Art | Execution Type |
| bez | Description |
| bild1 | Picture 1 |
| bild2 | Picture 2 |
| bild3 | Picture 3 |
| caftinfo | Caftinfo |
| cardcode | Supplier |
| ErfTStamp | Creation DAte |
| ErfUser | Creator |
| fag | External operation |
| fag_currency | External operation Currency |
| fag_itemcode | External operation |
| fag_minprice | External operation Minimum price |
| fag_price | External operation Price |
| fag_priceje | External operation Price per |
| fag_transportprice | External operation Shipping price |
| fag_transportpricea | External operation Shipment Lot Size |
| formel | Caftformeln |
| gueltig_bis | Valid to |
| gueltig_von | Valid from |
| itemcode | Item |
| KstSt_id | Cost Center |
| Lohngruppe | Wage Group |
| Mehrmasch_Bed | Machine Grouping |
| mehrmaschinenbelegung | Parallel operations allowed? |
| mehrmaschinenbelegung_ar | Resource Allocation Type |
| menge_je | Times in per Quantity |
| menge_zeitje | Times per Hr. or. Minute |
| mengenausschuss | Scrap Factor Bill of Materials |
| Nutzen | use factor |
| PersGrp_id | Personnel Group |
| Pos_id | Position |
| qs_id | QS Plan |
| rm_faktor | Factor per unit of warehouse |
| rm_me_id | Goods Receipt in Unit |
| shortvariantdef | Variantendefinition A-Z |
| TEAPlatz | Mach+Labor Time/unit |
| TEPersGrp | Personnel Mach+Labor Time/unit |
| THAPlatz | Machine Time / unit |
| THPersGrp | Personnel Machine Time / unit |
| timetype_id | Time Type |
| TL | Idle Time in Hours |
| TNAPlatz | Labor Time / unit |
| TNPersGrp | Personnel Labor Time / unit |

| TR2APlatz | 2. set-up time |
|---|---|
| TR2PersGrp | Personnel 2. set-up time |
| TRAPlatz | set-up time |
| TRPersGrp | Personnel set-up time |
| udf1 | free 1 |
| udf2 | free 2 |
| udf3 | free 3 |
| udf4 | free 4 |
| UeblGrz | Overlap Limit |
| ZeitAufnDat | Date Time Recording |
| ZeitAufnKz | Date Record Property |
| ztart | Time Type |

Printed by: be.as

## Item Routing Tool

| Column | Description |
|---|---|
| aktiv | Active |
| AndTStamp | Änderungsdatum |
| AndUser | Änderungsanwender |
| anzahl | Anzahl-Faktor |
| ErfTStamp | Erfassungsdatum |
| ErfUser | Erfassungsanwender |
| itemcode | Item |
| menge | Quantity Unit of Store |
| menge_je | Quantity per Finished Item |
| menge_zeitje | Times in (Std/Min) |
| nutzen | Nutzen-Faktor |
| pos_id | Position |
| resourcentyp | Resourcentyp |
| te | Mach+Labor Time/unit |
| timetype_id | Time Type |
| tr | set-up time |
| wkz_id | Resourcenkennung |
| wkzpos_id | Position |
| zusatzinfo | Additional Information |

| Column | Description |
|---|---|
| AndTStamp | Änderungsdatum |
| AndUser | Änderungsanwender |
| anzmaschpers | Number Machine bzw. Personen |
| aplatz_id | Work Center |
| auswaertsbearbeitung | External Processing |
| bez | Description |
| bild1 | Picture 1 |
| bild2 | Picture 2 |
| bild3 | Picture 3 |
| ErfTStamp | Erfassungsdatum |
| ErfUser | Erfassungsanwender |
| fix_abschreibung_lohn | Amortization Lohnkosten Fix |
| fix_direkt_lohn | Direkte Lohnkosten Fix |
| fix_indirekt_lohn | Indirekte Lohnkosten Fix |
| fix_sonstiges_lohn | Sonstige Lohnkosten Fix |
| fix_umlage_lohn | Umlage Lohn Fix |
| gkbed | Marginal Cost Bediener |
| gkeinr | Marginal Cost Einrichter |
| grenz_abschreibung_lohn | Amortization Marginal Cost |
| grenz_direkt_lohn | Direkte Lohnkosten Marginal Cost |
| grenz_indirekt_lohn | Indirekte Lohnkosten Marginal Cost |
| grenz_sonstiges_lohn | sonstige Lohnkosten Marginal Cost |
| grenz_umlage_lohn | Umlage Lohn Marginal Cost |
| gruppe | Group |
| gruppenplatz | Resource group |
| kapachecklimit | Notice resource limiting |
| kosten_vom | Cost vom |
| KstSt_id | Cost Center |
| losgr_max | Lot Size Maximum |
| losgr_min | Lot Size Minimal |
| poolgrenze | Poolgrenze in Hr. |
| praember_id | Prämienbereichzuordnung |
| prozerhzeit | prozentuale Erholungszeit |
| prozvertzeit | prozentuale Verteilzeit |
| sachb_id | Employee |
| sollkapStdtag | Planned Capacity Std.Tag |
| standort | Location |
| udf1 | Userfield 1 |
| udf2 | Userfield 2 |
| udf3 | Userfield 3 |
| udf4 | Userfield 4 |
| uebergangszeit | Übergabezeit Default |
| vollkstbed | Full Cost Bediener |
| vollksteinr | Full Cost Einrichter |
| zeitgrad | Zeitgrad |

# beas_aplatz_kapa

## Work Center Capacity

| Column | Description |
| --- | --- |
| AndTStamp | Änderungsdatum |
| AndUser | Änderungsanwender |
| aplatz_id | Work Center |
| belnr_id | Document Number |
| belpos_id | Belegposition |
| bis | To Date |
| ErfTStamp | Erfassungsdatum |
| ErfUser | Erfassungsanwender |
| kw | Kalenderwoche |
| pos_id | Position |
| von | From Date |
| zeit | Time |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

## Machine Kommunikation for MDE

| Column | Description |
|---|---|
| aplatz_id | Work Center |
| aplatz_maschine | Machine |
| signal | Signal |
| station | Work Center |

# beas_aplatz_planung

## Work Center Scheduling

| Column | Description |
|---|---|
| AndTStamp | Änderungsdatum |
| AndUser | Änderungsanwender |
| AnzMaschPers | Number Machine bzw. Personen |
| APlatz_id | Work Center |
| datum | Date |
| ErfTStamp | Erfassungsdatum |
| ErfUser | Erfassungsanwender |
| grund | Reason for Eintrag |
| SollkapStdTag | Planned Capacity in Std.Tag |

**Standstill report**

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| aplatz_id | Work Center |
| datum_bis | Date To |
| datum_von | Date From |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| grundid | Reason ID |
| grundinfo | Reason Information |
| intnr | Internal No. |
| pers_id | Employee number |

**Work Center Material Requirements**

| Column | Description |
| --- | --- |
| AndTStamp | Änderungsdatum |
| AndUser | Änderungsanwender |
| aplatz_id | Work Center |
| ErfTStamp | Erfassungsdatum |
| ErfUser | Erfassungsanwender |
| info | Info |
| itemcode | Item |

Resource Transfer Times

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| APlatz_id | Work Center |
| aplatz2_id | For Work Center |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| uebgzeit | Transfer time |

## Resourcegroup

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| bez | Description |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| gruppe | Group |

| Column | Description |
|---|---|
| abgkz | Closed |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| AnfZeit | Start Date |
| APlatz_id | Work Center |
| auftrag | Work Order |
| auswaertsbearbeitung | External Processing |
| batchnum | Batch Number |
| Belnr_id | Document No |
| belpos_id | Doc. Position |
| BuchNr_id | Booking No |
| EndZeit | End Date |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| Grund | Reason for Entry |
| Kosten_gk | Cost to GrenzCost |
| Kosten_vk | Cost to VollCost |
| Kstst_id | Cost Center |
| menge_gut | First Quality Quantity |
| menge_gut_rm | Quantity in Timeunit |
| menge_schlecht | Scrap Quantity |
| menge_schlecht_rm | Scrap Quantity in Timunit |
| Pers_id | Employee number |
| pos_id | Position |
| resourcenpos_id | Message Resource |
| rm_faktor | Factor per Timeunit |
| rm_me | Timeunit |
| ruest_gk | Cost of setup Marginal Cost |
| ruest_vk | Cost of setup Full Cost |
| timetype_id | Time Type |
| typ | Meldungstyp |
| udf1 | Userfield 1 |
| udf2 | Userfield 2 |
| udf3 | Userfield 3 |
| udf4 | Userfield 4 |
| Zeit | Time |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

## Scrap Report

| Column | Description |
|---|---|
| buchnr_id | Booking No |
| quantity | Quantity |
| scrap_id | Scrap Reasons |

## Generate Item

| Column | Description |
| --- | --- |
| aendscript | Change Aanweisung |
| art_id | Item |
| art_idvisible | Item Number visible |
| auswahlscript | Selection Instruction |
| bez | Description |
| bezscript | Description Instruction |
| bezvisible | Description visible |
| gruppe | Group |
| gruppeaktiv | Group Active |
| gruppevisible | Gruppeneintrag visible |
| level | Step |
| nr | Number |
| quell_art_id | Source Item |

**Item Text Languages**

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ektext | Text for Buying |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| itemcode | Item Number |
| land_id | Language |
| vktext | Text for Selling |

**Cost Sheet Financial Data**

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| F_AUFT | Work Order |
| F_BETRAG | Amount |
| F_DATUM | Date |
| F_KANR | Cost Element |
| F_LFDNR | Consecutive No |
| F_MEMO | Information |
| prodgr_id | Produktionsgruppe |

**Cost Sheet Financial Data Split-up**

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| FK_BETRAG | Amount |
| FK_KSTNR | Cost Center Group |
| FK_LFDNR | Consecutive No |
| FK_PROZENT | Percent |

Cost Sheet Cost Elements

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| budget_jn | Budget in |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| ka_bez | Description |
| ka_budget | Budget |
| ka_dv | DV |
| ka_fix | Fix |
| ka_ge | GE |
| ka_mkvnr | MKVNR |
| ka_nr | Cost Element |
| ka_pfk | PFK |
| ka_var | Var. |
| ka_vgr | vgr |
| kategorie | Category |
| la_nr | Primary |
| stschl_id | StSchl |

beas_bab_ka

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

**Cost Sheet Cost Elements Segmentation**

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| kad_kanr | Cost Element No. |
| kad_kstnr | Cost Center No. |
| kad_menge | Quantity |

## Cost Sheet Cost Element Groups-A

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| anteil_fix | Share fix |
| anteil_var | Share var |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| KAG_KANR | Cost Element Number |
| KAG_KSTNR | Cost Center Number |
| KAG_MENGE | Quantity |

## Cost Sheet Cost Element Groups-K

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| kategorie | Category |
| KK_BEZ | Description |
| KK_KZDR | KZDR |
| KK_MKVNR | MKVNR |
| KK_NR | Number |

## Cost Sheet Cost Element Groups

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| KP_KANR | Cost Element Number |
| KP_NR | Number |
| KP_POS | Position |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

## Cost Sheet Cost Elements Allocation

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| NACH_NR | to |
| VON_NR | From |

Printed by: be.as

## Cost Sheet Cost Center

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| anteil_rep_fix | Share rep fix |
| anteil_rep_var | Share rep Var. |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| hb_kosten | hb Cost |
| istwert_fix | Actual Value Fix |
| istwert_var | Actual Value Var. |
| kategorie | Category |
| kst_basis | basis |
| kst_bez | Description |
| kst_fk | FC |
| kst_hk | Product. Cost |
| kst_hk2 | hk2 |
| kst_kosts | kosts |
| kst_kzlm | kzlm |
| kst_nr | Cost Center |
| kst_sparte | Sector |
| kst_vgr | vgr |
| kst_vgr_prodgr | vgr prodgr |
| kst_vgr2 | vrg2 |
| kst_vgrv | vgrv |
| kst_vgrv2 | vgrv2 |
| kst_zus | Zus |
| lohng_kosten | Lohng Cost |
| manuell_istwert | Manually Actual Value |
| manuell_planwert | Manually Plan Value |
| planwert_fix | Plan Value Fix |
| planwert_var | Plan Value Var. |
| rep_kosten | rep Cost |
| vers_kosten | vers Cost |

**Cost Sheet Cost Center Production**

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| eff_std | eff. planned |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| gepl_std | planned hr. |
| kst_nr | Cost Center |
| monat_jahr | Month / Year |

**Cost Sheet Cost Center Groups**

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| KK_BASIS | Basus |
| KK_BEZ | Description |
| KK_KOSTS | KOSTS |
| KK_KTR_druck | Cost Object Print |
| KK_KTR_verdichten | compress |
| KK_NR | Number |
| KK_Sortierung | Sort |
| KK_ZUS | ZUS |

## Cost Sheet Cost Center Groups - F

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| eff_std | eff. planned |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| gepl_std | planned hr. |
| kk_nr | Number |
| monat_jahr | Month / Year |

## Cost Sheet Cost Center Groups

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| KP_KSTNR | Cost Center Number |
| KP_NR | Number |
| KP_plus_minus | Plus / Minus |
| KP_POS | Position |

## Cost Sheet Distribution

| Column | Description |
|--------|-------------|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| KV_KSTNR | Cost Center Number |
| KV_MENGE | Quantity |
| KV_MONAT | Month |
| KV_VGNR | Op.No. |

Cost Sheet Cost Center Assignment

| Column | Description |
| --- | --- |
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| NACH_NR | to |
| VON_NR | From |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

## Cost Sheet LA

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| la_bez | Description |
| la_einh | Unit |
| la_nr | Primary |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

## Cost Sheet LA Unit

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| la_bez | Description |
| la_einh | Unit |

## Cost Sheet Wage Data

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| F_AUFT | Work Order |
| F_BETRAG | Amount |
| F_DATUM | Date |
| F_KANR | Cost Element |
| F_LFDNR | Consecutive No |
| F_MEMO | Information |
| prodgr_id | Produktionsgruppe |

**Cost Sheet Wage Data Cost Center Assignment**

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| FK_BETRAG | Amount |
| FK_KSTNR | Cost Center Group |
| FK_LFDNR | Consecutive No |
| FK_PROZENT | Percent |
| FK_ZEIT | Time |

Printed by: be.as

**Cost Sheet Machines**

| Column | Description |
| --- | --- |
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ansch_wert | Acquisition cost |
| bez | Description |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| frei_dm_fix | Userfield 1 fix |
| frei_dm_var | Userfield 1 Var. |
| frei2_dm_fix | Userfield 2 fix |
| frei2_dm_var | Userfield 2 Var. |
| hb | hb |
| kst_nr | Cost Center |
| kwh | kW/h |
| lohn | Wage |
| ma_id | Machine |
| nutzungsdauer | Useful Life |
| qm | qm |
| textfrei | Userfield 1 Text |
| textfrei2 | Userfield 2 Text |
| textlohn | Text Wage |
| uebstd_fix | Overtime Fix |
| uebstd_var | Overtime Var. |
| wasser | Wasser |
| wiederb_wert | Replenishment time |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

## Cost Sheet Machine - Non Material Service

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| eff_std | eff. planned |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| gepl_std | planned hr. |
| ma_id | Machine |
| monat_jahr | Month / Year |

Cost Sheet mkv

| Column | Description |
|--------|-------------|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| MKV_BEZ1 | Description |
| MKV_NR | Primary |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

**Cost Sheet mkv Pos**

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| MKV_MENGE | Quantity |
| MKV_NR | Primary |
| MKV_POS | Position |

beas_bab_mkv_pos

## Cost Sheet Production Groups

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| BEZ | Description |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| prodgr_id | Produktionsgruppe |
| verdichtung | compress |

## Cost Sheet Production Groups Position

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| pos_id | Position |
| prodgr_id | Production Group |
| prodgr_id2 | Production Group 2 |

Cost Sheet Sector

| Column | Description |
| --- | --- |
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| sp_Bez | Description |
| sp_nr | Number |

## Cost Sheet Sector

| Column | Description |
| --- | --- |
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| SB_BETRAG | Amount |
| SB_DATUM | Date |
| SB_GRUND | Reason |
| SB_LFDNR | Primary |
| SB_NACH | by |
| SB_PREIS | Price |
| SB_STD | Default |
| SB_VON | From |

## Cost Sheet Concentrate

| Column | Description |
| --- | --- |
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| BEZ | Description |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| stufe | Strukturstufe |
| verdichtung | compress |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

**Cost Sheet Distribution**

| Column | Description |
|--------|-------------|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| v_fpro | Fix Percent |
| v_kanr | Kostanart |
| v_kstnr | Cost Center |
| v_vpro | Variable Percent |

beas_bab_vert

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

## Cost Sheet Distribution Groups

| Column | Description |
|--------|-------------|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| vg_bez | Description |
| vg_einh | Unit |
| vg_nr | ID |

beas_bab_vgr

## Cost Sheet Distribution Months

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| vg_bez | Description |
| VG_MONAT | Month |
| VG_NR | ID |

## Cost Sheet Values

| Column | Description |
|---|---|
| abr_id | Statement Cycle |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| art | Item |
| eff_fix | effective fix |
| eff_var | effective var |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| gepl_fix | planned fix |
| gepl_var | planned var |
| monat_jahr | Month / Year |
| nummer | Number |
| nummer2 | Number 2 |
| rel_monat | Rel Month |

beas_bab_werte

# beas_belege

## Sales Reports

| Column | Description |
|---|---|
| belegende | Belegendetext |
| belegfuss | Belegfusstext |
| belegkopf | Belegkopftext |
| bereich | Range |
| bereichnummer | Bereichnummer |
| bezeichnung | Description |
| datei | Crystal-Datei |
| druckkz | Druckkennzeichen Set |
| endscript | Endanweisung |
| firmenfuss | footer text |
| firmenkopf | Firmenkopftext |
| nr | Number |
| startscript | Startanweisung |
| tabellezuordnung | Tabellenzuordnung |

## User (BEAS)

| Column | Description |
|---|---|
| admin | Administration rights |
| AndTStamp | Änderungsdatum |
| AndUser | Änderungsanwender |
| benutzer_id | Benutzerkennung |
| ErfTStamp | Erfassungsdatum |
| ErfUser | Erfassungsanwender |
| gueltig_ab | Valid from |
| gueltig_bis | Valid to |
| menudatei | Menu File |
| passwort | Password |
| sachb_id | Sachbearbeiterkennung |
| spr_id | Language |
| zusatztext | Additional Text |

## User Rights

| Column | Description |
|---|---|
| benutzer_id | User ID |
| freigabe | Rights Value ID |
| recht_id | Rights ID |
| script | Rights Instruction |

## benzing definition

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| description | Description |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| sourcefile | File |
| stream | Stream |

**Benzing Report**

| Column | Description |
| --- | --- |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| benzingcommand | BENZING Command |
| datum | Date |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| error | Error ID |
| info | Info |
| nr | Number |
| ok | Ok - ID |
| pers_id | Employee number |
| station | Work Center |

## MRP Run temporary Gross

| Column | Description |
|--------|-------------|

## MRP Run temporary

Column               Description

## MRP Service

| Column | Description |
| --- | --- |

## Bonus Planning: additional Costs

| Column | Description |
|---|---|
| addition_id | Extension |
| description_id | Description |
| typ | Type |

## Bonus Planning: Additional Costs Lines

| Column | Description |
|---|---|
| addition_id | Extension |
| from_id | From ID |
| percent_id | Percent ID |

## Bonus Calculation Scheduling

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| createdate | Date of Last Change |
| datefrom | Calculation date From |
| dateto | Calculation date To |
| description | Name Ausgabedefinition |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| id_nr | Primary |
| moneypool | Bonus Amount for Pool |
| planning_id | ID |

## Bonus Calculation Daten

| Column | Description |
|---|---|
| area_id | Area |
| data_id | Daten Value |
| decimalvalue_id | Dezimal Value |
| id_nr | Primary |
| stringvalue_id | String Value |
| typ_id | Type |

Printed by: be.as gedruckt: 27.08.2015 10:54:28

## Key Figure for Bonus Calculation

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| api_id | API |
| description | Name Ausgabedefinition |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| keyfigure_id | ID |
| script | Freigabeanweisung |
| scriptreportarea | SQL for Group |
| scriptreportpers | SQL for Personnel |
| typ | Type |

## Bonus Calculatoin Planning

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| bonus_from_moneypool | Bonus for Pool  1=yes,0=no |
| description | Description |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| moneypool | Bonus Amount for Pool |
| planning_id | ID |

## bonus plannig area

| Column | Description |
|---|---|
| addition_id | Extension |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| aplatz_ids | Resource |
| area_id | Area |
| calcsum | Kalkulationssumme |
| description | Description |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| group_or_personal_bonus | Persona oder Group |
| moneypool | Bonus Amount for Pool |
| pers_grps | Personnel group |
| pers_ids | Personnel |
| persby | Personnel at |
| planning_id | ID |

**keyfigure for area of planing**

| Column | Description |
|---|---|
| area_id | Area |
| description | Description |
| keyfigure_id | ID |
| number_id | Number |
| planning_id | ID |
| typ | Type |

## bonus planning: personell for area

| Column | Description |
|---|---|
| area_id | Area |
| decription_id | Description |
| identifier_id | ID Personnel |
| planning_id | ID |

## bonus planning: rating from a area

| Column | Description |
|---|---|
| addition_id | Extension |
| area_id | Area |
| calcsum | Calculation sum |
| description_id | Description |
| fromvalue | From Value |
| number_id | Number |
| planning_id | ID |
| rating_id | Rating |
| tovalue | to Value |

**bonus planning: report definition**

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| description_id | Description |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| planning_id | ID |
| reportname | Name from Reports |
| typ_id | Type |

**bonus planning: report definition line**

| Column | Description |
| --- | --- |
| area_id | Area |
| color_id | Color |
| line_id | Line |
| planning_id | ID |
| range_id | Range |
| rcolor_id | Rectangle Color |
| reportname | Name from Reports |
| rstile_id | Rectangle Style |
| style_id | Style |
| text_id | Text |
| typ_id | Type |

## Caft Components

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ba_id | Bausteinkennung |
| bez | Description |
| ErfTStamp | Creation Date |
| ErfUser | Typist |

## Caft Components Positions

| Column | Description |
|---|---|
| ag_id | Operation ID |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ba_id | Bausteinkennung |
| Bez | Description |
| caftinfo | Caftformel |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| pos_id | Position |
| TEAPlatz | Mach+Labor Time/unit |
| THAPlatz | Machine Time / unit |
| TNAPlatz | Labor Time / unit |
| TR2APlatz | Setup for Sched+Cap. |
| TRAPlatz | Setup for Calculation |

# Caft Formulas

| Column | Description |
|---|---|
| AndTStamp | Aenderungsdatum |
| AndUser | Aenderer |
| beschreibung | Description |
| coltyp | Columns Type |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| formel | Formula |
| formeldef | Formeldefinition |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

## Caft Formel-Variablen

| Column | Description |
|---|---|
| aenderung | Change erlaubt |
| arbeitsgang | Operation |
| auswahl | Auswahlverweis |
| bezeichnung | Description |
| collen | Dezimalstellen |
| coltyp | Spaltentyp |
| formel | Formula |
| gueltigkeit | Validity |
| herkunftart | Herkunftsart |
| herkunftname | Herkunftskennung |
| me | Unit of M. |
| variable | Variablenkennung |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

## Caft Origin

| Column | Description |
|---|---|
| herkunftname | Origin Name |
| herkunftscript | Script |
| herkunftwert | Origin ID |
| typ | Type |
| varedit | Edit Type |

## Caft Tables

| Column | Description |
|---|---|
| AndTStamp | Aenderungsdatum |
| AndUser | Aenderer |
| bezeichnung | Description |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| tabelle | Table |

## Caft Tables Dimensions

| Column | Description |
|---|---|
| aenderung | Change allowed |
| arbeitsgang | Operation |
| auswahl | Selection Cross Reference |
| bezeichnung | Description |
| collen | Decimal count |
| coltyp | Column Type |
| gueltigkeit | Validity |
| herkunftart | Origin Item |
| herkunftname | Origin ID |
| herkunfttyp | Origin Type |
| me | Unit of M. |
| pos | Position |
| rundung | Round Item |
| tabelle | Table |
| varname | Variable Name |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

## Caft Tables Values

| Column | Description |
| --- | --- |
| aenderung | Change allowed |
| auswahl | Selection Cross Reference |
| collen | Dezimal count |
| coltyp | Column Type |
| gueltigkeit | Validity |
| herkunftart | Origin Item |
| herkunftname | Origin ID |
| lfdnr | Consecutive No |
| me | Unit of M. |
| tabelle | Table |
| wert1 | Value Dimension 1 |
| wert2 | Value Dimension 2 |
| wert3 | Value Dimension 3 |
| wert4 | Value Dimension 4 |
| wert5 | Value Dimension 5 |
| wert6 | Value Dimension 6 |

**Caft Variables**

| Column | Description |
|---|---|
| aenderung | Change allowed |
| arbeitsgang | Operation |
| auswahl | Selection Cross Reference |
| bezeichnung | Description |
| collen | Decimal count |
| coltyp | Column Type |
| gueltigkeit | Validity |
| herkunftart | Origin Item |
| herkunftname | Origin Name |
| me | Unit of M. |
| varedit | Type |
| variable | Variablenkennung |

## Caft Varianten

| Column | Description |
|---|---|
| bezeichnung | Description |
| inhalt | Contents |
| parameter | Parameter |
| variante | Variant Id |

## Caft Varianten Kopf

| Column | Description |
| --- | --- |
| AndTStamp | Change Date |
| AndUser | Change User |
| beschreibung | Description |
| bezeichnung | Description |
| datum | Date |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| itemcode | Item |
| preisliste | price list |
| variante | Varianten Id |

## Caft Table Link Header

| Column | Description |
| --- | --- |
| AndTStamp | Change Date |
| AndUser | Change User |
| bezeichnung | Description |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| selectscript | Script for Select |
| verweis | Link Id |

## Caft Eingabetabellenverweise

| Column | Description |
|--------|-------------|
| bezeichnung | Description |
| bild1 | Picture 1 |
| inhalt | Contents |
| pos | Position |
| verweis | Link id |

# beas_chargeninventur

## Inventory Details

| Column | Description |
|---|---|
| batchnum | Batch Number |
| bewertungspreis | Valuation Price |
| datum | Date |
| expdate | Expdate |
| gebucht | als booked highlighted |
| indate | Eingangsdatum |
| intrserial | Serial Number |
| itemcode | Item |
| lagerbestand | Inventory |
| located | Location |
| notes | Information |
| prddate | Date of Production |
| status | Status |
| suppserial | Supp-Seriennummer |
| whscode | Store |
| zaehlbestand | Counted Inventory |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

# beas_chargeninventur_def

## Inventory Definition

| Column | Description |
|---|---|
| bewertungspreis | Valuation Price |
| datum | Date |
| info | Info |
| konto | Buchungskonto |
| status | Status |
| whscode_bis | Store Until |
| whscode_von | Store From |

beas_chargeninventur_def

# beas_chargeninventur_itemcode

## Inventory Item

| Column | Description |
|---|---|
| bewertungspreis | Valuation Price |
| datum | Date |
| gebucht | als booked highlighted |
| itemcode | Item |
| lagerbestand | Inventory |
| manbtchnum | Batch Management Y/N |
| mansernum | Seriennummerverwaltung Y/N |
| whscode | Store |
| zaehlbestand | Counted Inventory |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

| | |
|---|---|
| AndTStamp | Date of last Change |
| AndUser | user of last Change |
| benutzerdef | Benutzerreport |
| bereich | Range |
| bez | Description |
| connectverify | Connection Compare |
| dateiname | File Name |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| externreport | External Reports |
| info | Info |
| modul | Active bei Module |
| parameterrequest | interne parameters |
| query | SQL-Query |
| rechte | only with rights Right |
| script_ende | Script End |
| script_start | Script Start |
| typ | Meldungstyp |
| userobject | internes Userobject |
| vorgaben | Defaults |

gedruckt: 27.08.2015 10:54:28

| Column | Description |
|---|---|
| addid | Additional ID |
| address | Address |
| cardcode | Card code |
| cardfname | External Card Name |
| cardname | Card Name |
| comments | Comments |
| companyaddress_as_line | company adress as line |
| companyemail | company E-mail |
| companyfax | company Fax |
| companyfreezoneno | company frezoneno |
| companymanager | company manager |
| companyname | company Name |
| companyphone1 | company phone 1 |
| companyphone2 | company phone 2 |
| companyprintheader | company print header |
| companyrevoffice | company rev. office |
| companytaxidnum | company tax ID number |
| contactaddress | contact address |
| contactcode | contact as code |
| contactemail | contact E-mail |
| contactfax | contact Fax number |
| contactmobile | contact mobile number |
| contactname | contact Name |
| contactpager | contact pager |
| contactposition | contact Position |
| contacttel1 | contact tel 1 |
| contacttel2 | contact tel 2 |
| contacttitel | contact title |
| country | Country |
| currency | Currency as Format string |
| discount | Discount  as Format string |
| discountpercent | Discount in Percent as Format string |
| docdate | Document Date |
| docduedate | Document Due Date |
| docentry | Objeltbelegnummer |
| docnum | Document number Char |
| doctotal | total document sum as Format string |
| doctype | Document Type |
| document_end | document end  Text |
| documentname | Document Name |
| iban | I - Ban |
| id | ID |
| invoiceaddress2 | invoice adress2 |
| invoiceaddress3 | invoice adress3 |
| invoiceblock | invoice block |
| invoicecardcode | invoice cardcode |
| invoicecardname | invoice cardname |
| invoicecity | invoice city |
| invoicecountry | invoice country |
| invoicecountryname | invoice country Name |
| invoicecounty | invoice county |
| invoiceemail | invoice E-mail |
| invoicefax | invoice Fax |
| invoicephone1 | invoice phone 1 |
| invoicestate | invoice state |

| invoicestreet | invoice street |
|---|---|
| invoicezipcode | invoice zip code |
| language | language |
| languagedateformat | Format for Date |
| languageitem | language for Item |
| languageseparator | Number-Separator for Number |
| languagethousendseparator | Thousend-Separatur for Number |
| lictradnum | Lic Date Number |
| netto | Net as Format string |
| nettosum | Net Sum as Format string |
| num_discount | discount as number |
| num_discountpercent | doscount percent as number |
| num_docnum | Document number Int |
| num_doctotal | doc total as number |
| num_freightsum | freight sum as number |
| num_freightvat | freight vat as number |
| num_netto | Net as number |
| num_nettosum | Net sum as number |
| num_prepaymentpercent | pre payment percent as number |
| num_prepaymentsum | pre payment sum as number |
| num_prepaymentvat | pre payment vat as number |
| num_rounddif | round difference as number |
| num_vatsum | vat sum as number |
| numatcard | Number of Card |
| objtype | Object type |
| ownercode | owner code |
| owneremail | owner E-mail |
| ownerfax | owner Fax |
| ownerfirstname | owner first Name |
| ownerjobtitle | owner job title |
| ownerlastname | owner last Name |
| ownermiddlename | owner middle Name |
| ownermobile | owner mobile |
| ownerofficetel | owner office tel |
| ownerpager | owner pager |
| paymentconditioncode | payment conditional code |
| paymentconditionname | payment conditional Name |
| paymentconditiontext | payment conditional Text |
| paymentdiscountcode | payment discount code |
| paymentdiscountname | payment discount Name |
| paytocode | pay to code |
| printdate | Print Date |
| project | projectnumber |
| report_end | Reports end  Text |
| report_footer | Reports footer Text |
| report_header | Reports header Text |
| report_start | Reports Start header Text |
| rounddif | round difference as Format stinrg |
| shipaddress | ship address |
| shiplictradnum | ship lic trad num |
| shiptocode | ship code |
| showcatalognr | Show Catalog No. |
| slpcode | slp code |
| taxdate | Tax Date |
| textfooter | Text fooder |
| textheader | Text  header |
| transportcode | transport code |
| vatiduncmp | Vat ID un Cmp |
| vatsum | VAT sum as Format string |
| volume_mm2 | volume in mm2 |
| weight_mg | weight in mg |

# beas_document_line

## sale and porgageserport line

| Column | Description |
| --- | --- |
| barcode | Barcode |
| basedocnum | Base Document number |
| baseline | Base Line |
| baselinepos | Base Line Position |
| baseref | Base Reference |
| basetype | Base Type |
| batchnumflag | batch number flag |
| catalognr | Catalog - No. |
| currency | currency from document |
| currency_line | currency in line |
| discount | Discount  as Format string |
| discountpercent | Discount in Percent as Format string |
| drawingnumber | drawingnumber |
| dscription | Description of Item or Cataloge |
| factor1 | factor 1 |
| factor2 | factor 2 |
| factor3 | factor 3 |
| factor4 | factor 4 |
| freetxt | freetext from document line |
| freight_linetotal | freight line total as number |
| freight_vatsum | freight VAT sum as number |
| height_unit | height unit |
| id | ID |
| itemcode | Item |
| length_unit | length unit |
| line | Line |
| linenum | Objektzeile |
| linepos | Line Pos |
| linestatus | Line Status |
| linetype | Line Type |
| longtext | longtext from item |
| matchcode | Match Code |
| num_discount | discount as number |
| num_discountpercent | discount percent as number |
| num_height | height |
| num_in_pack | number in pack |
| num_in_sale | number in sale unit |
| num_length | length |
| num_openqty | open quantity as number |
| num_price | price as number |
| num_price_in_linecur | price in line currency as number |
| num_priceafterdiscount | price after discount as number |
| num_priceafterdiscount_in_li | price after discount in line currency as number |
| num_pricetotal | price total as number |
| num_pricetotalaftervat | price after vat as number |
| num_quantity | quantity as number |
| num_vatprcnt | vat percent as number |
| num_volume | volume |
| num_weight | weight |
| num_width | width |
| ocrcode | ocr code |
| openquantity | open quantity  as Format string |
| packunit | package unit |
| pos | Position |
| price | price |

| | |
|---|---|
| price_in_linecur | price in line currency Format string |
| priceafterdiscount | price after discount as Format string |
| priceafterdiscount_in_linecur | price in line currency Format string |
| pricetotal | price total as Format string |
| pricetotalaftervat | price total after vat as Format string |
| project | project |
| quantity | quantity as Format string |
| quantityunit | unit of quantity |
| serialnum | serial number |
| sernumflag | serial number flag |
| shipdate | ship by date |
| suppcatnum | supp catalog number |
| text | Text field from document line |
| treetype | Item type |
| u_beasprio | Priority |
| u_znr | Drawing Number |
| u_zollt | Customs Tariff No |
| vatgroup | VAT group |
| vatprcnt | vat in percent as Format string |
| vatreportcode | VAT Reports code |
| vendornum | Vendor number |
| volume_unit | volume unit |
| weight_unit | weight unit |
| whscode | Warehousecode |
| width_unit | width unit |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

## Documents Item OP etc

| Column | Description |
|---|---|
| AndTStamp | Date of last change |
| AndUser | User from last change |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| info | Info |
| kennung | ID |
| nr | Number |
| typ | Message Type |
| verweis | cross reference on Dokument |

error report

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| currentuser | Current User |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| erledigt | completed |
| errormessage | Errormessage |
| info | Info |
| intnr | Internal No. |
| programdump | Programdump |
| stationname | Work Center Name |

Shipping Distance Cost

| Column | Description |
|---|---|
| AndTStamp | last change |
| AndUser | user of last change |
| entfernung | Distance |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| gewicht | Weight |
| preis | Price |

## Shipping Cost to Dest.

| Column | Description |
|---|---|
| AndTStamp | last change |
| AndUser | user of last change |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| gewicht | Weight |
| preis | Price |
| satz | Cost from carrier to destination |

**Shipping Maut**

| Column | Description |
|---|---|
| AndTStamp | Last change |
| AndUser | User of last change |
| entfernung | Distance |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| gewicht | Weight |
| preis | Price |

**Production Routing**

| Column | Description |
|---|---|
| abgkz | Closed |
| AG_id | Default Operation ID |
| AndTStamp | Aenderungsdatum |
| AndUser | Aenderer |
| AnfZeit | Start Time |
| anfzeit_fix | Start Time fix |
| Anweisungen | additional description |
| anzahl | Number |
| AnzLs | Number of Pay Slips |
| APlatz_id | Work Center |
| aplatz_maschine | Machine |
| ausschussfaktor | Scrap Factor |
| ba_id | Edit Type |
| bde | Clock in/Clock out Mandatory |
| Bearbeitungs_Art | Edit Type |
| belnr_id | Document Number |
| belpos_id | Document Position |
| bereitgestellt | reserved |
| bez | Description |
| bild1 | Picture 1 |
| bild2 | Picture 2 |
| bild3 | Picture 3 |
| bom_firststart | Material control first Start |
| cardcode | Supplier |
| EndZeit | End |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| fag | External operation |
| fag_currency | External operation Currency |
| fag_itemcode | External operation |
| fag_minprice | External operation Minimum price |
| fag_price | External operation Price |
| fag_priceje | External operation Price per |
| fag_transportprice | External operation Shipping price |
| fag_transportpricea | External operation Shipment Lot Size |
| Fl_aplatz | Caft Number Work Center |
| freigabe | start id |
| Ft_aplatz | Caft Work Center |
| gebucht | as booked highlighted |
| gesamt_anfzeit | Total Start |
| gesamt_endzeit | Total End |
| grenzkosten_minute | Marginal Cost Rate |
| IstZeit | Actual Time |
| KstSt_id | Cost Center |
| lieferterminueberschneidung | Deliv.Date Überschneidung |
| liegezeit_anfzeit | Idle Time Start |
| liegezeit_endzeit | Idle Time End |
| Lohngruppe | Wage Group |
| Mehrmasch_Bed | Machine Grouping |
| mehrmaschinenbelegung | Machine Grouping allowed |
| mehrmaschinenbelegung_ar | Resource Allocation Type |
| menge_je | Quantity per Finished Item |
| menge_zeitje | Time in (hr/min) |
| mengenausschuss | Scrap Factor Bill of Materials |
| nummer | barcode number |

| Nutzen | Use |
|---|---|
| org_aplatz_id | Original-Arbeitsplatz |
| org_menge_je | Original-Menge per |
| org_menge_zeitje | Original-Menge Time per |
| org_te | Original-Stückzeit |
| org_tr | Original-Rüstzeit |
| pers_id | Employee number |
| PersGrp_id | Personnel Group |
| Pos_id | Position |
| qs_id | Inspection Plan |
| rm_faktor | Factor per unit of warehouse |
| rm_me_id | Goods Receipt in Unit |
| strukturinfo | Strukturinformation |
| TEAPlatz | Mach+Labor Time/unit Work Center |
| TEPersGrp | Mach+Labor Time/unit Personnel Group |
| terminueberschneidung | Termin Überscheidung |
| THAPlatz | Machine Time / unit Work Center |
| THPersGrp | Machine Time / unit Personnel Group |
| timetype_id | Time Type |
| TL | Idle Time |
| TNAPlatz | Labor Time / unit Work Center |
| TNPersGrp | Labor Time / unit Personnel Group |
| TR2APlatz | Setup for Sched+Cap. Work Center |
| TR2PersGrp | Setup for Sched+Cap. Personnel Group |
| TRAPlatz | set-up time Work Center |
| TRPersGrp | set-up time Personnel Group |
| udf1 | userfield 1 |
| udf2 | userfield 2 |
| udf3 | Userfield 3 |
| udf4 | Userfield 4 |
| uebergabe_anfzeit | Transfer Time Start |
| uebergabe_endzeit | Transfer Time End |
| UeblGrz | Overlap Limit |
| vollkosten_minute | Full Cost Rate |
| zeilennummer | Line No. |
| ZeitAufnDat | Date Time Recording |
| ZeitAufnKz | Time Start Id |
| ztart | Time Type |

**Production Routing Tool**

| Column | Description |
|---|---|
| aktiv | Active |
| AndTStamp | Aenderungsdatum |
| AndUser | Aenderer |
| anfzeit | Start Date |
| anzahl | Number |
| belnr_id | Document Number |
| belpos_id | Belegposition |
| endzeit | End Date |
| ErfTStamp | Erfassungsdatum |
| ErfUser | Erfasser |
| grenzkosten_minute | Marginal Cost Rate |
| menge | Quantity |
| menge_je | Quantity per Finished Item |
| menge_zeitje | Times in (hr/min) |
| nutzen | Use |
| pos_id | Position |
| resourcentyp | Resourcentyp |
| te | Mach+Labor Time/unit |
| timetype_id | Time Type |
| tr | setup time |
| vollkosten_minute | Full Cost Rate |
| wkz_id | Tool ID |
| wkzpos_id | Werkzeugposition |
| zusatzinfo | Additional Text |

## batchnum information per routing

| Column | Description |
|---|---|
| active | Active |
| basebatchnum | Base Batch Number |
| baseentry | Base Number |
| baseline | Base Line |
| batchnum | Batch Number |
| belnr_id | Document No |
| belpos_id | Doc. Position |
| lfdnr | Consecutive No |
| pos_id | Position |
| stlpos_id | Bill of Materials Position |

## Production master data

| Column | Description |
|---|---|
| abgkz | Closed |
| AndTStamp | date of last change |
| AndUser | user of last change |
| AnfZeit | Start Time |
| apsstatus | APS planning status |
| auftrag | Prod. Order Number |
| auftragint | Prod. Order Number |
| auftragpos | Auftragsposition |
| beldat | Reference Date |
| belnr_id | Document Number |
| docentry | base docentry |
| druckkz | Print |
| EndZeit | End |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| IstZeit | Actual Time |
| itemcode | Item Number |
| kalkbelnr_id | Calc Number |
| knd_id | Customer Number |
| kndland | Customer Country |
| kndname | Customer Name |
| kndort | Customer Location |
| kndplz | Customer Zip code |
| kndstrasse | Customer Street |
| kndtelefon1 | Customer Telephone |
| lfgdat | Delivery Date |
| prior_id | Priority |
| project | Project number |
| sammelauftrag | Summarized Order |
| sperrung | Locked |
| typ | Type |
| udf1 | Userfield 1 |
| udf2 | Userfield 2 |
| udf3 | Userfield 3 |
| udf4 | Userfield 4 |
| zusatztext | Information |

## APS workorder time planning

| Column | Description |
|---|---|
| AnfZeit | Start Date |
| belnr_id | Document No |
| belpos_id | Doc. Position |
| dauer | Duration |
| EndZeit | End Date |
| gesamt_anfzeit | Total Start |
| gesamt_endzeit | Total End |
| lieferterminueberschneidung | Deliv.Date Cut |
| materialbedarf | Material Requirements Date |
| nummer | barcode number |
| planning_id | ID |
| pos_id | Position |
| pos2_id | Position 2 |
| resource_id | Resource |
| resourcetyp | Resource Type |
| strukturinfo | structure information |
| terminueberschneidung | Date Cut |
| zeilennummer | Line No. |

| Column | Description |
| --- | --- |
| belnr_id | Document No |
| belpos_id | Doc. Position |
| linktyp | Link Type |
| planning_id | ID |
| von_nummer | From Number |
| zu_nummer | to Number |

## Production Pool

| Column | Description |
|--------|-------------|
| aplatz_id | Resource ID |
| belnr_id | Document Number |
| belpos_id | Document Position |
| bez | Description |
| bis | Erdzeit |
| pool_id | Pool ID |
| pos_id | Position |
| verf | Available |
| von | Start Time |
| zeit | Duration |

| Column | Description |
|---|---|
| abgkz | Closed |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| AnfZeit | Start Time |
| anfzeit_fix | Start Time fix |
| auftragherkunft | base type |
| auftragint | Base Number |
| auftragpos | Base Linenum |
| barcode | Barcode |
| basedocnum | Base Document number |
| baseline | Base Line |
| baseline2 | Base Line 2 |
| basetype | Base Type |
| belnr_id | Document Number |
| belpos_id | Document Position |
| bom_firstdate | Material Requirements Start Date |
| bom_items | Material Requirements Item |
| bom_ok | Material Requirements ok |
| bom_tolate | Material Requirements Shortage |
| bom_verzug | Material Requirements Verzug |
| charge_id | Batchnumber |
| din | DIN |
| docentry | Base docnetry |
| druckkz | Printed |
| EndZeit | End |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| fag_gk_ist | External operation MC Actual |
| fag_gk_soll | External operation MC Plan |
| fag_vk_ist | External operation FC Actual |
| fag_vk_soll | External operation FC Plan |
| fertigung_gebucht | routing booked |
| fertigung_gk_ist | Production MC Actual |
| fertigung_gk_soll | Production MC Plan |
| fertigung_vk_ist | Production FC Plan |
| fertigung_vk_soll | Production FC Plan |
| gel_menge | booked Quantity |
| gruppe | Group |
| herstellung_gk_ist | Production MC Actual |
| herstellung_gk_soll | Production MC Plan |
| herstellung_vk_ist | Production FC Actual |
| herstellung_vk_soll | Production FC Plan |
| IstZeit | Actual Time |
| itemcode | Item Number |
| itemname | Description |
| kalkbelnr_id | Number of calculation |
| kalkpos | Number of calculation position |
| letzte_naka | Date Product Costing Analysis |
| lieferdatum | Delivery Date |
| lk_bewertungszeitraum | last calculate time |
| lohnzuschlag_gk_ist | Wage Allowance MC Actual |
| lohnzuschlag_vk_ist | Wage Allowance FC Actual |
| match | Match Code |
| material_gebucht | bom booked |
| material_gk_ist | Material MC Actual |

| | |
|---|---|
| material_gk_soll | Material MC Plan |
| material_vk_ist | Material FC Actual |
| material_vk_soll | Material FC Plan |
| matzuschlag_gk_ist | Allowance for material MC Actual |
| matzuschlag_vk_ist | Allowance for material FC Actual |
| me_lager | Unit of Store |
| me_umr | unit factor |
| me_verbrauch | Unit of Usage |
| menge | Quantity Unit of Store |
| menge_bestellt | Order Quantity in Unit of Store |
| menge_fertig_mauell | Manually Finished Message Quantity |
| menge_verbrauch | Quantity Unit of Usage |
| menge_verschnitt | Scrap Quantity |
| min_ist | Actual Time |
| min_soll | Plan Time |
| printdate | Print Date |
| project | Project |
| selbstkosten_gk_ist | Cost of Sales MC Actual |
| selbstkosten_gk_soll | Cost of Sales MC Plan |
| selbstkosten_vk_ist | Cost of Sales FC Actual |
| selbstkosten_vk_soll | Cost of Sales FC Plan |
| shortvariant | Variant ID |
| simulationsstart | Simulation Start Time |
| sortierung | Sort |
| startzeit | Start Time |
| startzeit_struktur | Start Time Structure |
| structuresort | Sort by Structure |
| stufe | Structure Level |
| u_beas_ver | Item Version |
| u_znr | Drawing Number |
| udf1 | Userfield 1 |
| udf2 | Userfield 2 |
| udf3 | Userfield 3 |
| udf4 | Userfield 4 |
| value1zuschlag_gk_ist | Value 1 Allowance MC Actual |
| value1zuschlag_vk_ist | Value1 Allowance FC Actual |
| variante | Variant ID |
| vkpreis | Sales Price |
| vri | Configuration ID |
| wst_id | Raw Material |
| zu_belpos_id | To workorder position |
| zu_pos_id | To Bill of Materials Item position |
| zusatztext | Additional Text |
| zuschlag_gebucht | Allowance booked |

**Fertigung Position Parameter**

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| belnr_id | Document No |
| belpos_id | Doc. Position |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| inhalt | Contents |
| parameter | Parameter |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

## Serial Number/Batch No.

| Column | Description |
|---|---|
| belnr_id | Document No |
| belpos_id | Doc. Position |
| item | Item |
| openqty | Open Quantity |
| quantity | Quantity |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

## WIP2 Information

| Column | Description |
|---|---|
| ausgleich | Ausgleich |
| belnr_id | Document No |
| belpos_id | Doc. Position |
| docentry | Document |
| fertigung_vk_ist | Production FC Plan |
| lohn | Wage |
| lohnzuschlag_vk_ist | Wage Allowance FC Actual |
| material | Material |
| matzuschlag_vk_ist | Material Allowance FC Actual |
| quantity | Quantity |
| totalprice | Total Price |

## Production Priority

| Column | Description |
|---|---|
| AndTStamp | Aenderungsdatum |
| AndUser | Aenderer |
| auslastpz | Utilization Percent |
| ErfTStamp | Erfasungsdatum |
| ErfUser | Erfasser |
| poolfaktor | Pool Factor |
| prior_id | Priority ID |
| sofortauftrag | Sofortauftrag |
| uebergangszeitpz | Übergangszeit Percent |
| usertext | Description |

## Production Bill of Materials Item

| Column | Description |
|---|---|
| abgkz | Closed |
| abm1 | Dimension 1 |
| abm2 | Dimension 2 |
| abm3 | Dimension 3 |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| aplanpos_id | WO Stat. Assignment |
| art1_id | Item Number |
| ausschuss | Scrap |
| belnr_id | Document Number |
| belpos_id | Document Position |
| bereitgestellt | reserved |
| dichte | Density |
| din | DIN |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| form | Shape |
| gk_zuschlag | allowance Marginal Cost |
| gruppe | Group |
| info | Info |
| itemname | Item Description |
| match | Match Code |
| materialkosten | Material Costs |
| me_lager | Qty Store |
| me_umr | unit factor |
| me_verbrauch | Unit BOM |
| menge_gebucht_lager | Quantity booked |
| menge_je | Quantity per Finished Item |
| menge_lager | Quantity Store |
| menge_verbrauch | Quantity Consumption |
| menge_verschnitt_la | Cut-Off in Warehouse Unit |
| menge_verschnitt_ve | Quantity Cut-Off in Consumption Unit |
| nummer | ID Number |
| pos_id | bom position |
| scheinbaugruppe | Phantom Assembly Group |
| totalquantity_whunit | Total Quantity in Warehouse Unit |
| u_beas_ver | Item Version |
| u_znr | Drawing Number |
| udf1 | Userfield 1 |
| udf2 | Userfield 2 |
| udf3 | Userfield 3 |
| udf4 | Userfield 4 |
| usertext | Additional Text |
| vk_zuschlag | allowance Full Cost |
| whscode | Store |
| wst_id | Raw Material |
| zu_belpos_id | to position |

## Order Time Records

| Column | Description |
|---|---|
| ab | From Date |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| aplatz_id | Work Center |
| barcode | Barcode |
| batchnum | Batch Number |
| belnr_id | Document No |
| belpos_id | Doc. Position |
| bem | Remark |
| buchnr_id | Booking No |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| pers_id | Employee number |
| pos_id | Position |
| timetype_id | Time Type |
| typ | Message Type |

## Type of workorder

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| description_id | Description |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| fttyp | Production Type |

## Production Customer Order Assignment

| Column | Description |
|---|---|
| basedocentry | Base Docentry |
| baseline | Base Line |
| belnr_id | Document No |
| belpos_id | Doc. Position |
| docentry | Document Number |
| from_item | From Item |
| lfdnr | Consecutive No |
| linenum | Document Line |
| pos_id | Position |
| quantity | Quantity |
| to_item | To tem |
| typ | Message Type |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

| Column | Description |
|--------|-------------|

Hazardous Material VG-Nr

| Column | Description |
|--------|-------------|

## Import Column Assignment

| Column | Description |
| --- | --- |
| konvertierung | conversion |
| laenge | Length |
| quellfeld | Source Column |
| quelltyp | Source Type |
| reihe | Row |
| testscript | Test Script |
| typ | Message Type |
| zielfeld | destination Column |

## Import Protokoll

| Column | Description |
|--------|-------------|
| datum | Date |
| info | Info |
| nr | Number |
| prior | Prior |
| reihe | Row |
| sqlinfo | SQL Info |
| typ | Meldungstyp |

## Import Definition

| Column | Description |
|---|---|
| anf | Begin |
| asci_ansi | Ascii to Ansii Convert Script |
| bez | Description |
| checkdb | Check DB Script |
| convertdb | Convert DB Script |
| dateiname | File Name |
| dsn | DSN |
| endscript | End Script |
| filter | definition Filter |
| kopfzeile | Kopf Line |
| linescript | Line Script |
| quellprimary | Source primary |
| quellsortierung | Source Sort |
| quellsql | Source SQL |
| quelltable | Spurce table |
| reihe | Row |
| rows | Rows |
| sortierung | Sort |
| spalten | Columns |
| startscript | Script for Start |
| tabelle | Table |
| trenner | Separator |
| typ | Import Type |
| uebersetzung | Translate |
| updatetyp | Update Type |

| Column | Description |
|---|---|
| accountcode_in | Account Entry |
| accountcode_out | Account Debit |
| accountdate | Booking Date |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| binareas | Bin Location |
| bookingcomments | Booking Information |
| bookingdate | booked Date |
| bookingname | booked User |
| bookingref2 | Booking Reference |
| closedate | Close Date |
| closename | Close User |
| cyclecode | Cycle - Code |
| description | Name Inventory |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| inventoryid | ID |
| inventorypricing | Warehouse Pricing |
| inventorystatus | Inventory Status |
| inventorytyp | Inventory Type |
| inventoryvisible | Warehouse visible |
| pricing | Pricing |
| startdate | Start Date |
| startname | Name Inventory |
| systemquantityvisible | Warehouse Quantity visible |
| whscodes | Warehouse |

historie inventory

| Column | Description |
|---|---|
| batchnum | Batch Number |
| bincode | Bin Location |
| bincodesort | Bin Location Sort |
| countlistnumber | Number Change |
| countname | Counter Name |
| countquantity | Counting amount |
| entrydate | INPUT Date |
| info | Info |
| inventorycurrency | Inventory Currency |
| inventoryid | ID |
| inventoryitemid | Count number |
| inventoryprice | Inventory Price |
| itemcode | Item |
| listnumber | Line No. |
| rfid | RFID |
| sysserial | Internal No. |
| typistname | Typist Name |
| whscode | Warehouse |

## Inventory item entrys

| Column | Description |
|---|---|
| areacode | Bin Location Range |
| basedocentry | Base Docentry |
| basedocline | base doc line |
| BaseNum | base Number |
| batchid | Batch Number |
| batchnum | Batch Number |
| Beasbookingok | Booking beas ok |
| bincode | Bin Location |
| bincodesort | Bin Location Sort |
| bookingcurrency | Booking Currency |
| bookingerrortext | Booking Error |
| bookingok | Booking ok |
| bookingprice | Booking Price |
| bookingquantity | Booking Quantity |
| bstatus | B Status |
| changedstatus | Change Status |
| countlistnumber | Number Change |
| countname | Counter Name |
| countquantity | Counting amount |
| DocNum | document number |
| entrydate | INPUT Date |
| expdate | Expdate |
| grntexp | Garantie End |
| grntstart | Guarantee start |
| indate | Input date |
| info | Info |
| intrserial | Serial Number |
| inventorycurrency | Inventory Currency |
| inventoryid | ID |
| inventoryitemid | Zähllistennummer |
| inventoryprice | Inventory Price |
| itemcode | Item |
| listnumber | Line No. |
| listnumbersort | Sort |
| located | Location |
| manbtchnum | Batch Management Y/N |
| mansernum | Serialnumber Y/N |
| notes | Information |
| ObjType | Object type |
| prddate | Date of Production |
| printdate | Print Date |
| rfid | RFID |
| suppserial | Supp-Seriennummer |
| sysserial | Internal No. |
| systemquantity | System Quantity |
| typistname | Typist Name |
| whscode | Warehouse |
| whslocked | Warehouse Blocked |
| whsunit | Warehouse Unit |

## Calendar

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| Arbeitstag | Workday |
| Datum_id | Date |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| Info | Info |
| kapatagprozent | Capacity per Day |
| KW_id | Calendar Week |
| lfd_Tag_id | Tag ID |
| tagmuster_id | Day Model |
| Wochentag | Week Day |

| Column | Description |
|---|---|
| abfragen | Query |
| batchnum | Batch Number |
| cardcode | Supplier |
| dateiname | File Name |
| docentry | Dokument |
| endbatch | Batch Script |
| endscript | End Script |
| itemcode | Item |
| linenum | Line |
| name | Name |
| script | Script 1 |
| script2 | Script 2 |
| script3 | Script 3 |
| sendtyp | Send Type |
| sql | SQL script |
| startscript | Start Script |
| typ | Type |
| whscode | Warehouse |
| zaehlerscript | Script for Counter |

## Material Group

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| gekozuschlaggk | IMC Marginal Cost |
| gekozuschlagvk | IMC Full Cost |
| gruppe | Group ID |
| zusatzinfo | Additional Info |

## Material group calculation

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| buchnr_id | Booking No |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| gekozuschlagvk | Overhead Allowance Full Cost |
| grenzkosten_pz | Marginal Cost Percent |
| grenzkosten_wert | Marginal Cost Value |
| gruppe | Group |
| marktkst_pz | M Percent |
| schema_id | Schema |
| vollkosten_pz | Full Cost Percent |
| vollkosten_wert | Full Cost Value |

## MDE Message

| Column | Description |
|---|---|
| afobarcode | Routing Barcode nmber |
| bad | Bad Counter |
| counter | Counter |
| createtime | Date of Creation |
| dauer | Duration |
| from_id | From Date |
| good | Good Counter |
| grund_id | Reason ID |
| info | Info |
| maschine | Machine |
| nutzenfaktor | Use Factor |
| sbad | second Bad Counter |
| sgood | Second Good Counter |
| status_id | Status |
| status_input | Status Input |
| time_id | Time ID |
| to_id | To Date |

## MDE Status

| Column | Description |
|---|---|
| afobarcode | Routing Barcode nmber |
| aplatz_id | Resource |
| bad | Bad Counter |
| change_id | Change |
| did | DID Address  BENZING |
| error_from | Error from |
| gid | GID Address   BENZING |
| good | Good Counter |
| lbad | last Bad Counter |
| lgood | last Good Counter |
| lstatus_id | last Status ID |
| maschine | Machine |
| nutzenfaktor | Use Factor |
| sbad | second Bad Counter |
| sgood | Second Good Counter |
| status_id | Status |
| status_text | Status Text |
| time_id | Time ID |

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| anzdez | Number Decimalstellen only for display |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| me_id | Unit of M. ID |
| mrprundungdec | Round Decimal for Forcast MRP |
| mrprundungtyp | Round Typ for Forcast in MRP |
| textplural | Description Mehrzahl |
| textsingular | Description Einzahl |

## Unit of M. Calculations

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| me1_id | From Unit |
| me2_id | to Unit |
| u_form | Shape |
| umrformel | Formula |

## MRP Item

| Column | Description |
|---|---|
| auftraege | Quantity Sales Order |
| auftragsmenge | Work Order Quantity |
| beasprio | Priority |
| bedarfsdatum | Date of requirement |
| bestellungen | Quantity Order |
| cardcode | Supplier |
| currency | Currency |
| fertigung_abgang | Quantity Production Debit |
| fertigung_zugang | Quantity Production Credit |
| itemcode | Item |
| kw1 | CW 1 |
| kw2 | CW 2 |
| kw3 | CW 3 |
| kw4 | CW 4 |
| kw5 | CW 5 |
| kw6 | CW 6 |
| kw7 | CW 7 |
| kw8 | CW 8 |
| kw9 | CW 9 |
| leadtime | Pretime |
| letztesdatum | last Date |
| lieferdatum | Delivery Date |
| minlevel | Minimum Inventory |
| nr | Number |
| onhand | Warehouse stock |
| price | Price |
| project | Project |
| saldo | Balance |
| unterschreitung | Unterschreitung |
| user1 | User 1 |
| user2 | User 2 |
| user3 | User 3 |

## MRP Bewegungen

| Column | Description |
|---|---|
| art | Item |
| auftrag_abgang | Work Order Debit |
| beasprio | Priority |
| bedarfsdatum | Date of requirement |
| belnr_id | Document No |
| belpos_id | Doc. Position |
| bestellung_zugang | Purchase Order Credit |
| bewertet | Bewertet |
| bmpname | Bitmap Name |
| datum | Date |
| docentry | Document Entry |
| doctype | Document Type |
| eingabe | INPUT |
| fertigung_abgang | Quantity Production Debit |
| fertigung_zugang | Quantity Production Credit |
| info | Info |
| info2 | Info2 |
| infotext | Info Text |
| itemcode | Item |
| lieferant | Purchase |
| linenum | Document Line |
| name | Name |
| nr | Number |
| onhand | Warehouse stock |
| onhand2 | Warehouse stock 2 |
| pos | Position |
| pos_id | Position |
| project | Project |
| s_level | Structure Level |
| shortvariant | Variant ID |
| tableref | Table reference |
| user1 | User 1 |
| user2 | User 2 |
| user3 | User 3 |
| user4 | User 4 |
| vri | Configuration ID |

| Column | Description |
|---|---|
| afo | Position |
| belnr_id | Document No |
| belpos_id | Doc. Position |
| beschreibung | Description |
| docentry | Docentry |
| doctype | Objekttyp |
| itemcode | Item |
| lfgdate | Delivery Date |
| line | Line |
| linenum | Linenum |
| nr | Number |
| orderqty | Order Quantity |
| pos_id | Position |
| quantity | Quantity |
| taetigkeit | Activity |
| typ | Type |

**Purchase Request**

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| basedocentry | Base Docentry |
| basedocnum | Base Document number |
| baseline | Base Line |
| baseline2 | Base Line 2 |
| basetype | Base Type |
| cardcode | Supplier |
| currency | Currency as Format string |
| deliverydate | Delivery Date |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| fatyp | Workorder Type |
| height | Height |
| info | Info |
| intnr | Internal No. |
| itemcode | Item |
| length | Length |
| price | price |
| project | projectnumber |
| quantity | Quantity |
| shortvariant | Variant ID |
| typ | Type |
| udf1 | Userfield 1 |
| udf2 | Userfield 2 |
| udf3 | Userfield 3 |
| udf4 | Userfield 4 |
| vri | Configuration ID |
| whscode | Warehouse |
| width | Width |
| zusatztext | Additional text |

## MRP Planung (Kopf)

| Column | Description |
|---|---|
| auftrag | Work Order |
| auftrag_pos | Position |
| BerechnenSchalter | Calculation Automatically |
| bezeichnung | Description |
| bruttobedarf | Bruttobedarf |
| citems | prüfende Item |
| filter | definierter Filter |
| itemcode_bis | Item To |
| itemcode_von | Item From |
| itemname | Description |
| letzteBerechnung | last Calculation |
| lieferdatum_bis | To Delivery Date Days |
| lieferdatum_bis_date | To Delivery Date Date |
| nr | Number |
| prognose_ansicht | Forecast View |
| prognose_code | Forecast Code |
| prognose_id | Forecast ID |
| prognose_name | Forecast Name |
| sachb_id | Sachbearbeiterkennung |
| teilekonto | Gilt als Teilekontovorgabe |
| u_ke | Kaufteil/Eigenfertigung |
| vorgang | transaction |
| znr | Drawing Number |

**Planning MRP Forcast**

| Column | Description |
| --- | --- |
| nr | Number |
| prognose_ansicht | Forecast View |
| prognose_code | Forecast Code |
| prognose_id | Forecast ID |
| prognose_name | Forecast Name |

Column     Description

| | |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| bereich | Range |
| bereich_beta | beta |
| bereich_intern | Internal |
| bereich_kunde | customer |
| bereich_partner | Partner |
| datum | Date |
| dokumentiert | documentation |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| geaendertesource | change source |
| geprueft1 | check 1 |
| geprueft2 | check 2 |
| kompiliert | compiled |
| kurz | short message |
| kurz_en | short message en |
| lang | long message |
| lang_en | long message en |
| link | link |
| nr | Number |
| uebersetzt | translate |
| version | Version |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

## Bin Warehouse Transaktion Protokoll

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| base_ref | Base Reference |
| comments | Comments |
| docdate | Document Date |
| doclinenum | Document Line Number |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| in0out1 | in (0) or out (1) |
| instance | instance |
| itemcode | Item |
| openqty | Offene Quantity |
| quantity | Quantity |
| ref2 | Reference 2 |
| transnum | transaktion number |
| transtype | transaktion Type |
| warehouse | Warehouse |

**bin warehouse batchnum transfer protokoll**

| Column | Description |
|---|---|
| batchnum | Batch Number |
| instance | instance |
| linenum | Line Number |
| transnum | transaktion number |

**Old - do not use**

Column                          Description

Printed by: be.as

## calc price history

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| calcdate | Calculate Date |
| costofsales_fc | Cost of Sales FC |
| costofsales_mc | Cost of Sales MC |
| description | Name Ausgabedefinition |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| grossprice_fc | Gross Price FC |
| grossprice_mc | Gross Price MC |
| itemcode | Item |
| itemname | Description |
| labour_fc | Labour FC |
| labour_mc | Labour MC |
| material_fc | Material FC |
| material_mc | Material MC |
| netprice_fc | Net Price FC |
| netprice_mc | Net Price MC |
| nr | Number |
| pricelist | Price List |
| production_fc | Production FC |
| production_mc | Production MC |
| schema_id | Schema |
| typ | Meldungstyp |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

## item full structure - bom

| Column | Description |
|---|---|
| baseitemcode | base itemcode |
| quantity | full quantity |

**Parameters for Item**

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| inhalt | Contents |
| itemcode | Item |
| parameter | Parameter |
| verweis | Verweiskennung |
| vorgabe | Default |
| zwingend | Urgent |

## Product Configurator definition

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ausgabeform | Output Shape |
| bedingung | Condition |
| bezeichnung | Description |
| bild1 | Anhang 1 |
| bild1groesse | Picture 1 Size |
| eingabetyp | INPUT Type |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| itemcode | Item |
| langtext | Long text |
| nr | Number |
| parameter | Parameter |
| preis1 | Price 1 |
| preisformel | Price Formula |
| preisliste | Price List |
| regel | Rule |
| stufe | structure level |
| text1 | Text 1 |
| text2 | Text 2 |
| text3 | Text 3 |
| typ | Type |
| verweis | Reference |
| vorgabe | Default |
| zwingend | Urgent |

**item resource**

| Column | Description |
|--------|-------------|

## oprc help table

| Column | Description |
| --- | --- |

## Produktconfig Arbeitsplan

| Column | Description |
|--------|-------------|

# beas_order_parameter

## Produktkonfig Parameter

Column                    Description

# beas_order_stl

## Produktkonfig Stückliste

| Column | Description |
|--------|-------------|

beas_order_stl

Printed by: be.as

## Personnel

| Column | Description |
| --- | --- |
| aktiv | Active |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| angestelltenstatus | Status |
| aplatz_id | Resource 1 |
| aplatz_id2 | Resource 2 |
| aplatz_id3 | Resource 3 |
| aplatz_id4 | Resource 4 |
| aplatz_id5 | Resource 5 |
| aplatz_id6 | Resource 5 |
| austrdat | Exit Date |
| eintrdat | Date of Hire |
| empid | Employer ID |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| gebdat | Birthday |
| kartennr | Cardnumber |
| kostenfaktor | Cost Rate |
| kstst_id | Cost Center |
| maart | Job Category |
| name1 | First Name |
| name2 | Last Name |
| name3 | Middle of Name |
| pers_id | Employee number |
| persgrp_id | Personnel group |
| praember_id | - without function - |
| schicht1_id | Shift |
| spr_id | Language |
| standort | Location |
| stdrgl_id | Period rule |
| udf1 | Userfield 1 |
| udf2 | Userfield 2 |
| udf3 | Userfield 3 |
| udf4 | Userfield 4 |
| urlaub | Vacation |
| zeitart_id | Time Type |
| zeiteditierung | - without function - |

**Erweiterte Personnel - Rights**

| Column | Description |
|---|---|
| absence | Edit Absence |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| attendance | Edit Attendance |
| documents | Edit Documents |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| masterdata | Edit Master Data |
| monthlyquota | Edit Monthly Quota |
| pers_id | Employee number |
| shiftschedule | Edit Shift Schedule |
| standardworkhours | Edit Default Work Hours |
| user_code | User Code |
| workorders | Edit Workorders |

## Personnel - Monthly Values

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| feiertag_std | Holidays Hours |
| feiertag_tag | Holidays Days |
| halb_std | Halbtag Hours |
| info | Info |
| ist_diff | Actual Difference |
| ist_std | Actual Hours |
| ist_tg | Actual Days |
| jahr | Year |
| konto_auszahlung | Account Pay-out |
| konto_neu | Account New |
| konto_rest | Account Carry Over |
| konto_ueber | Account Balance |
| konto2_neu | Account 2 New |
| konto2_rest | Account 2 Balance |
| konto2_ueber | Account 2 Balance |
| kr_std | Sick Hours |
| kr_tg | Sick Days |
| monat | Month |
| nachtarbeit_std | Night Shift Hours |
| normal_std | normally Hours |
| pers_id | Employee number |
| samstag_std | Saturday Hours |
| schicht_std | Shift Hours |
| schule_std | School Hours |
| schule_tg | School Days |
| soll_std | Plan Hours |
| soll_tg | Plan Days |
| sonntag_std | Sunday Hours |
| spaetzuschlag_std | Late shift prem. Hours |
| url_rest | Vacation Balance |
| url_std | Vacation Hours |
| url_tg | Vacation Days |
| url_zuschlag | Vacation Allowance |

## Personnel - Attendance Rules

| Column | Description |
|---|---|
| abw_di | Absence Tuesday |
| abw_do | Absence Thursday |
| abw_fr | Absence Friday |
| abw_mi | Absence Wednesday |
| abw_mo | Absence Monday |
| abw_sa | Absence Saturday |
| abw_so | Absence Sunday |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| bis_datum | To Date |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| maxkonto | max. Account |
| pers_id | Employee number |
| rgl_art | Rule Item |
| rgl_ausw1 | Rule Selection 1 |
| rgl_ausw2 | Rule Selection 2 |
| rgl_ausw3 | Rule Selection 3 |
| rgl_ausw4 | Rule Selection 4 |
| rgl_ausw5 | Rule Selection 5 |
| rgl_ausw6 | Rule Selection 6 |
| rgl_di | Rule Tuesday |
| rgl_do | Rule Thursday |
| rgl_fr | Rule Friday |
| rgl_mi | Rule Wednesday |
| rgl_mo | Rule Monday |
| rgl_rotier_datum | Rotierung Date |
| rgl_rotier1 | Rotierung 1 |
| rgl_rotier2 | Rotierung 2 |
| rgl_rotier3 | Rotierung 3 |
| rgl_sa | Rule Samstang |
| rgl_so | Rule Sunday |
| Sollstunden | Plan Hours |
| SollTgStunden1 | Plan Days Hours 1 |
| SollTgStunden2 | Plan Days Hours 2 |
| SollTgStunden3 | Plan Days Hours 3 |
| stdrgl_id | Period rule |
| ueber1_bis_prozent | From 1: Percent |
| ueber1_bis_std | From 1: Hours |
| ueber1_zeit | From 1: Time |
| ueber2_bis_prozent | From 2: Percent |
| ueber2_bis_std | From 2: Hours |
| ueber3_bis_prozent | From 3: Percent |
| ueber3_bis_std | From 3: Hours |
| ueber4_bis_prozent | From 4: Hours |
| ueber4_bis_std | From 4: Hours |
| von_datum | From Date |

# attendance

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| datum_id | Date |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| pers_id | Employee number |
| schicht_id | Shift |

Printed by: be.as

Personnel - Overtime Planning

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| bis_dat | To Date |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| info | Info |
| nummer | Number |
| pers_id | Employee number |
| von_dat | From Date |

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| anzmaschpers | Number Machine or Personen |
| bezeichnung | Description |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| persgrp_id | Personnel group |
| sollkapstdtag | Planned Capacity Std.Tag |

**Batch calculation Planning**

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| artikeleigenschaft | Item properties |
| artikelgruppe | Item Group |
| bemerkung | Remark |
| bezug | Reference Pricing |
| eigenteil | Assembly Calculate |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| id_nr | Primary |
| itemcode_bis | Item To |
| itemcode_von | Item From |
| k_bezug | Reference for Purchased Items |
| k_kalkpr | Calctd. price for Purchased Items füllen |
| k_kalkpr_bezug | Calctd. price Reference for Purchased Items |
| k_preisliste | Price List for Purchased Items füllen |
| k_preislistnum | Price List for Purchased Items |
| k_schema_id | Schema Purchased Items |
| kalkpr | Calctd. price Assembly füllen |
| kalkpr_bezug | Calctd. price Reference |
| kaufteil | Calculate Purchased Items |
| preisliste | Price List for Assembly füllen |
| preislistnum | Price List for Assembly |
| schema_id | Schema Assembly |
| shortdescription | Short Description |
| typ | Type |

## Calculation Temporary Table

| Column | Description |
|---|---|
| losgroesse | Lot Size |
| pos | Position |
| vk_gk | FC / MC |

**Calculation master data**

| Column | Description |
|---|---|
| aend_date | Change Date |
| aend_durch | Changed by |
| aend_grund | Change Reason |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ang_nr | - not used - |
| auftrag | Work Order |
| belnr_id | Document No |
| bewertungsdatum | Valuation Date |
| bez | Description |
| displayanz | Display Number Decimal |
| displaylos | Display per Lot Size |
| docentry | Document |
| docnum | Document No |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| fert_auftrag | - not used - |
| fertigdatum | Finished Date |
| gewicht_brutto | Weight Gross |
| gewicht_manuell | Weight Manually |
| gewicht_me | Weight Unit |
| gewicht_netto | Weight Net |
| gewicht_umr | Weight Conversion |
| info | Info |
| itemcode | Item |
| kalk_bewertung | Calculation Valuation |
| knd_id | Customer Number |
| kndart_id | Customer Item Number |
| kndname | Customer name |
| kndznr | Customer Drawing Number |
| linenum | Document Line |
| meldeinfo | message Info |
| menge1 | Quantity 1 |
| menge2 | Quantity 2 |
| menge3 | Quantity 3 |
| menge4 | Quantity 4 |
| precalcnr | Link to Work Order |
| preis1 | Price 1 |
| preis2 | Price 2 |
| preis3 | Price 3 |
| preis4 | Price 4 |
| project | Project |
| schema_id | Schema |
| sdocentry | - not used - |
| shortvariant | Variant ID |
| slinenum | - not used - |
| verfahrensbeschr | Process Description |
| versions_nr | Version |
| znr | Drawing Number |

Calculation Columns

| Column | Description |
|---|---|
| aenderung | Changing Allowed |
| ag_ag_id | Operation |
| ag_anzahl | Number |
| ag_anzls | Number of Pay Slips |
| ag_aplatz_id | Resource |
| ag_auswertsbearbeitung | External Processing |
| ag_bea | Edit Type |
| ag_grenzkosten | Marginal Cost |
| ag_kstst_id | Cost Center |
| ag_mehrmasch_bed | Machine Grouping |
| ag_menge_je | Quantity per |
| ag_menge_zeitje | Quantity Time per |
| ag_nutzen | Use |
| ag_te | Mach+Labor Time/unit |
| ag_tgesamt | Total Time |
| ag_th | Machine Time / unit |
| ag_tl | Idle Time |
| ag_tn | Labor Time / unit |
| ag_tr_ges | Setup total |
| ag_tr_je_stck | setup time per Piece |
| ag_tr2 | Setup for Calculation |
| ag_ueblgrz | Transit time |
| ag_vollkosten | Full Cost |
| aktiv | Active |
| aktiv_formel | Active Formula |
| aktiv_wert1 | Active Value 1 |
| aktiv_wert2 | Active Value 2 |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| anzahl_baugruppe | Number Assembly |
| anzahl_gesamt | Number Total |
| art | Type |
| ausschuss | Scrap |
| belnr_id | Document No |
| bez | Description |
| bmpname | Bitmap Name |
| buchnr_id | Booking No |
| cardcode | Supplier |
| child | Child-Entrys |
| currency | Currency as Format string |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| fag_currency | External operation Currency |
| fag_minprice | External operation Minimum price |
| fag_price | External operation Price |
| fag_priceje | External operation Price per |
| fag_transportprice | External operation Shipping price |
| fag_transportpricea | External operation Shipment Lot Size |
| farbe | Color |
| fertkst_gk | Marginal Cost Rate |
| fertkst_vk | Full Cost Rate |
| fkgk1 | Production Marginal Cost 1 |
| fkgk2 | Production Marginal Cost 2 |
| fkgk3 | Production Marginal Cost 3 |
| fkgk4 | Production Marginal Cost 4 |

| | |
|---|---|
| fkvk1 | Production Full Cost 1 |
| fkvk2 | Production Full Cost 2 |
| fkvk3 | Production Full Cost 3 |
| fkvk4 | Production Full Cost 4 |
| ges_bereich | Range |
| ges_grenzkosten_pz | Marginal Cost Percent |
| ges_grenzkosten_wert | Marginal Cost Value |
| ges_vollkosten_pz | Full Cost Percent |
| ges_vollkosten_wert | Full Cost Value |
| ges_wik | Total WIK |
| gueltig_bis | Valid to |
| gueltig_von | Valid from |
| hkgk1 | Production Marginal Cost 1 |
| hkgk2 | Production Marginal Cost 2 |
| hkgk3 | Production Marginal Cost 3 |
| hkgk4 | Production Marginal Cost 4 |
| hkvk1 | Production Full Cost 1 |
| hkvk2 | Production Full Cost 2 |
| hkvk3 | Production Full Cost 3 |
| hkvk4 | Production Full Cost 4 |
| info | Info |
| losgr | Lot Size |
| matkst | Mat Cost Rate |
| mehrmaschinenbelegung | Machine Grouping allowed |
| mehrmaschinenbelegung_ar | Resource Allocation Type |
| menge1 | Quantity 1 |
| menge2 | Quantity 2 |
| menge3 | Quantity 3 |
| menge4 | Quantity 4 |
| mk1 | Material Costs 1 |
| mk2 | Material Costs 2 |
| mk3 | Material Costs 3 |
| mk4 | Material Costs 4 |
| pos | Position |
| pos_o | Original-Position |
| preis1 | Price 1 |
| preis2 | Price 2 |
| preis3 | Price 3 |
| preis4 | Price 4 |
| qs_id | Inspection Plan QC |
| revision | Revision |
| s_level | Structure Level |
| s_open | Opened |
| selected | Selected |
| shortvariantdef | Variantendefinition A-Z |
| siblings | Siblings |
| st_abm1 | Length |
| st_abm2 | Width |
| st_abm3 | Height |
| st_ausschproz | Scrap in Percent |
| st_dichte | Density |
| st_din | DIN |
| st_dispo | Scheduling |
| st_ekpreis | Purchase Price in Hauswährung |
| st_ekpreis_gk | Purchase Price MC |
| st_ekpreis_vk | Purchase Price FC |
| st_fag_kosten | External operation Cost |
| st_firmcode | Manufacturer |
| st_form | Shape |
| st_ges_menge_lager | Total Quantity warehouse - Unit |
| st_ges_menge_verbrauch | Total Quantity bom - Unit |

Printed by: be.as

| | |
|---|---|
| st_gesekpreis | Total Purchase Price |
| st_gewicht | Weight |
| st_gewicht_me | Weight Unit |
| st_gewicht_umr | Weight Conversion |
| st_gewichtbr | Weight Gross |
| st_gruppe | Group |
| st_info | Info |
| st_itemcode | Itemcode |
| st_ke | Assembly / Purchased Item |
| st_matchcode | Match Code |
| st_me_lager | unit Warehouse |
| st_me_verbrauch | Unit bom - Unit |
| st_menge_je | Quantity per |
| st_menge_lager | Quantity warehouse - Unit |
| st_menge_verbrauch | Quantity bom - Unit |
| st_option | Flag Option |
| st_sa | Employee |
| st_sww | SWW |
| st_text_d | Item Description |
| st_text_eng | Item Description Foreign language |
| st_umr | Conversion |
| st_verfahrensbeschreibung | Process Description |
| st_vkpreis | Total Sales Price |
| st_wkz_id | Tool |
| st_znr | Drawing Number |
| tges1 | Total Time 1 |
| tges2 | Total Time 2 |
| tges3 | Total Time 3 |
| tges4 | Total Time 4 |
| timetype_id | Time Type |
| udf_1 | userfield 1 |
| udf_2 | userfield 2 |
| udf_3 | userfield 3 |
| udf_4 | userfield 4 |
| vkgk1 | Sales Price Marginal Cost 1 |
| vkgk2 | Sales Price Marginal Cost 2 |
| vkgk3 | Sales Price Marginal Cost 3 |
| vkgk4 | Sales Price Marginal Cost 4 |
| vkpreis1 | Sales Price 1 |
| vkpreis2 | Sales Price 2 |
| vkpreis3 | Sales Price 3 |
| vkpreis4 | Sales Price 4 |
| vkvk1 | Sales Price Full Cost 1 |
| vkvk2 | Sales Price Full Cost 2 |
| vkvk3 | Sales Price Full Cost 3 |
| vkvk4 | Sales Price Full Cost 4 |
| wik | Tool Cost |

## Calculation Schemen

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| bez | Description |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| schema_id | Schema |

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| art | Item |
| bezeichnung | Description |
| bezug | Reference Pricing |
| bitmap | Picture |
| buchnr_id | Booking No |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| farbe | Color |
| frage | Question |
| grenzkosten_pz | Marginal Cost Percent |
| grenzkosten_wert | Marginal Cost Value |
| marktkst_pz | Marktkosten Percent |
| pkvorgabe | Default |
| preis1 | Price 1 |
| preis2 | Price 2 |
| preis3 | Price 3 |
| preis4 | Price 4 |
| prozentbezug | Percent Reference |
| saveas | save as |
| schema_id | Schema |
| sortierung | Sort |
| summenbereich | Sum Area |
| summenpreistyp | sum Price Type |
| vollkosten_pz | Full Cost Percent |
| vollkosten_wert | Full Cost Value |
| wert | Value |

# beas_pocket

## WEB-Apps Clients

| Column | Description |
|---|---|
| activid | Activ |
| AndTStamp | Change Date |
| AndUser | Change User |
| bitmapid | Bitmap (without function) |
| chooselocation | select location on client? |
| clientid | Name from Client |
| clienttype | Clienttype (beas_pocket_clienttype) |
| descriptionid | Client Description |
| ErfTStamp | Create Date |
| ErfUser | Create User |
| IP | last ip |
| lastactivitydate | last activity |
| lastactivitypers_id | last person |
| location | without function |
| location_id | current location (beas_pocket_location) |
| menugroup | Menugroup (beas_pocket_menutyp) |
| menutype | Menu from (P)ersonal (C)lient |
| OS | last Operating-System |
| Port | last port |

# beas_pocket_clienttype

## WEB-Apps Client Types

| Column | Description |
| --- | --- |
| AndTStamp | Date of last change |
| AndUser | User of last change |
| clienttype | Client Type |
| descriptionid | Descirption |
| ErfTStamp | Creation date |
| ErfUser | Typist |
| pixelx | Dislpay X-Pixel (without function) |
| pixely | Dislpay Y-Pixel (without function) |
| suppliername | Name of Supplier |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

# beas_pocket_licenses

## WEB-Apps reserved Licenses

| Column | Description |
|---|---|
| client_id | Client-Name |
| loggedtime | Login-Date/Time |
| modul_id | WEB-Apps Modul-Id |

beas_pocket_licenses

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

# beas_pocket_location

## WEB-Apps Location

| Column | Description |
|---|---|
| description_id | Description |
| drivername | Printer: Driver-Name |
| location_id | Location-Id |
| portname | Printer: Port |
| printername | Printer: Printer-Name |

# beas_pocket_menutyp

## WEB-Apps Menu Group and Type

| Column | Description |
|---|---|
| descriptionid | Description |
| fromtime | Visible to time |
| fromtime_min | without function |
| logout_sec | Logout after Secs |
| menutyp | Menu-Id |
| terminalgroup | Menu-Group (clien- or Personel) |
| totime | Visible from time |
| totime_min | without function |

# beas_pocket_module

## WEB-Apps Menu Apps

| Column | Description |
|---|---|
| menutyp | menutyp (beas_pocket_menutyp.menutyp) |
| modul_id | modul (beas_pocket_modulpool.modul_id) |
| sortmodul | sort in Menulist |

beas_pocket_module

Printed by: be.as

# beas_pocket_modulpool

## WEB-Apps Exists Moduls

| Column | Description |
| --- | --- |
| bpicture | picture (without function) |
| in_use | activ |
| modul | modul-name |
| modul_id | Primary Modul-Key |
| modulanz | License |
| modulfilename | Name of php-File |
| sortmodul | Sort in Modul-Pool-List |
| version | Version of Modul |
| versiondate | Versiondate of Modul |
| versionname | Information of Modul-Package |

## WEB-Apps Setup

| Column | Description |
|---|---|
| AndTStamp | Date of last change |
| AndUser | User of last change |
| apacheconfigdirectory | Directory Apache-Config-File |
| configdirectory | Directory ConfigFile WEB-Apps |
| ErfTStamp | Creation date |
| ErfUser | Typist |
| htdocsdirectory | Directory HTDOCS |
| pagesdirectory | Directory Pages for PHP-Files |
| projectdirectory | Directory Project-PHP-Files |
| serverid | Name Apache-Server (Stationname) |
| xamppdirectory | Directory Apache-Server |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

# beas_pocket_statistik

## WEB-Apps Statistic

| Column | Description |
| --- | --- |
| client_id | Client-Name |
| countid | PrimaryKey |
| datetime_id | Date and Time from Action |
| modul_id | WEB-Apps Modul-Id |
| pers_id | Personal-Number |

Printed by: be.as gedruckt: 27.08.2015 10:54:28

## Rate Money Table

| Column | Description |
|--------|-------------|

**Rate Money Table Positions**

| Column | Description |
|--------|-------------|

**Range of Rate**

| Column | Description |
|--------|-------------|

# beas_prj_aktiv

## Projektverwaltung

| Column | Description |
|--------|-------------|

Printed by: be.as

## Project Active

| Column | Description |
|--------|-------------|

**Project Active Zeilen**

Column                    Description

Printed by: be.as                    gedruckt: 27.08.2015 10:54:28

## Systemprotokol

| Column | Description |
|---|---|
| bereich | Range |
| datum | Date |
| information | Info |
| nr | Number |
| prior | Prior |
| station | Work Center |

Printed by: be.as

## Quality Control Definition

| Column | Description |
| --- | --- |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| bez | Description |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| qs_id | QC Templates |

## Quality Control Columns

| Column | Description |
| --- | --- |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| bedingung_typ | Condition Type |
| bez | Description |
| druckkz | Print on Certificate |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| itemcode | QS-Plan-ID |
| knd_id | Cardcode |
| maximal | Maximum |
| me_id | Unit of M. |
| minimal | Minimal |
| pos_id | Position |
| qs_id | Description |
| relevant | Check Relevant |
| sollwert | Desired Value |
| sqlvalid | SQL Value |
| typ | Type |
| typvalue | Type Value |
| udf1 | userfield 1 |
| udf2 | Userfield 2 |
| udf3 | Userfield 3 |
| udf4 | Userfield 4 |
| wkz_id | Check Tools |

**beas_qsartikelhaupt**

**Quality Control Header**

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| bild1 | Attachment 1 |
| bild2 | Attachment 2 |
| bild3 | Attachment 3 |
| druckkz | Print Code |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| gueltig_ab | Valid from |
| info | Info |
| itemcode | Item Number |
| knd_id | Cardcode |
| messung_alle_stk | Measurement all x Pieces |
| typname | Type Name |
| typsql | Type SQL |
| typvalues | Type Values |
| udf1 | Userfield 1 |
| udf2 | Userfield 2 |
| udf3 | Userfield 3 |
| udf4 | Userfield 4 |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

**QC-Order**

| Column | Description |
|---|---|
| abgkz | Closed |
| AndTStamp | Date of Last Change |
| AndUser | Aenderer |
| batchnum | Batch |
| belnr_id | Document Number |
| bewertung | Valuation |
| bewertunginfo | Valuation Info |
| bez | Description |
| bild1 | Picture 1 |
| bild2 | Picture 2 |
| bild3 | Picture 3 |
| cardcode | Business partners |
| charge_id | Batch Number |
| druckkz | Print sign Set |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| fert_belnr_id | Production Document |
| fert_belpos_id | Production Position |
| fert_messung | Measurement Number |
| fert_pos_id | Production BOM |
| herkunft | Origin |
| info | Info |
| itemcode | Item Number |
| knd_id | Customer Number |
| korrekturfaktor | Adjusting Factor |
| me_id | Unit |
| menge | Quantity |
| pers_id | Employee Number |
| produziert_am | DoM |
| pruefauftrag | Inspection Plan |
| status | Status |
| status_info | Info Status |
| typ | Type |
| u_beas_ver | Item Version |
| udf1 | Userfield 1 |
| udf2 | Userfield 2 |
| udf3 | Userfield 3 |
| udf4 | Userfield 4 |
| whscode_org | Warehouse original |
| znr | Drawing Number |

Printed by: be.as
gedruckt: 27.08.2015 10:54:28

**QC-Samples**

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| belnr_id | Document No |
| charge_id | Batch |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| fert_belnr_id | Production Document |
| fert_belpos_id | Production Position |
| fert_messung | Measurement Number |
| fert_pos_id | Production BOM |
| knd_id | Customer Number |
| pruefkz | Check Code |

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| belnr_id | Document Number |
| bez | Description |
| charge_id | Batch Number |
| druckkz | Print Certificate |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| fert_belnr_id | Production Document |
| fert_belpos_id | Production Position |
| fert_messung | Measurement Number |
| fert_pos_id | Production BOM |
| knd_id | Customer Number |
| maximal | Maximum |
| me_id | Unit of M. ID |
| messwert | Value Zahl |
| messwertc | Value Text |
| minimal | Minimal |
| ok | Ok - ID |
| pos_id | Position |
| qs_id | QC Description |
| relevant | Check Relevant |
| sollwert | Desired Value |
| sperrgrund | Blocked Reason |
| sperrgrundid | Blocked ID |
| typ | Type |
| udf1 | Userfield 1 |
| udf2 | Userfield 2 |
| udf3 | Userfield 3 |
| udf4 | Userfield 4 |
| wkz_id | Resources ID |

## QC-Blockage Reason

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| sperrgrund | Blocked Reason |
| sperrgrundid | Blocked ID |

## QC-Samples Definition

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| charge_id | Batch |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| info | Info |
| itemcode | Item |
| knd_id | Customer Number |
| menge | Quantity Warehouse unit |
| messung_alle_stk | Measurement All x Piece |
| typ | Meldungstyp |

**QC-Cross reference**

| Column | Description |
| --- | --- |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| cardcode | Supplier |
| date_from | Date From |
| date_to | Date To |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| info | Info |
| itemcode | Item |
| nr | Number |
| qsauftrag | QC Work Order |
| quantity_from | Quantity From |
| quantity_to | Quantity To |
| typ | Type |

| Column | Description |
| --- | --- |

## Complaint  Work Order

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| basebelnr_id | Base Workorder |
| basebelpos_id | Base Workorder Position |
| basedocentry | Base Docentry |
| basedocnum | Base Document number |
| baselinenum | Base Linenum |
| baseobjtype | Base Object |
| batchnum | Batch Number |
| cardcode | Supplier |
| cardname | Card Name |
| createdate | Date of Last Change |
| createinfo | Erstelltung Info |
| createuser | User of Last Change |
| deliverydate | Delivery Date |
| deliveryletterno | Delivery Number |
| deliveryquanty | Delivery Quantity |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| finishdate | Finished Date |
| id_nr | Primary |
| itemcode | Item |
| itemname | Description |
| orderquantity | Base Work Order Quantity |
| prjcode | Project |
| reclamationinfo | Info |
| reclamationscustomerorder | Work Order |
| reclamationsdatum | Work Order Date |
| reclamationsmenge | Work Order Quantity |
| reclamationunit | Unit |
| repair_id | Repair Item |
| scrapping | Scrap Reason |
| status | Status |
| statusinfo | Status Info |
| tobalcosts | Total Cost |
| typ | Type |
| udf1 | Userfield 1 |
| udf2 | Userfield 2 |
| udf3 | Userfield 3 |
| udf4 | Userfield 4 |
| udf5 | Userfied 5 |

**Complaint origin**

| Column | Description |
|---|---|
| causer_id | Originator |
| id_nr | Primary |
| infotext | Info Text |
| percent_id | Percent ID |
| pos_id | Position |

## Complaint origin User

| Column | Description |
|--------|-------------|
| id_nr | Primary |
| infotext | Info Text |
| percent_id | Percent ID |
| pers_id | Employee number |
| pos_id | Position |

## Complaint documents

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| info | Info |
| nr_id | Primary |
| pos | Position |
| verweis | Link |

**Complaint origin**

| Column | Description |
|--------|-------------|

**Complaint  Type**

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| forbuy | for buy |
| forsale | for sale |
| forworkorder | for workorder |
| shortdescription | Short Description |
| typ_id | Type |

## Complaint: Reparation

| Column | Description |
|--------|-------------|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| description | Name Output definition |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| forbuy | for buy |
| forsail | for sale |
| forworkorder | for workorder |
| repair_id | Repair Item |

Complaint  Work Order Typen

| Column | Description |
| --- | --- |
| id_nr | Primary |
| infotext | Info Text |
| pos_id | Position |
| typ_id | Type |

## report makro defintion

| Column | Description |
|---|---|
| active_accessright | Active at Authorization Script |
| active_batchprint | Active at Batchdruck |
| active_cardcode | Active at Business partners |
| active_email | Active at E-mail |
| active_excel | Active at EXCEL |
| active_export | Active at Export |
| active_fax | Active at Fax |
| active_label | Active bel Label |
| active_module | Active at Module |
| active_pdf | Active at PDF |
| active_preview | Active at Preview |
| active_print | Active at Print |
| active_script | Active at Script |
| active_station | Active at Work Center |
| active_user | Active at User |
| active_word | Active at Word |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| apiid | API |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| filename | Reportname |
| loopscript | Loop Script |
| makroid | Macro ID |
| makroname | Makroname |
| parameter1 | Parameter 1 |
| parameter2 | Parameter 2 |
| parameter3 | Parameter 3 |
| parameter4 | Parameter 4 |
| parameter5 | Parameter 5 |
| printkz | - not used - |
| sbostd | SBO Default verwenden |
| script_end | Script at End |
| script_start | Script at Start |
| simpleinput | Simple Input |
| sortid | Sort |
| systemmakro | System Macro |
| typ | Type |
| windowname | Window ID |

## report makrostep

| Column | Description |
|---|---|
| active_batchprint | Active at Batchdruck |
| active_cardcode | Active at Business partners |
| active_email | Active at E-mail |
| active_excel | Active at EXCEL |
| active_export | Active at Export |
| active_fax | Active at Fax |
| active_label | Active bel Label |
| active_pdf | Active at PDF |
| active_preview | Active at Preview |
| active_print | Active at Print |
| active_right | Active at Authorization |
| active_script | Active at Script |
| active_station | Active at Work Center |
| active_user | Active at User |
| active_word | Active at Word |
| crystal_connectverify | Crystal: Connect Compare |
| crystal_externalreport | Crystal: ExternalReport |
| crystal_outputtyp | Crystal: Output Type |
| crystal_parameterrequest | Crystal: Parameter Check |
| filename | report name |
| loopscript | SQL query for Loop |
| makroid | Macro ID |
| outputfiletemplatefooter | Template Footer Asciifile |
| outputfiletemplateheader | Template Header Asciifile |
| outputfiletemplateperline | Template Line Asciifile |
| printkz | - not used - |
| reportgenerateapi | Reports generate with Api |
| script_end | Script at End |
| script_start | Script Start |
| sortid | Sort |
| sqlquery | SQL query for Reports |
| stepid | Macro Step ID |
| stepname | Name Macro Step |

## report outputdefinition

| Column | Description |
|---|---|
| active_batchprint | Active at Batchdruck |
| active_email | Active at E-mail |
| active_excel | Active at EXCEL |
| active_export | Active at Export |
| active_fax | Active at Fax |
| active_label | Active bel Label |
| active_pdf | Active at PDF |
| active_preview | Active at Preview |
| active_print | Active at Print |
| active_script | Active at Script |
| active_word | Active at Word |
| commandid | Command ID |
| copycount | Copy Count |
| copycountscript | Copy Count Script |
| delfile | Delete temporary file |
| description | Name Output Definition |
| email_address | E-mail Address |
| email_attachment1 | E-mail Attachment 1 |
| email_attachment1_active | E-mail Attachment 1 Script |
| email_attachment1_filename | E-mail Attachment 1 File Name |
| email_attachment2 | E-mail Attachment 2 |
| email_attachment2_active | E-mail Attachment 2 Script |
| email_attachment2_filename | E-mail Attachment 2 File Name |
| email_attachment3 | E-mail Attachment 3 |
| email_attachment3_active | E-mail Attachment 3 Script |
| email_attachment3_filename | E-mail Attachment 3 File Name |
| email_cc1 | E-mail cc1 |
| email_cc1_active | E-mail cc1 Script |
| email_cc2 | E-mail cc2 |
| email_cc2_active | E-mail cc2 Script |
| email_filename | E-mail File Name |
| email_openwindow | E-mail Open Parameter Window |
| email_subject | E-mail Subject |
| email_text | E-mail Text |
| fax_address | Fax address |
| fax_documentname | Fax document Name |
| fax_header | Fax header |
| makroid | Macro ID |
| openfile | directly open file |
| outputfilename | Output File Name |
| outputfilename_script | Output File Script Name |
| outputfiletype | Output File Type |
| outputid | Output ID |
| parameter1 | Parameter 1 |
| parameter2 | Parameter 2 |
| parameter3 | Parameter 3 |
| parameter4 | Parameter 4 |
| parameter5 | Parameter 5 |
| parameter6 | Parameter 6 |
| parameter7 | Parameter 7 |
| script_end | Script at End |
| script_start | Script Start |
| sendwithsbo | E-mail send with |
| stepid | Macro Schritt ID |

report printerdefinition

| Column | Description |
|---|---|
| bottommargin | Bottom Margin |
| collateid | Collate |
| color | Print with Color |
| drivername | Driver Name |
| duplex | Use Duplex |
| dw_zoomfaktor | DataWindow Zoom Factor |
| firstpage | First Page |
| lastpage | Last Page |
| leftmargin | Left Margin |
| makroid | Macro ID |
| orientation | Orientation |
| outputid | Output ID |
| pageheight | Page height |
| pagelength | Page lentgh |
| pagerange | Page Range |
| papersize | Paper Size |
| papersource | Paper Source |
| portname | Port Name |
| printername | Printer Name |
| prompt | Display Promt |
| quality | Print with quality |
| rightmargin | Right Margin |
| stationname | Work Center Name |
| stepid | Macro Schritt ID |
| topmargin | Top Margin |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

## report variables

| Column | Description |
|---|---|
| allwayspromt | Allways Prompt |
| checkboxno | Checkbox No |
| checkboxyes | Checkbbox Yes |
| defaultvalue | Default Value |
| makroid | Macro ID |
| onlydropdown | Only Drop down |
| outputid | Output ID |
| questiontext | Question Text |
| sortid | Sort |
| stepid | Macro Schritt ID |
| variablecheckscript | Variable check script |
| variabledropdown | Variable Dropdown |
| variableid | Variable ID |
| variabletyp | Variable Type |

## report text

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| language_id | language ID |
| longtext | longtext from item |
| subject | Subject for E-mail |
| textid | Text ID |
| typ | Meldungstyp |

## Temporary Table for Analyses

| Column | Description |
| --- | --- |
| abgang_fa | Debit Production |
| abgang_kd | Debit Sales Order |
| ag_id | Operation ID |
| anzahl | Number |
| aplatz_id | Work Center |
| art | Item |
| baugruppe | Assembly |
| bedarfsdatum | Date of requirement |
| belnr_id | Document No |
| belpos_id | Doc. Position |
| bereitgestellt | Reserved |
| bezeichnung | Description |
| datum | Date |
| fehlbestand | Shortage |
| fehlmenge | Shortage |
| fehlmenge_bereitstellung | Shortage Reservation |
| fertigungskosten_ist_gk | Non Material Mfg Cost MC Actual |
| fertigungskosten_ist_vk | Non Material Mfg Cost FC Actual |
| fertigungskosten_soll_gk | Non Material Mfg Cost MC Plan |
| fertigungskosten_soll_vk | Non Material Mfg Cost FC Plan |
| gemeinkosteninfo_gk | Overhead Info MC |
| gemeinkosteninfo_vk | Gemeinksoten Info FC |
| gemeinkostentext | Overhead Text |
| herstellungskosten_ist_gk | Production Cost MC Actual |
| herstellungskosten_ist_vk | Production Cost MC Actual |
| herstellungskosten_soll_gk | Production Cost MC Plan |
| herstellungskosten_soll_vk | Herstellungkosten FC Plan |
| id | ID |
| itemcode | Item |
| itemname | Description |
| kosten_ist_gk | Cost MC Actual |
| kosten_ist_vk | Cost FC Actual |
| kosten_soll_gk | Cost MC Plan |
| kosten_soll_vk | Cost FC Plan |
| level | Step |
| materialkosten_ist_gk | Material Costs MC Actual |
| materialkosten_ist_vk | Material Costs FC Actual |
| materialkosten_soll_gk | Materailkosten MC Plan |
| materialkosten_soll_vk | Material Costs FC Plan |
| menge_lager_soll | Quantity Warehouse Plan |
| menge_verbrauch_ist | Quantity Consumption Actual |
| menge_verbrauch_soll | Quantity Consumption Plan |
| nr | Number |
| nutzen | Use |
| oberbaugruppe | father Item |
| onhand | Warehouse stock |
| onhand_std | Warehouse stock Default |
| pers_id | Employee number |
| pers_name | Personnel Name |
| pos | Position |
| zeit_ist | Time Actual |
| zeit_soll | Time Plan |
| zeit_te | Mach+Labor Time/unit |
| zeit_tr | setup time |
| znr | Drawing Number |

| | |
|---|---|
| zu_belpos_id | to Doc. Position |
| zugang_bestellung | Credit Purchase Order |
| zugang_fa | Credit Work Order |
| zugangsdatum | Date of receipt |

Printed by: be.as

| Column | Description |
|---|---|
| belnr_id | Workorder Number |
| belpos_id | Workorder Position |
| bis | To Date |
| docentry | Document |
| intnr | Internal No. |
| itemcode | Item |
| kw | Calendar Week |
| linenum | Document Line |
| nr | Number |
| pos_id | BOM Position |
| resource | Resource |
| resourcenr | Resource Number |
| resourcentyp | Resource Type |
| typ | Type |
| verursacher | Originator |
| verursacher_agbez | Originator - Description |
| verursacher_baugruppe | Originator - Assembly |
| verursacher_baugruppemen | Originator - Assembly Quantity |
| verursacher_info | Originator - Info |
| verursacher_menge | Originator - Quantity |
| von | From Date |
| zeit | Time |

## Attendance Shift Definition

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| anf_bis | Begin To |
| anf_von | Begin From |
| bde_ende | automatic: End |
| bde_start | automatic: Start |
| bde_typ | autoamtic: Type |
| bez | Description |
| ende_bis | End To |
| ende_von | End From |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| mittag_bis | Lunch to |
| mittag_dauer | Lunch Duration |
| mittag_von | Lunch from |
| pause1_bis | Break 1 To |
| pause1_von | Break 1 From |
| pause2_bis | Break 2 To |
| pause2_von | Break 2 From |
| pause3_bis | Break 3 To |
| pause3_von | Break 3 From |
| schicht_id | Shift |
| tag_std | Day Type 1 Hours |
| tag_std2 | Day Type 2 Hours |
| tag_std3 | Day Type 3 Hours |
| tagmuster_id | Day Template |

## Blanket Order

| Column | Description |
|---|---|

# beas_sale_blanketorderline

## Blanket Order Pos

| Column | Description |
|--------|-------------|

Column         Description

## Translation

| Column | Description |
|---|---|
| addon | Name Addon |
| nr | Number |
| quelltext | Sourcecode |
| spr_id | Language |
| von | From Date |
| zu | Language |

| Column | Description |
|--------|-------------|

Printed by: be.as

## Interruption Reasons

| Column | Description |
|---|---|
| aenderungerlaubt | Changing Allowed |
| aktiv | Active |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| grundid | Reason ID |
| grundinfo | Reason Information |

## Item Bill of Materials

| Column | Description |
|---|---|
| abm1 | Length |
| abm2 | Width |
| abm3 | Height |
| aktiv | Active |
| AndTStamp | Modification Date |
| AndUser | Modified by |
| aplanpos_id | linked to operation |
| art1_id | Item (consumed) |
| ausschuss | Scrap |
| caftinfo | Info Caft |
| ErfTStamp | Creation Date |
| ErfUser | Creator |
| formel | Formula |
| gueltig_bis | Valid to |
| gueltig_von | Valid from |
| info | Info |
| itemcode | Itemcode |
| menge_je | Quantity per Finished Item |
| menge_lager | Quantity Store |
| menge_verbrauch | Quantity Consumption |
| pos_id | Position |
| shortvariantdef | Variantendefinition A-Z |
| udf1 | free 1 |
| udf2 | free 2 |
| udf3 | free 3 |
| udf4 | free 4 |
| usertext | Additional Text |
| whscode | Store Code |

Column                      Description

## Attendance Period rule

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| begnachrundung | Start Round by Core Time |
| begvorkernzt | Start Round pre Core Time |
| begwaehkernzt | Start Round while Kernnzeit |
| bez | Description |
| endnachgltzt | End Round by Gleitzeit |
| endnachkernzt | End Round by Core Time |
| endwaehkernzt | End Round During Core Time |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| gleitzeitgrenze | Gleitzeit Grenze |
| gleitzeitgrenze2 | Gleitzeit Grenze 2 |
| pause_stmp | Break evaluate |
| sperren | Blocked |
| stdrgl_id | Period rule |
| tolztbeg | Tolerance Time Start |
| tolztende | Tolerance Time End |
| urlstd | Vacation Hours |
| zuschl1_bis | Allowance 1-1 To |
| zuschl1_von | Allowance 1-1 From |
| zuschl1b_bis | Allowance 1-2 To |
| zuschl1b_von | Allowance 1-2 From |
| zuschl2_bis | Allowance 2 To |
| zuschl2_von | Allowance 2 From |

History Developement

| Column | Description |
|---|---|
| datum | Date |
| id | ID |
| syntaxname | Name of Syntax |
| syntaxsource | Sourcecode |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

## addon administration

| Column | Description |
|--------|-------------|
| addon | Name Addon |
| aktiv | Active |
| sortid | Sort |
| users | User |

## Column Definition Browser

| Column | Description |
|---|---|
| aenderbar | changeable |
| ansicht | View |
| anwenderaenderbar | User changeable |
| anwenderauswahl | User can choose |
| ausrichtung | alignment |
| benutzer_id | User Id |
| colname | Column Name |
| coltext | Column Text |
| coltexttyp | Column Type |
| dropdown | Dropdown Script |
| expression | Formula |
| farbe | Color |
| farbeformel | Color Script |
| fett | bold |
| formatierung | Formatting |
| kursiv | Italic |
| nr | Number |
| protectedscript | Protect Script |
| sichtbar | visible |
| sichtbarformel | Visible Script |
| sperren | Blocked |
| suchen | Search Script |
| verweis | Reference Script |
| width | Width |
| windowname | Window ID |

## Tables and Column Definition

| Column | Description |
|---|---|
| alignment | alignment |
| areadescription | area description |
| columnname | column Name |
| constraints | constaints |
| defaultvalue | Default Value |
| dropdownvalue | dropdown script |
| formatid | Format |
| fromcolumns | reference from column |
| fromtable | reference from table |
| info_de | Info german |
| info_en | Info english |
| levelid | Level ID |
| longdescription | long description |
| related | related |
| relatedwindow | related Window |
| shortdescription | Short Description |
| sortid | Sort |
| standard | Default value |
| tablename | Table Name |
| topicid | topic ID |
| translated | translated |
| userinfo | user Info |
| versioninfo | Version Info |
| vorgabe | Default |
| windowinfo | Name of Window |

Printed by: be.as
gedruckt: 27.08.2015 10:54:28

## Debug Temporary Table

| Column | Description |
|---|---|
| funktionname | function Name |
| info | Info |
| modulobject | Module Name |
| nr | Number |
| sqlinfo | SQL Info |
| windowname | Window ID |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

**Station Type (Device)**

| Column | Description |
|--------|-------------|

## Formdescription

| Column | Description |
| --- | --- |
| addon | Name Addon |
| cardcode | Supplier |
| description | Name Ausgabedefinition |
| executescript | execute script |
| formid | Shape ID |
| parameter1 | Parameter 1 |
| parameter2 | Parameter 2 |
| parameter3 | Parameter 3 |
| parameter4 | Parameter 4 |
| parametername1 | parametername 1 |
| parametername2 | parametername 2 |
| parametername3 | parametername 3 |
| parametername4 | parametername 4 |
| primaryobjectid | primary object |
| systemtyp | System type |

## windowdescription - objects

| Column | Description |
|---|---|
| formid | Shape ID |
| objectid | object ID |
| script1 | script |
| typ | Meldungstyp |

Printed by: be.as

## language

| Column | Description |
|--------|-------------|

Printed by: be.as

## Location (WEB Printer)

| Column | Description |
|--------|-------------|

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

## Menu Extensions - not used -

| Column | Description |
|--------|-------------|
| befehl | commands |
| bitmap | Picture |
| child | Child-Entrys |
| line | Line |
| modul | Active at Module |
| name | Name |
| nr | Number |
| recht | access |
| stufe | Strukturstufe |

## objectdescription (Makro)

| Column | Description |
|---|---|
| addon | Name Addon |
| businessobjectname | business object Name |
| description | Description |
| objectid | object ID |
| objecttype | object type |
| primarytable | primary table |
| sale0purchase1 | sale or purchase |
| systemtyp | System type |

## beas-objects (Makro)

| Column | Description |
|---|---|
| addon | Name Addon |
| description | Name Ausgabedefinition |
| editscript1 | Edit Script |
| l1_info | Info |
| l1_parametername1 | Parameter 1 |
| l1_parametername2 | Parameter 2 |
| l1_parametername2_1 | Parameter 2_1 |
| l1_parametername2_2 | Parameter 2_2 |
| l1_parametername2_3 | Parameter 2_3 |
| l1_parametername2_4 | Parameter 2_4 |
| l1_parametername2_5 | Parameter 2_5 |
| l1_parametername3 | Parameter 3 |
| l1_parametername4 | Parameter 4 |
| l1_parametername5 | Parameter 5 |
| l2_parametername1 | Parameter Type 2 - 1 |
| l2_parametername2 | Parameter Type 2 - 2 |
| l2_parametername3 | Parameter Type 2 - 3 |
| l2_parametername4 | Parameter Type 2 -4 |
| objectid | object ID |
| script1 | script |
| systemtyp | System type |
| typ | Meldungstyp |
| variablestepid | Variable Step |

## Server Setup

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ausfuehrung | Command Script |
| bezeichnung | Description |
| bisuhrzeit | to Clock |
| empfaenger | Receiver |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| letzte_ausfuehrung | Last Start |
| letzte_meldung | Last Message |
| nr | Number |
| uhrzeit | Clock |
| wiederholung | Repeat time |
| wiederholungunit | Repeat Unit |
| wochentag | Day of the week |

**Program Setup**

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| benutzer | setup for user (must be empty) |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| inhalt | value |
| md_id | - not used - |
| statusid | Status ID |
| statustext | Status Text |
| variable_id | variable-id |

## Language Table

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| autoinstall | auto install activ |
| bezeichnung | Description |
| buchstabenbreitefaktor | width - factor |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| gui | Gui |
| sbo_language | sbo - language - ID |
| sbo_languagecode | sbo - language code |
| spr_id | Language |
| standard | Default |
| unicode | Unicode |
| windowcode | Window code |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

## Translate for Tablevalues

| Column | Description |
|---|---|
| columnname | column Name |
| languageid | language ID |
| primaryvalue | primary value |
| sourcetext | source Text |
| tablename | Table Name |
| translatedtext | translated Text |

## Translation Table Messages

| Column | Description |
|--------|-------------|
| inhalt | Contents |
| kennung | Kennuung |
| spr_id | Language |
| typ | Meldungstyp |

## Translatetable

| Column | Description |
|---|---|
| addon | name of addon |
| spr_id | Language |
| usertext | own Translation toppt |
| von | German |
| zu | Language |

**translate type for own window or addon**

| Column | Description |
|---|---|
| addon | Name Addon |
| spr_id | Language |
| von | From Date |
| window | Window ID |
| zu | Language |

| Column | Description |
|--------|-------------|

## Station Settings

| Column | Description |
|--------|-------------|

Printed by: be.as

| Column | Description |
| --- | --- |

| Column | Description |
|---|---|
| benutzer_id | Benutzerkennung |

## Window positions

| Column | Description |
|--------|-------------|

Printed by: be.as

Column | Description
--- | ---

## Attendance Day Model

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| bez | Description |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| tagmuster_id | Day Template |

| Column | Description |
|--------|-------------|

Printed by: be.as

# beas_textbaustein

## Text module

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| bereich | Range |
| bezeichnung | Description |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| inhalt | Contents |
| nr | Number |

beas_textbaustein

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

## Time operator

| Column | Description |
|--------|-------------|

Printed by: be.as

## Time types

| Column | Description |
| --- | --- |
| account_from | Account from |
| account_to | account to |
| account_wip | account wip |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| description | Name Ausgabedefinition |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| geko_cost | ov.cost Cost |
| machince_cost | Machine Cost |
| peronal_cost | Personnel Cost |
| postcalc_gk | Postcalc MC |
| postcalc_vk | Postcalc FC |
| precalc_gk | Precalc MC |
| precalc_vk | Precalc FC |
| production | Production |
| timetype_id | Time Type |
| timetypegroup_id | Time types Group |

## Time types groups

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| description | Description |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| group_id | Time Type Group |

| bereich | Range |
|---|---|
| datum | Date |
| kennung | Kennuung |

## Shipping Batch Reserve

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| batchnum | Batch Number |
| docentry | Docentry |
| docnum | Docnum |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| lieferschein | Delivery Note |
| linenum | Linenum |
| menge | Quantity Unit of Store |
| nr | Number |

## Scrap Table

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| bez | Description |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| verschn | Scrap Id |

## Scrap Rate

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| bis | To Date |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| menge | Quantity Unit of Store |
| prozent | Percent |
| verschn | Scrap Id |
| von | From Date |

## wage type

| Column | Description |
|--------|-------------|

Column                    Description

Column                    Description

| Column | Description |
|--------|-------------|

## Program group

| Column | Description |
|--------|-------------|

## Web Session

| Column | Description |
|--------|-------------|

# beas_webuser

## Web User

Column                     Description

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

| Column | Description |
|--------|-------------|
|        |             |

## Apps Setup

| Column | Description |
|--------|-------------|

Printed by: be.as

## Warehouse location Bin location management

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| bintyp | Bin Location Type |
| color | Print with Color |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| length | Length |
| length_in_m | Length in m |
| starttransaktionid | Start with Transaktion |
| visualendscript | Visualization Script |
| whscode | Store |
| width | Width |
| width_in_m | Width in m |

## Bin Location Warehouse area

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| areacode | Bin Location Range |
| areacolor | Color for Area |
| bincolor | Color for Bin Location |
| binheight | Bin Location Height |
| binlength | Bin Location Length |
| binmask | Maske for Bin Location creation |
| binvolume | Bin Location Volume |
| binvolumeunit | Bin Location Volume Unit |
| binweight | Bin Location Weight |
| binweightunit | Bin Location Weight Unit |
| binwith | Bin Location Width |
| dimension1text | Text for Dimension 1 |
| dimension2text | Text for Dimension 2 |
| dimension3text | Text for Dimension 3 |
| dimension4text | Text for Dimension 4 |
| dimensioncount | Number Dimensions |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| height_in_m | Height in m |
| info | Info |
| length_in_m | Length in m |
| manuelbincreate | Manually Bin Location Create |
| max_volume_in_dm3 | max. Volume in dm³ |
| max_weight_in_kg | max. Weight in kg |
| pos_x_in_m | X Position in m |
| pos_y_in_m | Y Position in m |
| removelocked | Issue Blocked |
| removesortmask | create Mask Sort Issue |
| storagelocked | Receipt Blocked |
| storagesortmask | create Mask Sort Receipt |
| typ | Type |
| visualendscript | Visualization Script |
| visualisation | Visualization Item |
| whscode | Store |
| width_in_m | Width in m |

**Bin Location Type**

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| name | Type Name |
| typcode | Type Code |

## Bin Location Lagerplatzdefinition

| Column | Description |
|---|---|
| areacode | Bin Location Range |
| bincode | Bin Location |
| binvolume | Bin Location Volume |
| binweight | Bin Location Weight |
| color | Print with Color |
| currentvolume_in_dm3 | actual Volume in dm³ |
| currentweight_in_kg | actual Weight in kg |
| deleteflag | deleted |
| dimension1 | Dimension 1 |
| dimension2 | Dimension 2 |
| dimension3 | Dimension 3 |
| dimension4 | Dimension 4 |
| height_in_m | Height in m |
| info | Info |
| length_in_m | Length in m |
| onhand | Inventory |
| pos_height_in_m | Position Height in m |
| pos_length_in_m | Position Length in m |
| pos_x_in_m | X Position in m |
| pos_y_in_m | Y Position in m |
| removelocked | Issue Blocked |
| removesort | Issue Sort |
| storagedate | Last movement |
| storagelocked | Receipt Blocked |
| storagesort | Receipt Sort |
| whscode | Store |
| width_in_m | Width in m |

## Bin Location Inventory

| Column | Description |
| --- | --- |
| batchnum | Batch Number |
| bincode | Bin Location |
| itemcode | Item |
| onhand | Inventory |
| rfid | RFID |
| storagedate | Last movement |
| volume | Volume |
| weight | Weight |
| whscode | Store |

# beas_whsbinjournal

materialmanagement

## Bin Location Journal of Entries

| Column | Description |
|---|---|
| batchlinenum | batchnumber line |
| batchnum | Batch Number |
| bincode | Bin Location |
| createdate | Date of Last Change |
| createuser | User of Last Change |
| in0out1 | in (0) or out (1) |
| instance | instance |
| itemcode | Item |
| quantity | Quantity |
| rfid | RFID |
| transline | transaction line |
| transnum | transaktion number |
| volume | Volume |
| weight | Weight |
| whscode | Store |

## Tool

| Column | Description |
| --- | --- |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| art | Item |
| Betriebsdauer | Useful Life |
| Betriebszeit | Operation Time: |
| Bez | Description |
| bild1 | Anhang 1 |
| bild2 | Anhang 2 |
| bild3 | Anhang 3 |
| datum | Date |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| Fertiger | Manufacturer |
| InstKst | Maintenance Costs |
| InstKstJe | Instandskosten per Unit |
| itemcode | Item |
| Kst | Cost |
| lago_id | Store Location |
| Lief_id | Supplier |
| lplatz_id | Stockyard |
| menge | Quantity Unit of Store |
| nutzen | Use |
| udf1 | Userfield 1 |
| udf2 | Userfield 2 |
| udf3 | Userfield 3 |
| udf4 | Userfield 4 |
| Wartung_letzte | Last Maintenance |
| Wartung_max | maintenance All per Unit |
| Wartung_zaehler | Wartungszähler |
| wkz_id | Tool Key |
| znr | Drawing Number |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

**Tool Activity Log**

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| BETRAG | Costs |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| MITTEILUNG | Message |
| VERURSACHER | Originator |
| WKZ_ID | Resourcenkennung |

Werkzeugstückliste

| Column | Description |
|--------|-------------|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |
| info | Info |
| menge | Quantity Unit of Store |
| pos_id | Position |
| wkz_id | Resourcenkennung |
| wkz1_id | Tool ID |

## Raw Material

| Column | Description |
|--------|-------------|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| bez | Description |
| dichte | Density |
| ErfTStamp | Creation Date |
| ErfUser | Creation User |

BEAS_WST

## APS Methode

| Column | Description |
|---|---|
| activ_in_gantt | Active in gantt |
| activ_in_list | Active in Report |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| description_id | Description |
| einlastungsbehandlung | Include Dispatch |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| materialtest | Material Compare |
| methode_id | Methode ID |
| onlynotplaned | only ungeplante |
| resetstartdate | Reset start date |

## APS Methode step

| Column | Description |
|---|---|
| agfixierung | Operation fixieren |
| agmaterial | Material consider |
| agsplittung | Operations zusammen halten |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| anmeldefixierung | Login fixieren |
| ausfuehrungsbedingung | Run only, when |
| datumeintragen | Date eintragen |
| description_id | Description |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| feinplanung | Detailed planning |
| kapagrenze | Notice resource limiting |
| methode_id | Methode ID |
| richtung | Direction |
| scriptsequenz | Script Sequenz - not used - |
| simulation | Simulation |
| sort_id | Sort |
| sperreloesen | Scheduling lösen |
| step_id | Step |
| ueberganzszeitpz | Transit time Percent |
| ueberlastpz | Überlastung Percent |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

## APS Planing

| Column | Description |
| --- | --- |
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| apskz | Scheduling Code |
| beginnkz | Start Code |
| description_id | Description |
| druckkz | Print Code |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| gruppe | Group |
| lieferzeitfenster | Delivery Range |
| planing_id | Scheduling ID |
| prjcode | Project |
| sachb_id | Employee |
| sortkzstring | Sort Code |
| sperrungkz | Blocked Code |
| startzeitfenster | Start Range |
| std_id | Default |

## APS Planning Methode

| Column | Description |
|---|---|
| methode_id | Methode ID |
| planing_id | Scheduling ID |
| sort_id | Sort |

# beas_xgantt_planing_sort

## APS Planning Sort

| Column | Description |
|--------|-------------|

Printed by: be.as

## APS Planning Menu

| Column | Description |
|---|---|
| bitmap_id | Picture |
| command_id | Command Script |
| commandnr_id | Command Number |
| display_id | Display ID |
| filter_id | Filter Script |
| filternr_id | Filter Number |
| planing_id | Scheduling ID |
| pos_id | Position |
| sql_id | SQL Script |
| sqlnr_id | SQL Number |
| text_id | Text |
| typ_id | Type |
| view_id | View ID |

## APS Planning Display setup

| Column | Description |
|---|---|
| description_id | Description |
| display_id | Display ID |
| onmousescript | On Mouse Script |
| planing_id | Scheduling ID |
| scriptsequenz | Script Sequenz - not used - |
| setupsequenz | Setup as Script |
| std_id | Default |
| typ_id | Type |
| view_id | View ID |

Printed by: be.as

gedruckt: 27.08.2015 10:54:28

| Column | Description |
|---|---|
| AndTStamp | Date of Last Change |
| AndUser | User of Last Change |
| dayend | Day End |
| dayoptimal | Set Day Optimal |
| daystart | Day Start |
| description_id | Description |
| ErfTStamp | Creation Date |
| ErfUser | Typist |
| line1 | Script Line 1 |
| line2 | Script Line 2 |
| line3 | Script Line 3 |
| movemodus | To do after move |
| onlycheckedresources | Load only checked Resource |
| planing_id | Scheduling ID |
| sofortberechnung | Calc after move |
| std_id | Default |
| udf1 | Userfield 1 |
| udf1name | Name for userfield 1 |
| udf2 | Userfield 2 |
| udf2name | Name for userfield 2 |
| udf3 | Userfield 3 |
| udf3name | Name for userfield 3 |
| udf4 | Userfield 4 |
| udf4name | Name for userfield 4 |
| view_id | View ID |