

F5 Distributed Cloud

Scoping and Requirements Guide

F5 Networks

None

Table of Contents

1. F5 Distributed Cloud Sizing Guide	3
2. Web Application Firewall (WAF) Sizing	4
3. API Security Sizing	14
4. Bot Defense Sizing	24
5. DDoS Protection Sizing	34
6. Client-Side Defense Sizing	45
7. HTTP Load Balancer Sizing	53
8. TCP Load Balancer Sizing	63
9. DNS Services Sizing	69
10. Multi-Cloud Networking Sizing	78
11. App Connect Sizing	87
12. CDN Sizing	94
13. Edge Compute Sizing	101
14. Customer Edge Sites Sizing	106
15. Cloud Sites Sizing	114

1. F5 Distributed Cloud Sizing Guide

Welcome to the **F5 Distributed Cloud Customer Scoping and Requirements Guide**. This comprehensive questionnaire will help accurately evaluate your environment prior to deploying F5 Distributed Cloud solutions.

2. Web Application Firewall (WAF) Sizing

The F5 Distributed Cloud WAF provides comprehensive protection against web application attacks including OWASP Top 10 vulnerabilities, injection attacks, cross-site scripting, and advanced threats.

2.1 Application Inventory

Application Count

How many web applications require WAF protection?

Category	Count
Production Applications	_____
Staging/QA Applications	_____
Development Applications	_____
Total Applications	_____

Application Details

For each major application, provide the following:

Application Name	Domain/FQDN	Environment	Protocol	Criticality
_____	_____	<input type="checkbox"/> Prod <input type="checkbox"/> Stage <input type="checkbox"/> Dev	<input type="checkbox"/> HTTP <input type="checkbox"/> HTTPS	<input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low
_____	_____	<input type="checkbox"/> Prod <input type="checkbox"/> Stage <input type="checkbox"/> Dev	<input type="checkbox"/> HTTP <input type="checkbox"/> HTTPS	<input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low
_____	_____	<input type="checkbox"/> Prod <input type="checkbox"/> Stage <input type="checkbox"/> Dev	<input type="checkbox"/> HTTP <input type="checkbox"/> HTTPS	<input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low
_____	_____	<input type="checkbox"/> Prod <input type="checkbox"/> Stage <input type="checkbox"/> Dev	<input type="checkbox"/> HTTP <input type="checkbox"/> HTTPS	<input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low
_____	_____	<input type="checkbox"/> Prod <input type="checkbox"/> Stage <input type="checkbox"/> Dev	<input type="checkbox"/> HTTP <input type="checkbox"/> HTTPS	<input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low

Additional Applications

If you have more than 5 applications, please attach a separate spreadsheet

with complete details.

Application Architecture

What types of applications are you protecting?

- ☒ Traditional web applications (server-rendered HTML)
- ☒ Single Page Applications (SPA) - React, Angular, Vue
- ☒ Mobile application backends
- ☒ API-only services (covered in API Security section)
- ☒ Legacy applications
- ☒ Microservices
- ☒ Other: _____

2.2 Traffic Volume

Request Volume

Provide estimated request volumes:

Metric	Average	Peak
Requests per Second (RPS)	_____	_____
Requests per Day	_____	_____
Requests per Month	_____	_____

Base Package Includes

Standard tier includes 30 million requests per month from Regional Edges.

Bandwidth

Metric	Value	Unit
Average Inbound Bandwidth	_____	Mbps
Peak Inbound Bandwidth	_____	Mbps
Average Response Size	_____	KB

Geographic Distribution

Where are your users located?

Region	Percentage of Traffic
North America	____%
Europe	____%
Asia-Pacific	____%
South America	____%
Middle East / Africa	____%
Total	100%

2.3 WAF Features Required

Core Protection

Which attack types do you need to protect against?

- ☒ SQL Injection
- ☒ Cross-Site Scripting (XSS)
- ☒ Cross-Site Request Forgery (CSRF)
- ☒ Remote File Inclusion (RFI)
- ☒ Local File Inclusion (LFI)
- ☒ Command Injection
- ☒ XML External Entity (XXE)
- ☒ Server-Side Request Forgery (SSRF)
- ☒ HTTP Protocol Violations
- ☒ HTTP Request Smuggling
- ☒ All OWASP Top 10

Advanced Features

Do you require the following advanced features?

Feature	Required	Notes
Automatic Signature Tuning	<input type="checkbox"/> Yes <input type="checkbox"/> No	Reduces false positives automatically
Threat Campaigns	<input type="checkbox"/> Yes <input type="checkbox"/> No	Advanced tier - vetted attack signatures
Malicious User Detection	<input type="checkbox"/> Yes <input type="checkbox"/> No	Advanced tier - behavioral scoring
Data Masking	<input type="checkbox"/> Yes <input type="checkbox"/> No	Mask sensitive data in logs
Custom Rules	<input type="checkbox"/> Yes <input type="checkbox"/> No	Organization-specific signatures

Operating Mode

What WAF operating mode do you prefer?

- ☒ **Blocking Mode** - Block malicious requests immediately
- ☒ **Monitoring Mode** - Log but don't block (for initial deployment)
- ☒ **Start in Monitoring, transition to Blocking** after tuning period

Tuning period preference: ____ days/weeks

2.4 Origin Infrastructure

Origin Server Locations

Where are your application origin servers hosted?

Location	Count	Provider
AWS	_____	Region(s): _____
Azure	_____	Region(s): _____
Google Cloud	_____	Region(s): _____
On-Premises Data Center	_____	Location(s): _____
Other Cloud	_____	Provider: _____

Origin Connectivity

How will F5 XC connect to your origin servers?

- ☒ Public Internet (origin servers have public IPs)
- ☒ Private connectivity via Customer Edge sites
- ☒ Direct cloud connectivity (AWS Direct Connect, Azure ExpressRoute, etc.)
- ☒ VPN tunnels

High Availability

Do you have multiple origin servers per application?

- ☒ Yes - Active/Active load balancing
- ☒ Yes - Active/Standby failover
- ☒ No - Single origin server

Number of origin servers per application: _____

2.5 TLS/SSL Configuration

Certificate Management

How do you want to manage TLS certificates?

- ☒ **Automatic** - F5 XC provisions and manages certificates
- ☐ **Custom** - We will provide our own certificates
- ☐ **Hybrid** - Automatic for some, custom for others

Certificate Details (if Custom)

Domain	Certificate Type	Expiration	Notes
_____	[] Single [] Wildcard [] SAN	---	_____
_____	[] Single [] Wildcard [] SAN	---	_____
_____	[] Single [] Wildcard [] SAN	---	_____

TLS Requirements

- Minimum TLS version required: [] TLS 1.2 [] TLS 1.3
- Do you require mTLS (Mutual TLS)? [] Yes [] No
- Cipher suite requirements: _____

2.6 Service Policies

Access Control Requirements

- ☐ Allowlisting (only allow specific IPs)
- ☐ Denylist (block specific IPs)
- ☒ Geographic restrictions (block certain countries)

Number of IP prefixes to manage: _____

Rate Limiting

☒ Yes

☐ No

If yes, provide requirements:

Scope	Limit	Time Window
Per IP Address	_____ requests	_____ seconds
Per User	_____ requests	_____ seconds
Per API Endpoint	_____ requests	_____ seconds

Geographic Blocking (OFAC Compliance)

☒ Yes - OFAC sanctioned countries

☒ Yes - Custom country list

☐ No

Countries to block: _____

2.7 Logging and Observability

Log Requirements

What logging capabilities do you need?

☒ Security event logging (blocked requests)

☒ All request logging

☒ Performance metrics

☒ Custom log formats

Log Destinations

Where should logs be sent?

- ☒ F5 XC Console (included)
- ☐ Splunk
- ☒ Datadog
- ☐ AWS S3
- ☐ Azure Blob Storage
- ☐ Sumo Logic
- ☒ Other SIEM: _____

Retention Requirements

Log retention period required: _____ days

2.8 Support and Management

Support Requirements

What level of support do you need?

- ☐ **Standard** - Business hours support
- ☒ **Enhanced** - 24x7 support with named resources
- ☒ **Enhanced Plus** - 24x7 support with dedicated resources + SOC

Managed Services

Do you want F5 to manage WAF policies?

- ☐ **Self-Service** - We will manage policies ourselves
 - ☒ **Managed** - F5 SOC manages policies with our input
 - ☐ **Hybrid** - Shared responsibility
-

2.9 Summary: WAF Requirements

Requirement	Value
Number of Applications	_____
Estimated Monthly Requests	_____
Tier Required	<input type="checkbox"/> Standard <input type="checkbox"/> Advanced
Support Level	<input type="checkbox"/> Standard <input type="checkbox"/> Enhanced <input type="checkbox"/> Enhanced Plus
Primary Deployment Region	_____

Additional notes or special requirements:

3. API Security Sizing

F5 Distributed Cloud API Security provides comprehensive protection for your APIs including automatic discovery, schema validation, rate limiting, and behavioral analysis.

3.1 API Inventory

API Discovery Requirements

Do you have complete documentation of all your APIs?

- ☒ Yes - All APIs are documented with OpenAPI/Swagger specs
- ☐ Partial - Some APIs are documented
- ☐ No - We need to discover our API landscape

Shadow API Discovery

F5 XC can automatically discover APIs in your traffic, including

undocumented "shadow" APIs that may pose security risks.

Known API Count

If you know your API landscape, provide details:

Category	Count
Public APIs (internet-facing)	_____
Partner APIs (B2B)	_____
Internal APIs	_____
Total API Endpoints	_____

API Details

For major API services, provide:

API Name/ Service	Base Path	Protocol	Auth Method	Documentation
_____	/api/v1/...	<input type="checkbox"/> REST <input type="checkbox"/> GraphQL <input type="checkbox"/> gRPC	<input type="checkbox"/> API Key <input type="checkbox"/> OAuth <input type="checkbox"/> JWT <input type="checkbox"/> None	<input type="checkbox"/> OpenAPI <input type="checkbox"/> None
_____	/api/v1/...	<input type="checkbox"/> REST <input type="checkbox"/> GraphQL <input type="checkbox"/> gRPC	<input type="checkbox"/> API Key <input type="checkbox"/> OAuth <input type="checkbox"/> JWT <input type="checkbox"/> None	<input type="checkbox"/> OpenAPI <input type="checkbox"/> None
_____	/api/v1/...	<input type="checkbox"/> REST <input type="checkbox"/> GraphQL <input type="checkbox"/> gRPC	<input type="checkbox"/> API Key <input type="checkbox"/> OAuth <input type="checkbox"/> JWT <input type="checkbox"/> None	<input type="checkbox"/> OpenAPI <input type="checkbox"/> None
_____	/api/v1/...	<input type="checkbox"/> REST <input type="checkbox"/> GraphQL <input type="checkbox"/> gRPC	<input type="checkbox"/> API Key <input type="checkbox"/> OAuth <input type="checkbox"/> JWT <input type="checkbox"/> None	<input type="checkbox"/> OpenAPI <input type="checkbox"/> None

3.2 API Traffic Volume

Request Volume

Metric	Average	Peak
API Requests per Second	_____	_____
API Requests per Day	_____	_____
API Requests per Month	_____	_____

Base Package

Standard includes up to 500,000 API requests per month for API protection.

API Consumer Distribution

Who consumes your APIs?

Consumer Type	Percentage	Estimated Daily Requests
Web Applications (browsers)	____%	_____
Mobile Applications	____%	_____
Partner Integrations (B2B)	____%	_____
Internal Services (M2M)	____%	_____
Third-Party Developers	____%	_____
Total	100%	_____

3.3 API Security Features Required

API Discovery

- ☒ **es - Critical** - We need to discover all APIs in our traffic
- ☒ **es - Nice to have** - We have docs but want validation
- ☐ **o** - We have complete API documentation

Discovery scope:

- ☐ **roduction traffic only**
- ☐ **all environments (Prod, Stage, Dev)**

API Schema Validation

- ☒ **es** - Enforce requests match OpenAPI specification

If yes, what actions should be taken on violations?

Violation Type	Action
Unknown endpoints	<input type="checkbox"/> Block <input type="checkbox"/> Log Only <input type="checkbox"/> Allow
Invalid request parameters	<input type="checkbox"/> Block <input type="checkbox"/> Log Only <input type="checkbox"/> Allow
Invalid request body	<input type="checkbox"/> Block <input type="checkbox"/> Log Only <input type="checkbox"/> Allow
Missing required fields	<input type="checkbox"/> Block <input type="checkbox"/> Log Only <input type="checkbox"/> Allow
Wrong data types	<input type="checkbox"/> Block <input type="checkbox"/> Log Only <input type="checkbox"/> Allow

API Rate Limiting

☒ Yes

☐ No

If yes, provide requirements:

Rate Limit Type	Limit	Time Window	Action
Per API Key	____ requests	<input type="checkbox"/> second <input type="checkbox"/> minute <input type="checkbox"/> hour	<input type="checkbox"/> Block <input type="checkbox"/> Throttle
Per User/Token	____ requests	<input type="checkbox"/> second <input type="checkbox"/> minute <input type="checkbox"/> hour	<input type="checkbox"/> Block <input type="checkbox"/> Throttle
Per Endpoint	____ requests	<input type="checkbox"/> second <input type="checkbox"/> minute <input type="checkbox"/> hour	<input type="checkbox"/> Block <input type="checkbox"/> Throttle
Per IP Address	____ requests	<input type="checkbox"/> second <input type="checkbox"/> minute <input type="checkbox"/> hour	<input type="checkbox"/> Block <input type="checkbox"/> Throttle
Global (all traffic)	____ requests	<input type="checkbox"/> second <input type="checkbox"/> minute <input type="checkbox"/> hour	<input type="checkbox"/> Block <input type="checkbox"/> Throttle

Sensitive Data Protection

☒ Yes

☐ No

If yes, what data types need detection?

- ☒ Credit Card Numbers (PCI-DSS)
- ☒ Social Security Numbers
- ☒ Email Addresses
- ☒ Phone Numbers
- ☒ Healthcare Data (HIPAA)
- ☒ Custom Patterns: _____

What action should be taken when sensitive data is detected?

- ☒ Block the request/response
- ☒ Mask the data in transit
- ☒ Log and alert only
- ☒ Allow (detection only)

3.4 API Authentication and Authorization

Authentication Methods

What authentication methods do your APIs use?

- ☒ API Keys (header or query parameter)
- ☒ Auth 2.0 / OpenID Connect
- ☒ JWT (JSON Web Tokens)
- ☒ Basic Authentication
- ☒ Mutual TLS (mTLS)
- ☒ Custom authentication
- ☒ No authentication (public APIs)

JWT Validation

If using JWT, do you need F5 XC to validate tokens?

- ☒ Yes - Validate JWT signatures
- ☒ Yes - Validate JWT claims (expiration, audience, etc.)
- ☐ No - Application handles JWT validation

JWT issuer (if applicable): ____

Authorization Requirements

- ☒ Yes - Enforce role-based access to API endpoints
 - ☐ No - Application handles authorization
-

3.5 API Security Threats

OWASP API Security Top 10

Which API-specific threats are you concerned about?

- ☒ **API1** - Broken Object Level Authorization
- ☒ **API2** - Broken Authentication
- ☒ **API3** - Broken Object Property Level Authorization
- ☒ **API4** - Unrestricted Resource Consumption
- ☒ **API5** - Broken Function Level Authorization
- ☒ **API6** - Unrestricted Access to Sensitive Business Flows
- ☒ **API7** - Server Side Request Forgery (SSRF)
- ☒ **API8** - Security Misconfiguration
- ☒ **API9** - Improper Inventory Management
- ☒ **API10** - Unsafe Consumption of APIs

Historical API Attacks

Have you experienced any API-specific attacks?

- ☒ API scraping / data harvesting
- ☒ Credential stuffing on login APIs
- ☒ Abuse of business logic
- ☒ Inventory/pricing manipulation
- ☒ Enumeration attacks
- ☒ None / Unknown

Describe any specific concerns:

3.6 OpenAPI Specification Import

Existing Specifications

Do you have OpenAPI/Swagger specifications for your APIs?

- ☒ Yes - OpenAPI 3.x
- ☒ Yes - OpenAPI 2.0 (Swagger)
- ☒ Partial - Some APIs only
- ☒ No - We need to generate specs

Specification Management

How will you manage API specifications?

- ☒ Upload static files to F5 XC
- ☒ Automatic sync from API gateway/management platform
- ☒ Generate from live traffic discovery
- ☒ CI/CD pipeline integration

Number of specification files: _____

Specification Source

Where are your API specifications stored?

- ☒ Git repository
- ☒ API management platform (Apigee, Kong, etc.)
- ☒ Internal documentation system
- ☒ AWS API Gateway
- ☒ Azure API Management
- ☒ Other: _____

3.7 Advanced API Security (Advanced Tier)

Behavioral API Security

- ☒ Yes - Detect anomalies in API usage patterns
- ☐ No - Schema validation is sufficient

Advanced Tier Required

Behavioral API security with ML-based anomaly detection requires the

Advanced tier.

API Posture Management

- ☒ Yes - Score APIs based on security risk
- ☐ No

Data Intelligence Tier

What level of data intelligence do you need?

- ☒ Basic - Standard PII detection
- ☒ Advanced - Custom patterns + compliance data types
- ☒ Premium - Full data classification + custom policies

3.8 Integration Requirements

Existing API Infrastructure

Do you have existing API management infrastructure?

Platform	In Use	Integration Needed
AWS API Gateway	<input type="checkbox"/>	<input type="checkbox"/>
Azure API Management	<input type="checkbox"/>	<input type="checkbox"/>
Google Apigee	<input type="checkbox"/>	<input type="checkbox"/>
Kong	<input type="checkbox"/>	<input type="checkbox"/>
MuleSoft	<input type="checkbox"/>	<input type="checkbox"/>
Other: ____	<input type="checkbox"/>	<input type="checkbox"/>

CI/CD Integration

- ☐ Yes - Scan API specs before deployment
- ☐ Yes - Security gates in deployment pipeline
- ☐ No

CI/CD platforms in use:

- ☐ Jenkins
- ☐ GitHub Actions
- ☐ GitLab CI
- ☐ Azure DevOps
- ☐ Other: _____

3.9 Summary: API Security Requirements

Requirement	Value
Number of API Endpoints	_____
API Discovery Required	<input type="checkbox"/> Yes <input type="checkbox"/> No
Estimated Monthly API Requests	_____
Schema Validation Required	<input type="checkbox"/> Yes <input type="checkbox"/> No
Sensitive Data Protection Required	<input type="checkbox"/> Yes <input type="checkbox"/> No
Tier Required	<input type="checkbox"/> Standard <input type="checkbox"/> Advanced

Additional notes or special requirements:

4. Bot Defense Sizing

F5 Distributed Cloud Bot Defense provides AI/ML-powered protection against automated threats including credential stuffing, account takeover, content scraping, and other bot attacks.

4.1 Bot Defense Requirements Assessment

Current Bot Challenges

What bot-related challenges are you experiencing?

- ☒ Credential stuffing attacks
- ☒ Account takeover (ATO)
- ☒ Content scraping / price scraping
- ☒ Inventory hoarding / scalping
- ☒ Gift card fraud
- ☒ Fake account creation
- ☒ Spam / form abuse
- ☒ Card fraud / click fraud
- ☒ API abuse by bots
- ☒ Competitive intelligence bots
- ☒ None currently, but want proactive protection

Describe specific bot challenges:

4.2 Application Scope

Applications Requiring Bot Defense

Which applications need bot protection?

Application/ Domain	Critical Pages	Platform
_____	<input type="checkbox"/> Login <input type="checkbox"/> Registration <input type="checkbox"/> Checkout <input type="checkbox"/> Search	<input type="checkbox"/> Web <input type="checkbox"/> Mobile <input type="checkbox"/> API
_____	<input type="checkbox"/> Login <input type="checkbox"/> Registration <input type="checkbox"/> Checkout <input type="checkbox"/> Search	<input type="checkbox"/> Web <input type="checkbox"/> Mobile <input type="checkbox"/> API
_____	<input type="checkbox"/> Login <input type="checkbox"/> Registration <input type="checkbox"/> Checkout <input type="checkbox"/> Search	<input type="checkbox"/> Web <input type="checkbox"/> Mobile <input type="checkbox"/> API

FQDNs to Protect

List the fully qualified domain names requiring bot defense:

FQDN	Environment
_____	<input type="checkbox"/> Production <input type="checkbox"/> Staging
_____	<input type="checkbox"/> Production <input type="checkbox"/> Staging
_____	<input type="checkbox"/> Production <input type="checkbox"/> Staging
_____	<input type="checkbox"/> Production <input type="checkbox"/> Staging

Standard Tier

Standard Bot Defense includes protection for 2 FQDNs. Additional FQDNs

require add-ons.

Mobile Applications

Do you have mobile applications requiring bot protection?

- ☒ Yes - iOS applications
- ☒ Yes - Android applications
- ☒ Yes - Both iOS and Android
- ☐ No - Web only

If yes, provide mobile app details:

App Name	Platform	Downloads (est.)
_____	<input type="checkbox"/> iOS <input type="checkbox"/> Android	_____
_____	<input type="checkbox"/> iOS <input type="checkbox"/> Android	_____

4.3 Traffic Volume

Transaction Volume

Provide estimated transaction volumes:

Metric	Daily Volume
Total page views / transactions	_____
Login attempts	_____
Registration attempts	_____
Checkout / purchase attempts	_____
Search queries	_____
API calls	_____

Tier Entitlements

- Standard: Up to 500,000 transactions/day
- Advanced: Up to 1,000,000 transactions/day
- Additional capacity available as add-ons

Peak Traffic

Metric	Peak Value	When
Peak transactions per day	_____	_____
Peak transactions per hour	_____	_____
Seasonal peaks (e.g., Black Friday)	_____	_____

Current Bot Traffic Estimate

What percentage of your traffic do you estimate is bot traffic?

- ☒ 10%
- ☒ 10-25%
- ☒ 25-50%
- ☒ 50-75%
- ☒ 75%
- ☒ Unknown - need visibility

4.4 Bot Defense Features

Detection Method

What level of bot detection do you need?

- ☒ **Signature-Based** (Standard) - Detect known bot frameworks and tools
- ☒ **Behavioral** (Advanced) - AI/ML analysis of device signals and behavior
- ☒ **Both** - Maximum protection

Mitigation Actions

What actions should be taken when bots are detected?

Detection Confidence	Action
High confidence bot	<input type="checkbox"/> Block <input type="checkbox"/> Challenge <input type="checkbox"/> Log only
Medium confidence bot	<input type="checkbox"/> Block <input type="checkbox"/> Challenge <input type="checkbox"/> Log only
Low confidence bot	<input type="checkbox"/> Block <input type="checkbox"/> Challenge <input type="checkbox"/> Log only

Challenge types acceptable:

- ☒ JavaScript challenges
- ☒ APTCHA (as last resort)
- ☒ Custom challenge pages

Specific Bot Types to Address

Which automated threat categories are priorities?

OWASP Automated Threat	Priority	Notes
Credential Stuffing	<input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low <input type="checkbox"/> N/A	
Account Takeover	<input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low <input type="checkbox"/> N/A	
Carding	<input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low <input type="checkbox"/> N/A	
Scraping	<input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low <input type="checkbox"/> N/A	
Scalping	<input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low <input type="checkbox"/> N/A	
Spamming	<input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low <input type="checkbox"/> N/A	
Denial of Inventory	<input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low <input type="checkbox"/> N/A	
Sniping	<input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low <input type="checkbox"/> N/A	

4.5 Integration Requirements

Deployment Method

How will Bot Defense be deployed?

- ☒ F5 XC as reverse proxy (traffic flows through F5)
- ☒ JavaScript tag injection only
- ☒ Both (recommended for full protection)

JavaScript Integration

For web applications, how will the Bot Defense JavaScript be injected?

- ☒ F5 XC automatic injection (proxy mode)
- ☒ Manual insertion in page templates
- ☒ Tag manager (Google Tag Manager, etc.)
- ☒ CDN-based injection

Mobile SDK Integration

For mobile applications, can you integrate the F5 Mobile SDK?

- ☒ Yes - We can add SDK to our mobile apps
- ☒ No - Mobile integration not possible
- ☒ N/A - No mobile applications

Existing Bot Solutions

Do you have existing bot management solutions?

Solution	Replace or Integrate
_____	<input type="checkbox"/> Replace <input type="checkbox"/> Integrate
_____	<input type="checkbox"/> Replace <input type="checkbox"/> Integrate

4.6 Advanced Features (Advanced Tier)

Device Fingerprinting

- ☒ es - Identify devices across sessions
- ☐ lo

Content Scraping Protection

- ☒ es - Protect proprietary content, pricing, inventory
- ☐ lo

Managed Threat Intelligence

- ☒ es - 24×7 SOC monitoring for bot threats
- ☒ es - Custom detection rules developed by F5
- ☒ es - Regular threat briefings
- ☐ lo - Self-service is sufficient

Advanced/Premium Tier

Managed threat intelligence requires Advanced or Premium tier.

4.7 Reporting and Analytics

Visibility Requirements

What bot visibility do you need?

- ☒ eal-time dashboard of bot activity
- ☐ utomated threat summaries (monthly)
- ☒ etailed attack attribution
- ☒ ustom reports

Integration with SIEM/Analytics

- ☒ Yes - Send to SIEM (Splunk, etc.)
- ☒ Yes - Send to data lake (S3, etc.)
- ☐ No - F5 console is sufficient

Target system: ____

4.8 Geographic Distribution

Bot Engine Regions

Where do you need bot detection infrastructure?

Region	Required
North America	<input type="checkbox"/> Yes <input type="checkbox"/> No
Europe	<input type="checkbox"/> Yes <input type="checkbox"/> No
Asia-Pacific	<input type="checkbox"/> Yes <input type="checkbox"/> No
South America	<input type="checkbox"/> Yes <input type="checkbox"/> No

Tier Entitlements

- Standard: 1 production region, 1 QA region
- Advanced: 6 bot engines across regions
- Premium: Unlimited bot engines

4.9 Support Requirements

Support Level

What level of bot defense support do you need?

- ☒ **Self-Service** - Manage bot policies yourself
- ☒ **Enhanced** - 24×7 support with named resources
- ☒ **Enhanced Plus** - Dedicated resources + managed service

Onboarding Support

- ☒ **Yes** - Full onboarding support
- ☒ **Yes** - Integration assistance only
- ☒ **No** - Self-service deployment

4.10 Summary: Bot Defense Requirements

Requirement	Value
Number of FQDNs	_____
Estimated Daily Transactions	_____
Mobile SDK Required	<input type="checkbox"/> Yes <input type="checkbox"/> No
Detection Method	<input type="checkbox"/> Signature <input type="checkbox"/> Behavioral <input type="checkbox"/> Both
Tier Required	<input type="checkbox"/> Standard <input type="checkbox"/> Advanced <input type="checkbox"/> Premium
Support Level	<input type="checkbox"/> Self-Service <input type="checkbox"/> Enhanced <input type="checkbox"/> Enhanced Plus

Primary bot threats to address:

1. _____
2. _____
3. _____

Additional notes or special requirements:

5. DDoS Protection Sizing

F5 Distributed Cloud DDoS Mitigation provides multi-terabit protection against L3/L4 volumetric attacks and L7 application-layer attacks with always-on or on-demand deployment options.

5.1 DDoS Requirements Assessment

DDoS Attack History

Have you experienced DDoS attacks in the past?

- ☒ Yes - Frequent attacks (monthly or more)
- ☒ Yes - Occasional attacks (quarterly)
- ☒ Yes - Rare attacks (annually or less)
- ☐ No - But we want proactive protection
- ☒ Unknown

If yes, describe recent attacks:

Date	Attack Type	Peak Size	Duration	Impact
_____	_____	_____ Gbps	_____ min	_____
_____	_____	_____ Gbps	_____ min	_____
_____	_____	_____ Gbps	_____ min	_____

5.2 Network Infrastructure

Customer ASN

 What is an ASN?

An Autonomous System Number (ASN) is a unique identifier assigned by an

Internet authority that identifies a collection of IP networks under a single administrative domain.

Does your company have an Autonomous System Number (ASN) assigned by an Internet Authority?

☒ **YES** - ASN: _____

☐ **NO**

No ASN

If you do not have an Autonomous System Number, please inform your F5 Sales

Specialist immediately as this affects BGP-based DDoS mitigation options.

BGP Network Prefix

? What is a Network Prefix?

A network prefix is a range of network addresses (e.g., 192.0.2.0/24)

assigned by your ISP or Internet authority that you can announce via BGP.

Have you been assigned a network prefix by your ISP or Internet authority to announce via BGP using your ASN?

☒ **YES**

☐ **NO**

Prefix Size Requirements

The network prefix size must be a /24 or shorter (/23, /22, /21, etc.). If

you do not have a network prefix assigned and under control of your ASN, please inform your F5 Sales Specialist immediately.

If yes, list your network prefixes:

Prefix (CIDR)	Size	Announced via BGP?
___/___	/___	[] Yes [] No
___/___	/___	[] Yes [] No
___/___	/___	[] Yes [] No
___/___	/___	[] Yes [] No

Total number of prefixes: _____

5.3 Data Center Infrastructure

Data Centers

What is a Data Center?

For DDoS protection sizing, F5 XC quantifies a data center as a physical or

virtual hosting location with a minimum of one to two routers.

How many data centers do you need to protect from DDoS attacks?

Data Center Location	Provider	Router Count
_____	[] On-Prem [] Colo [] Cloud	_____
_____	[] On-Prem [] Colo [] Cloud	_____
_____	[] On-Prem [] Colo [] Cloud	_____
_____	[] On-Prem [] Colo [] Cloud	_____

Total Data Centers: _____

Edge Routers

? What is an Edge Router?

Edge/Core/Border routers are the routers at the edge of your network that F5

will monitor for DDoS attack detection.

How many EDGE/CORE/BORDER routers do you want F5 to monitor for DDoS attack detection?

Router Location	Router Type	Vendor/Model
_____	<input type="checkbox"/> Edge <input type="checkbox"/> Core <input type="checkbox"/> Border	_____
_____	<input type="checkbox"/> Edge <input type="checkbox"/> Core <input type="checkbox"/> Border	_____
_____	<input type="checkbox"/> Edge <input type="checkbox"/> Core <input type="checkbox"/> Border	_____
_____	<input type="checkbox"/> Edge <input type="checkbox"/> Core <input type="checkbox"/> Border	_____

Total Edge Routers: _____

5.4 Bandwidth Requirements

Clean Bandwidth

? What is Clean Bandwidth?

Clean bandwidth is the amount of legitimate traffic (after DDoS mitigation)

that flows to your network prefixes. Measured using 95th percentile for INBOUND TRAFFIC ONLY.

Please provide the amount of **CLEAN BANDWIDTH** utilized by the network prefixes you would like to protect:

Metric	Value
95th Percentile Inbound Bandwidth	_____ Mbps
Peak Inbound Bandwidth	_____ Mbps
Average Inbound Bandwidth	_____ Mbps

Measurement

The bandwidth measurement should be provided in Mbps, calculated using 95th

percentile usage, for **INBOUND TRAFFIC ONLY**.

Current Internet Connectivity

What is your total internet connectivity capacity?

Metric	Value
Total uplink capacity	_____ Gbps
Number of ISP connections	_____
ISP providers	_____

5.5 Protection Mode

Mode of Protection

Protection Modes

- **ALWAYS ON (Continuous):** All traffic continuously routes through F5

scrubbing infrastructure. Immediate protection with no detection delay. - **ALWAYS AVAILABLE (On-Demand)**: Protection activates when attacks are detected. Traffic diverts to F5 scrubbing during attacks.

Please select your preferred protection mode:

☒ **CONTINUOUS (Always On)**

- All traffic routed through F5 at all times
- Zero detection/mitigation delay
- Best for high-value, frequently-targeted assets

☐ **ON-DEMAND (Always Available)**

- Traffic routes normally until attack detected
- Mitigation activates upon detection
- Cost-effective for less frequently attacked assets

Activation Method (On-Demand Only)

If On-Demand, how should mitigation be activated?

- ☐ Automatic (F5 detects attack and activates)
- ☐ Manual (Customer initiates activation)
- ☐ Hybrid (Auto-detect with manual confirmation)

Acceptable time to mitigate after detection: ____ minutes

5.6 Attack Types

L3/L4 Volumetric Attacks

Attack types to protect against:

- ✓ DP Floods
- ✓ CP SYN Floods
- ✓ CP ACK Floods
- ✓ CMP Floods
- ✓ NS Amplification
- ✓ TP Amplification
- ✓ SDP Amplification
- ✓ memcached Amplification
- ✓ Fragmentation Attacks
- ✓ Teardrop Attacks
- ✓ Smurf Attacks

L7 Application-Layer Attacks

- ✓ Yes - Requires Advanced tier or WAF
- ✓ No

Attack types to protect against:

- ✓ HTTP Floods
- ✓ Slowloris
- ✓ Slow POST
- ✓ NS Query Floods
- ✓ SSL/TLS Exhaustion
- ✓ API Abuse
- ✓ Login Page Attacks



Layer 7 DDoS mitigation with ML-based anomaly detection requires the

Advanced WAAP tier.

5.7 Detection and Alerting

Detection Requirements

How should DDoS attacks be detected?

- ☒ Traffic analysis on edge routers (NetFlow/sFlow)
- ☒ Inline detection (Always On mode)
- ☒ External monitoring integration

Alerting Requirements

How do you want to be notified of attacks?

- ☒ Email alerts
- ☒ SMS/Text alerts
- ☒ Phone call (24x7 SOC)
- ☒ Webhook/API integration
- ☒ SIEM integration

Alert contacts:

Name	Role	Email	Phone
_____	Primary	_____	_____
_____	Secondary	_____	_____
_____	Escalation	_____	_____

Reporting Requirements

What DDoS reporting do you need?

- ☒ Real-time attack dashboard
- ☒ Post-attack reports
- ☒ Monthly summary reports
- ☒ Custom reporting

5.8 Integration Requirements

BGP Integration

Will you establish BGP sessions with F5 for traffic diversion?

- ☒ Yes - Direct BGP peering
- ☒ Yes - Through IX (Internet Exchange)
- ☐ No - DNS-based diversion only

BGP session details (if applicable):

Peer Location	Your Router IP	F5 Peer IP
_____	_____	TBD
_____	_____	TBD

GRE Tunnel Requirements

- ☒ Yes - GRE tunnels to our routers
- ☐ No - Direct routing

Number of GRE tunnel endpoints: _____

Existing DDoS Solutions

Do you have existing DDoS protection?

Solution	Provider	Replace or Layer?
_____	_____	<input type="checkbox"/> Replace <input type="checkbox"/> Layer

5.9 Service Level Requirements

SLA Requirements

What SLA requirements do you have?

Metric	Requirement
Time to Detect	< ____ minutes
Time to Mitigate	< ____ minutes
Uptime SLA	____%
False Positive Rate	< ____%

Support Level

What level of DDoS support do you need?

- ☒ **Standard** - Business hours support
- ☒ **Enhanced** - 24×7 SOC monitoring
- ☒ **Enhanced Plus** - Dedicated SOC resources

5.10 Summary: DDoS Protection Requirements

Requirement	Value
Customer ASN	<input type="checkbox"/> Yes: <input type="text"/> <input type="checkbox"/> No
Number of Prefixes	<input type="text"/>
Number of Data Centers	<input type="text"/>
Number of Edge Routers	<input type="text"/>
Clean Bandwidth (95th percentile)	<input type="text"/> Mbps
Protection Mode	<input type="checkbox"/> Always On <input type="checkbox"/> On-Demand
L3/L4 Protection	<input type="checkbox"/> Yes <input type="checkbox"/> No
L7 Protection	<input type="checkbox"/> Yes <input type="checkbox"/> No
Support Level	<input type="checkbox"/> Standard <input type="checkbox"/> Enhanced <input type="checkbox"/> Enhanced Plus

Network diagram attached: ☐ Yes ☐ No

Additional notes or special requirements:

6. Client-Side Defense Sizing

F5 Distributed Cloud Client-Side Defense provides protection against Magecart, formjacking, digital skimming, and other malicious JavaScript supply chain attacks.

6.1 Requirements Assessment

Client-Side Security Concerns

What client-side threats are you concerned about?

- ☒ **Magecart attacks** - Credit card skimming via JavaScript
- ☒ **Formjacking** - Credential theft from forms
- ☒ **Digital skimming** - PII harvesting
- ☒ **Supply chain attacks** - Compromised third-party scripts
- ☒ **Data exfiltration** - Unauthorized data transmission
- ☒ **Page tampering** - Unauthorized DOM modifications

Have you experienced client-side attacks?

- ☒ **Yes** - Describe: _____
 - ☒ **No**
 - ☒ **Unknown**
-

6.2 Application Scope

Pages Requiring Protection

Which pages handle sensitive data and require protection?

Page Type	URL Pattern	Sensitive Data Type
Login pages	_____	[] Credentials
Registration forms	_____	[] PII
Checkout/Payment	_____	[] Payment card data
Account settings	_____	[] PII [] Financial
Contact forms	_____	[] PII
Other: _	_____	_____

Transaction Volume

Estimated monthly transactions on protected pages:

Metric	Monthly Volume
Total page views (protected pages)	_____
Form submissions	_____
Payment transactions	_____

Base Package

Client-Side Defense includes 1 million transactions in the base package.

6.3 JavaScript Environment

Third-Party Scripts

How many third-party JavaScript resources are loaded on your pages?

Category	Estimated Count
Analytics (Google Analytics, etc.)	_____
Marketing/Advertising	_____
Social media widgets	_____
Chat/Support widgets	_____
Payment processors	_____
A/B testing tools	_____
Other third-party scripts	_____
Total third-party scripts	_____

Script Sources

Where do your JavaScript resources come from?

- ☒ First-party (your own domains)
- ☒ CDN-hosted (cdnjs, jsdelivr, etc.)
- ☒ Direct third-party domains
- ☒ Tag managers (Google Tag Manager, etc.)

List critical third-party script sources:

Script Purpose	Source Domain	Critical?
_____	_____	[] Yes [] No
_____	_____	[] Yes [] No
_____	_____	[] Yes [] No
_____	_____	[] Yes [] No

Content Security Policy (CSP)

Do you currently have a Content Security Policy?

- ☒ Yes - Strict CSP
- ☒ Yes - Reporting-only mode
- ☒ No - No CSP implemented
- ☒ Unknown

6.4 Compliance Requirements

PCI-DSS Requirements

Are you subject to PCI-DSS compliance?

- ☒ Yes - PCI-DSS Level 1
- ☒ Yes - PCI-DSS Level 2
- ☒ Yes - PCI-DSS Level 3-4
- ☒ No

PCI-DSS 4.0

PCI-DSS 4.0 includes requirements (6.4.3 and 11.6.1) for monitoring and

controlling client-side scripts on payment pages.

Other Compliance

Which other compliance frameworks apply?

- ☒ DPR
- ☒ CPA
- ☒ HIPAA
- ☒ SOC 2
- ☒ Other: _____

6.5 Detection and Alerting

Detection Capabilities

What detection capabilities do you need?

- ☒ **Script behavior monitoring** - Detect changes in script behavior
- ☒ **Network request monitoring** - Detect unauthorized data exfiltration
- ☒ **Form field monitoring** - Detect unauthorized form reads
- ☒ **DOM manipulation detection** - Detect unauthorized page changes
- ☒ **Page tamper detection** - Detect payment page modifications

Alerting Requirements

How should you be notified of detected threats?

- ☒ **Email alerts**
- ☒ **5 XC Console alerts**
- ☒ **Webhook integration**
- ☒ **SIEM integration**

Alert severity thresholds:

Alert Type	Severity
New third-party script detected	<input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low
Script behavior change	<input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low
Data exfiltration attempt	<input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low
Page tampering detected	<input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low

6.6 Mitigation Actions

Response Actions

What actions should be taken when threats are detected?

Threat Type	Action
Malicious script detected	<input type="checkbox"/> Block <input type="checkbox"/> Alert only
Data exfiltration attempt	<input type="checkbox"/> Block <input type="checkbox"/> Alert only
Unauthorized form access	<input type="checkbox"/> Block <input type="checkbox"/> Alert only
Page tampering	<input type="checkbox"/> Block <input type="checkbox"/> Alert only

Blocking Method

If blocking, how should blocking be implemented?

- ☒ **lock network calls** - Prevent exfiltration to malicious domains
- ☒ **remove malicious script** - Strip script from page
- ☒ **redirect to safe page** - Show user a warning

6.7 Integration

Deployment Method

How will Client-Side Defense be deployed?

- ☒ 5 XC proxy (automatic JavaScript injection)
- ☒ Manual JavaScript tag insertion
- ☒ IG-IP integration (iApp or native module)
- ☒ DN integration

Existing BIG-IP

Do you have F5 BIG-IP that could integrate with Client-Side Defense?

☒ Yes - BIG-IP version: _____

☐ No

6.8 Page Tamper Protection

Payment Page Monitoring

If yes, provide payment page URLs:

Payment Page URL	Expected Update Frequency
_____	<input type="checkbox"/> Rarely <input type="checkbox"/> Monthly <input type="checkbox"/> Weekly <input type="checkbox"/> Daily
_____	<input type="checkbox"/> Rarely <input type="checkbox"/> Monthly <input type="checkbox"/> Weekly <input type="checkbox"/> Daily

Baseline Management

How often do your payment pages legitimately change?

☐ Rarely (quarterly or less)

☐ Monthly

☐ Weekly

☐ Frequently (daily or more)

6.9 Summary: Client-Side Defense Requirements

Requirement	Value
Number of Protected Pages	_____
Estimated Monthly Transactions	_____
Third-Party Scripts to Monitor	_____
PCI-DSS Compliance Required	[] Yes [] No
Page Tamper Protection Required	[] Yes [] No
Detection Mode	[] Monitor [] Block

Critical pages requiring protection:

1. _____

2. _____

3. _____

Additional notes or special requirements:

7. HTTP Load Balancer Sizing

F5 Distributed Cloud HTTP Load Balancer provides global application delivery with intelligent routing, health checks, TLS termination, and integration with security services.

7.1 Load Balancer Requirements

Application Inventory

How many HTTP/HTTPS applications need load balancing?

Environment	Application Count
Production	_____
Staging/QA	_____
Development	_____
Total	_____

Virtual Host Details

For each application, provide virtual host information:

Application Name	Domain(s)	Port(s)	Protocol
_____	_____	<input type="checkbox"/> 80 <input type="checkbox"/> 443 <input type="checkbox"/> Other: ____	<input type="checkbox"/> HTTP <input type="checkbox"/> HTTPS <input type="checkbox"/> Both
_____	_____	<input type="checkbox"/> 80 <input type="checkbox"/> 443 <input type="checkbox"/> Other: ____	<input type="checkbox"/> HTTP <input type="checkbox"/> HTTPS <input type="checkbox"/> Both
_____	_____	<input type="checkbox"/> 80 <input type="checkbox"/> 443 <input type="checkbox"/> Other: ____	<input type="checkbox"/> HTTP <input type="checkbox"/> HTTPS <input type="checkbox"/> Both
_____	_____	<input type="checkbox"/> 80 <input type="checkbox"/> 443 <input type="checkbox"/> Other: ____	<input type="checkbox"/> HTTP <input type="checkbox"/> HTTPS <input type="checkbox"/> Both
_____	_____	<input type="checkbox"/> 80 <input type="checkbox"/> 443 <input type="checkbox"/> Other: ____	<input type="checkbox"/> HTTP <input type="checkbox"/> HTTPS <input type="checkbox"/> Both

Base Package

The base package includes 1 load balancer. Additional load balancers are

available as add-ons.

7.2 Traffic Volume

Request Metrics

Metric	Average	Peak
Requests per second	_____	_____
Concurrent connections	_____	_____
Bandwidth (Mbps)	_____	_____

Traffic Patterns

What are your traffic patterns?

- ☐ Steady throughout the day
- ☐ Business hours peaks
- ☐ Seasonal peaks (specify): _____
- ☐ Event-driven spikes
- ☒ Unpredictable

Geographic distribution of users:

Region	Traffic Percentage
North America	____%
Europe	____%
Asia-Pacific	____%
South America	____%
Other	____%

7.3 Origin Pool Configuration

Origin Server Details

For each application, describe origin servers:

Application	Origin Type	Count	Location
_____	[] IP [] FQDN [] K8s Service	_____	_____
_____	[] IP [] FQDN [] K8s Service	_____	_____
_____	[] IP [] FQDN [] K8s Service	_____	_____

Origin Connectivity

How will F5 XC reach your origin servers?

- ☒ **Public Internet** - Origins have public IP addresses
- ☒ **Customer Edge** - Via F5 CE deployed in your environment
- ☒ **Cloud Site** - Via F5 site in AWS/Azure/GCP
- ☒ **Private Link** - Direct cloud connectivity

Origin Protocol

What protocol to use when connecting to origins?

Application	Origin Protocol	Origin Port
_____	<input type="checkbox"/> HTTP <input type="checkbox"/> HTTPS	_____
_____	<input type="checkbox"/> HTTP <input type="checkbox"/> HTTPS	_____
_____	<input type="checkbox"/> HTTP <input type="checkbox"/> HTTPS	_____

7.4 Load Balancing Configuration

Load Balancing Algorithm

Preferred load balancing algorithm:

- ☒ **Round Robin** - Distribute evenly across origins
- ☒ **Least Connections** - Send to origin with fewest active connections
- ☒ **Random** - Random selection
- ☒ **Source IP Hash** - Consistent routing based on client IP
- ☒ **Ring Hash** - Consistent hashing for cache efficiency

Session Persistence

- ☒ **Yes** - Source IP based
- ☒ **Yes** - Cookie based
- ☒ **Yes** - Header based
- ☒ **No** - Stateless application

Persistence timeout: _____ seconds

Health Checks

Health check requirements:

Parameter	Value
Health check type	<input type="checkbox"/> HTTP <input type="checkbox"/> HTTPS <input type="checkbox"/> TCP
Check interval	_____ seconds
Check path (HTTP)	_____
Expected response code	<input type="checkbox"/> 200 <input type="checkbox"/> 2xx <input type="checkbox"/> Custom: _____
Healthy threshold	_____ consecutive checks
Unhealthy threshold	_____ consecutive checks

7.5 TLS Configuration

TLS Termination

Where should TLS be terminated?

- ☒ **At F5 XC** - F5 terminates TLS, connects to origin over HTTP/HTTPS
- ☒ **End-to-End** - F5 terminates and re-encrypts to origin
- ☒ **Pass-Through** - TLS passes through to origin (TCP LB only)

Certificate Management

How will TLS certificates be managed?

- ☒ **Automatic** - F5 XC provisions via Let's Encrypt
- ☒ **Custom** - We provide our own certificates
- ☒ **Fixed** - Different per application

Custom certificate details:

Domain	Certificate Type	Key Type
_____	<input type="checkbox"/> Single <input type="checkbox"/> Wildcard <input type="checkbox"/> SAN	<input type="checkbox"/> RSA 2048 <input type="checkbox"/> RSA 4096 <input type="checkbox"/> ECC
_____	<input type="checkbox"/> Single <input type="checkbox"/> Wildcard <input type="checkbox"/> SAN	<input type="checkbox"/> RSA 2048 <input type="checkbox"/> RSA 4096 <input type="checkbox"/> ECC

TLS Requirements

Requirement	Value
Minimum TLS version	<input type="checkbox"/> TLS 1.2 <input type="checkbox"/> TLS 1.3
Cipher suite preference	<input type="checkbox"/> Default <input type="checkbox"/> Custom
HSTS enabled	<input type="checkbox"/> Yes <input type="checkbox"/> No
HTTP to HTTPS redirect	<input type="checkbox"/> Yes <input type="checkbox"/> No

Mutual TLS (mTLS)

Do you require mTLS client authentication?

☒ Yes - Clients must present certificates

☐ No

If yes:

- Client CA certificate source: _____
- XFCC header forwarding needed: ☐ Yes ☐ No

7.6 Traffic Management

Routing Rules






- ☒ **Path-based routing** - Route based on URL path
- ☒ **Header-based routing** - Route based on HTTP headers
- ☒ **Query parameter routing** - Route based on query strings

Method-based routing - Route based on HTTP method

Example routing requirements:

Condition	Destination
Path: /api/*	API origin pool
Header: X-Version: v2	V2 origin pool
_____	_____

Traffic Policies




-  request header insertion/modification
-  response header insertion/modification
-  URL rewriting
-  request body buffering
-  response compression

Timeouts and Limits

Parameter	Value
Request timeout	_____ seconds
Idle timeout	_____ seconds
Maximum request body size	_____ MB

7.7 High Availability

Multi-Region Deployment

-  es - Active/Active across regions
-  es - Active/Standby failover
-  o - Single region

Regions required:

- ☒ North America
- ☒ Europe
- ☒ Asia-Pacific
- ☒ South America

Origin Failover

Do you have multiple origin pools for failover?

- ☒ Yes - Automatic failover between pools
- ☐ No - Single origin pool

Failover configuration:

Primary Pool	Secondary Pool	Failover Condition
_____	_____	<input type="checkbox"/> Health check <input type="checkbox"/> Manual

7.8 Security Integration

WAF Integration

Should WAF be enabled on this load balancer?

- ☒ Yes - Apply WAF policy
- ☐ No - Load balancing only

Bot Defense Integration

Should Bot Defense be enabled?

- ☒ Yes - Apply bot defense
- ☐ No

Service Policies

- ☒ allowlist/denylist
- ☒ geo-blocking
- ☒ rate limiting
- ☒ custom rules

Number of service policy rules: _____

7.9 Observability

Logging Requirements

What logging do you need?

- ☒ Access logs (all requests)
- ☒ Security event logs
- ☒ Error logs only
- ☒ Custom log format

Log Destinations

Where should logs be sent?

- ☒ 5 XC Console (default)
- ☒ External SIEM: _____
- ☒ Cloud storage (S3, etc.): _____

Metrics and Monitoring

What metrics do you need?

- ☐ request rate
- ☐ response time / latency
- ☐ error rates
- ☒ origin health status
- ☐ bandwidth utilization

7.10 Summary: HTTP Load Balancer Requirements

Requirement	Value
Number of Load Balancers	_____
Total Applications	_____
Estimated Peak RPS	_____
TLS Certificate Management	<input type="checkbox"/> Automatic <input type="checkbox"/> Custom <input type="checkbox"/> Mixed
WAF Integration	<input type="checkbox"/> Yes <input type="checkbox"/> No
Multi-Region	<input type="checkbox"/> Yes <input type="checkbox"/> No
Session Persistence	<input type="checkbox"/> Yes <input type="checkbox"/> No

Additional notes or special requirements:

8. TCP Load Balancer Sizing

F5 Distributed Cloud TCP Load Balancer provides Layer 4 load balancing for non-HTTP protocols including databases, gaming servers, mail servers, and custom TCP/UDP applications.

8.1 TCP Load Balancer Requirements

Application Inventory

What TCP/UDP applications need load balancing?

Application	Protocol	Port(s)	Use Case
_____	<input type="checkbox"/> TCP <input type="checkbox"/> UDP	_____	<input type="checkbox"/> Database <input type="checkbox"/> Gaming <input type="checkbox"/> Mail <input type="checkbox"/> SSH <input type="checkbox"/> Custom
_____	<input type="checkbox"/> TCP <input type="checkbox"/> UDP	_____	<input type="checkbox"/> Database <input type="checkbox"/> Gaming <input type="checkbox"/> Mail <input type="checkbox"/> SSH <input type="checkbox"/> Custom
_____	<input type="checkbox"/> TCP <input type="checkbox"/> UDP	_____	<input type="checkbox"/> Database <input type="checkbox"/> Gaming <input type="checkbox"/> Mail <input type="checkbox"/> SSH <input type="checkbox"/> Custom
_____	<input type="checkbox"/> TCP <input type="checkbox"/> UDP	_____	<input type="checkbox"/> Database <input type="checkbox"/> Gaming <input type="checkbox"/> Mail <input type="checkbox"/> SSH <input type="checkbox"/> Custom

Port Configuration

- ☐ Single port per load balancer
- ☐ Multiple specific ports: _____
- ☐ Port range: **_ to _**

8.2 Traffic Volume

Connection Metrics

Metric	Average	Peak
Connections per second	_____	_____
Concurrent connections	_____	_____
Bandwidth (Mbps)	_____	_____
Average connection duration	_____ seconds	_____

Connection Patterns

What are your connection patterns?

- ☐ Short-lived connections (request/response)
- ☐ Long-lived connections (persistent)
- ☐ Mixed

8.3 Origin Configuration

Origin Servers

Application	Origin Type	Count	Ports
_____	<input type="checkbox"/> IP <input type="checkbox"/> FQDN	_____	_____
_____	<input type="checkbox"/> IP <input type="checkbox"/> FQDN	_____	_____
_____	<input type="checkbox"/> IP <input type="checkbox"/> FQDN	_____	_____

Origin Connectivity

How will F5 XC reach TCP origins?

- ☒ Public Internet
- ☒ Customer Edge site
- ☒ Cloud Site (AWS/Azure/GCP)
- ☒ Private connectivity

8.4 Load Balancing Configuration

Load Balancing Algorithm

- ☒ Round Robin
- ☒ Least Connections
- ☒ Source IP Hash (session persistence)
- ☒ Random

Health Checks

Health check configuration:

Parameter	Value
Health check type	<input type="checkbox"/> TCP Connect <input type="checkbox"/> Custom
Check interval	_____ seconds
Healthy threshold	_____ checks
Unhealthy threshold	_____ checks
Timeout	_____ seconds

Session Persistence

- ☒ Yes - Source IP based
- ☒ No - Connections can go to any origin

8.5 TLS Configuration

TLS Requirements

- ☒ **TLS Termination** - F5 terminates TLS
- ☒ **TLS Pass-Through** - Pass encrypted traffic to origin
- ☒ **No TLS** - Unencrypted TCP

Certificate Configuration

If TLS termination:

Parameter	Value
Certificate source	<input type="checkbox"/> Automatic <input type="checkbox"/> Custom
Minimum TLS version	<input type="checkbox"/> TLS 1.2 <input type="checkbox"/> TLS 1.3
mTLS required	<input type="checkbox"/> Yes <input type="checkbox"/> No

8.6 Timeouts and Limits

Connection Timeouts

Parameter	Value
Connection timeout	_____ seconds
Idle timeout	_____ seconds

Connection Limits

Parameter	Value
Max connections per client IP	_____
Max total connections	_____

8.7 Use Case Specific

Database Load Balancing

If load balancing databases:

Parameter	Value
Database type	<input type="checkbox"/> MySQL <input type="checkbox"/> PostgreSQL <input type="checkbox"/> MongoDB <input type="checkbox"/> Redis <input type="checkbox"/> Other: ____
Read/Write splitting needed	<input type="checkbox"/> Yes <input type="checkbox"/> No
Connection pooling	<input type="checkbox"/> Yes <input type="checkbox"/> No

Gaming/Real-Time

If gaming or real-time applications:

Parameter	Value
UDP support needed	<input type="checkbox"/> Yes <input type="checkbox"/> No
Latency sensitivity	<input type="checkbox"/> Critical <input type="checkbox"/> Important <input type="checkbox"/> Normal
Geographic proximity required	<input type="checkbox"/> Yes <input type="checkbox"/> No

8.8 Summary: TCP Load Balancer Requirements

Requirement	Value
Number of TCP Load Balancers	_____
Protocols	<input type="checkbox"/> TCP <input type="checkbox"/> UDP <input type="checkbox"/> Both
Port(s)	_____
Peak Connections per Second	_____
TLS Required	<input type="checkbox"/> Yes <input type="checkbox"/> No
Session Persistence	<input type="checkbox"/> Yes <input type="checkbox"/> No

Additional notes:

9. DNS Services Sizing

F5 Distributed Cloud DNS provides geo-distributed DNS services with global server load balancing (GSLB), automatic failover, health checking, and DDoS protection.

9.1 DNS Requirements Assessment

- ☒ Yes - Primary DNS hosting
- ☒ Yes - Secondary DNS (backup)
- ☒ Yes - DNS Load Balancing (GSLB) only

Current DNS Provider

Who is your current DNS provider?

Current Provider	Keep or Migrate
_____	<input type="checkbox"/> Migrate to F5 <input type="checkbox"/> Keep as primary <input type="checkbox"/> Keep as secondary

9.2 DNS Zone Configuration

Zone Count

How many DNS zones do you need?

Zone Type	Count
Primary zones	_____
Secondary zones	_____
Total zones	_____

Base Package

Standard includes 250 primary or secondary zones.

Zone Details

List your primary domains/zones:

Domain	Zone Type	Records (est.)	Query Volume
_____	[] Primary [] Secondary	_____	_____ qps
_____	[] Primary [] Secondary	_____	_____ qps
_____	[] Primary [] Secondary	_____	_____ qps
_____	[] Primary [] Secondary	_____	_____ qps
_____	[] Primary [] Secondary	_____	_____ qps

Record Types

What DNS record types do you use?

- ☐ A (IPv4 address)
- ☐ AAAA (IPv6 address)
- ☒ NAME (Canonical name)
- ☒ MX (Mail exchange)
- ☒ TXT (Text records)
- ☐ SRV (Service records)
- ☐ NS (Nameserver)
- ☒ CAA (Certificate Authority Authorization)
- ☐ PTR (Reverse DNS)
- ☒ Other: _____

Total estimated DNS records: _____

9.3 DNS Load Balancing (GSLB)

- ☒ Yes - Distribute traffic across multiple locations
- ☐ No - Basic DNS hosting only

Base Package

Standard includes 50 DNS load balancer records and 200 health checks.

Load Balancing Use Cases

What DNS load balancing capabilities do you need?

- ☐ **Geographic proximity** - Route users to nearest data center
- ☐ **Active/Standby failover** - Automatic failover to backup site
- ☐ **Weighted distribution** - Distribute traffic by percentage
- ☐ **Performance-based** - Route based on health/latency
- ☐ **Disaster recovery** - Manual failover capability

DNS Load Balancer Records

How many DNS load balancer records do you need?

Record/Domain	Type	Locations
_____	<input type="checkbox"/> Geo <input type="checkbox"/> Failover <input type="checkbox"/> Weighted	_____
_____	<input type="checkbox"/> Geo <input type="checkbox"/> Failover <input type="checkbox"/> Weighted	_____
_____	<input type="checkbox"/> Geo <input type="checkbox"/> Failover <input type="checkbox"/> Weighted	_____
_____	<input type="checkbox"/> Geo <input type="checkbox"/> Failover <input type="checkbox"/> Weighted	_____

Total DNS LB records needed: _____

9.4 Health Checking

Health Check Requirements

- ☐ **Yes**
- ☐ **No**

Health check details:

Target	Check Type	Interval
_____	<input type="checkbox"/> HTTP <input type="checkbox"/> HTTPS <input type="checkbox"/> TCP <input type="checkbox"/> ICMP	_____ sec
_____	<input type="checkbox"/> HTTP <input type="checkbox"/> HTTPS <input type="checkbox"/> TCP <input type="checkbox"/> ICMP	_____ sec
_____	<input type="checkbox"/> HTTP <input type="checkbox"/> HTTPS <input type="checkbox"/> TCP <input type="checkbox"/> ICMP	_____ sec
_____	<input type="checkbox"/> HTTP <input type="checkbox"/> HTTPS <input type="checkbox"/> TCP <input type="checkbox"/> ICMP	_____ sec

Total health checks needed: _____

Failover Configuration

Parameter	Value
Health check interval	_____ seconds
Failure threshold	_____ consecutive failures
Recovery threshold	_____ consecutive successes
TTL during failover	_____ seconds

9.5 DNS Security

DNSSEC

☒ Yes - Sign DNS responses cryptographically

☐ No

DNSSEC

DNSSEC provides authentication of DNS responses, preventing DNS spoofing and

cache poisoning attacks.

DNS DDoS Protection

- ☒ Yes - Standard DNS DDoS protection (included)
- ☒ Yes - Advanced DNS DDoS protection
- ☐ No

Have you experienced DNS attacks?

- ☒ Yes - DNS floods
- ☒ Yes - DNS amplification
- ☒ Yes - NXDOMAIN attacks
- ☐ No

Access Control

- ☒ SIG authentication for zone transfers
- ☐ IP-based access restrictions
- ☐ Rate limiting per client

9.6 Zone Management

Zone Transfer

- ☒ Yes - F5 as primary, transfer to secondary
- ☒ Yes - External primary, F5 as secondary
- ☐ No

External DNS servers for zone transfer:

Server	IP Address	Direction
_____	_____	[] To F5 [] From F5
_____	_____	[] To F5 [] From F5

Zone Import

Do you have existing zone files to import?

- ☒ Yes - Standard zone file format
- ☒ Yes - BIND format
- ☐ No - Creating zones from scratch

Number of zone files to import: _____

DNS Management Integration

How will DNS be managed?

- ☐ 5 XC Console (UI)
- ☒ Terraform / Infrastructure as Code
- ☐ API integration
- ☒ CI/CD pipeline

9.7 Query Volume

DNS Query Metrics

Metric	Value
Average queries per second	_____
Peak queries per second	_____
Daily query volume	_____
Monthly query volume	_____

Query Sources

Where do DNS queries originate?

Region	Percentage
North America	____%
Europe	____%
Asia-Pacific	____%
South America	____%
Other	____%

9.8 Advanced Features

Split-Horizon DNS

- ☒ es - Different responses for internal vs external
- ☐ lo

Dynamic DNS

- ☒ es - Programmatic record updates
- ☐ lo

GeoDNS Customization

- ☒ es - By country
- ☒ es - By region/continent
- ☒ es - By ASN (ISP)
- ☒ es - By client subnet
- ☐ lo - Standard geo-proximity

9.9 Domain Delegation

Domain Registrar

Will you delegate domains to F5 nameservers?

- ☒ Yes - Update NS records at registrar
- ☐ No - Using F5 as secondary only

Current registrar: _____

Nameserver Configuration

Nameserver preference:

- ☒ F5 provided nameservers
- ☐ Custom/vanity nameservers: _____

9.10 Summary: DNS Requirements

Requirement	Value
Total DNS Zones	_____
Primary Zones	_____
Secondary Zones	_____
DNS LB Records	_____
Health Checks	_____
Estimated QPS	_____
DNSSEC Required	<input type="checkbox"/> Yes <input type="checkbox"/> No
Tier Required	<input type="checkbox"/> Standard <input type="checkbox"/> Advanced

Domains to migrate:

1. _____
2. _____
3. _____

Additional notes:

10. Multi-Cloud Networking Sizing

F5 Distributed Cloud Network Connect provides secure, encrypted connectivity between public clouds, on-premises data centers, and edge sites with centralized management and observability.

10.1 Multi-Cloud Networking Requirements

- ☒ es - Connect multiple cloud environments
- ☒ es - Connect cloud to on-premises
- ☒ es - Connect distributed edge sites

Current Multi-Cloud Challenges

What networking challenges are you experiencing?

- ☒ omplex cloud-specific networking configurations
 - ☒ nconsistent security policies across clouds
 - ☒ imited visibility across environments
 - ☒ igh latency between sites
 - ☒ ifficult troubleshooting
 - ☒ anual configuration overhead
 - ☒ ther: _____
-

10.2 Site Inventory

Cloud Environments

What cloud environments need connectivity?

Cloud Provider	Regions	VPCs/VNets	Workloads
AWS	_____	_____	_____
Azure	_____	_____	_____
Google Cloud	_____	_____	_____
Other: _	_____	_____	_____

On-Premises Data Centers

Data Center Location	Network Connectivity	Workloads
_____	<input type="checkbox"/> Internet <input type="checkbox"/> MPLS <input type="checkbox"/> Direct Connect	_____
_____	<input type="checkbox"/> Internet <input type="checkbox"/> MPLS <input type="checkbox"/> Direct Connect	_____
_____	<input type="checkbox"/> Internet <input type="checkbox"/> MPLS <input type="checkbox"/> Direct Connect	_____

Edge/Branch Sites

Site Type	Count	Connectivity
Branch offices	_____	<input type="checkbox"/> Internet <input type="checkbox"/> MPLS
Retail locations	_____	<input type="checkbox"/> Internet <input type="checkbox"/> MPLS
Manufacturing sites	_____	<input type="checkbox"/> Internet <input type="checkbox"/> MPLS
Remote workers	_____	<input type="checkbox"/> Internet <input type="checkbox"/> VPN
Other: _	_____	_____

Total sites to connect: _____

10.3 Connectivity Requirements

Site-to-Site Connectivity

What site-to-site connectivity patterns do you need?

- ☒ **Full Mesh** - Every site connects to every other site
- ☐ **Hub and Spoke** - Sites connect through central hubs
- ☐ **Partial Mesh** - Specific site-to-site connections

Diagram your connectivity requirements:

[Draw or describe your target topology]

Traffic Patterns

What traffic flows between sites?

Source	Destination	Traffic Type	Bandwidth
_____	_____	_____	_____ Mbps
_____	_____	_____	_____ Mbps
_____	_____	_____	_____ Mbps
_____	_____	_____	_____ Mbps

Bandwidth Requirements

Metric	Value
Total inter-site bandwidth	_____ Mbps
Peak inter-site bandwidth	_____ Mbps
Average latency requirement	< _____ ms

10.4 Customer Edge Deployment

CE Site Deployment

Where will F5 Customer Edge (CE) nodes be deployed?



Site	Deployment Type	Node Count	Size
_____	<input type="checkbox"/> Physical <input type="checkbox"/> VM <input type="checkbox"/> Cloud	_____	<input type="checkbox"/> Small <input type="checkbox"/> Medium <input type="checkbox"/> Large
_____	<input type="checkbox"/> Physical <input type="checkbox"/> VM <input type="checkbox"/> Cloud	_____	<input type="checkbox"/> Small <input type="checkbox"/> Medium <input type="checkbox"/> Large
_____	<input type="checkbox"/> Physical <input type="checkbox"/> VM <input type="checkbox"/> Cloud	_____	<input type="checkbox"/> Small <input type="checkbox"/> Medium <input type="checkbox"/> Large
_____	<input type="checkbox"/> Physical <input type="checkbox"/> VM <input type="checkbox"/> Cloud	_____	<input type="checkbox"/> Small <input type="checkbox"/> Medium <input type="checkbox"/> Large

CE Node Sizes

- **Small:** 8 vCPU, 32GB RAM, 80GB disk
- **Medium:** 8 vCPU, 32GB RAM, 100GB disk (App Stack)
- **Large:** 16 vCPU, 64GB RAM, 100GB disk

High Availability

CE high availability requirements:

-  **Single node** - Development/non-critical
-  **-node cluster** - Production HA (recommended)

10.5 Network Configuration

IP Addressing

Provide subnet information for connected networks:

Site	Inside Subnet (CIDR)	Outside Subnet (CIDR)	Gateway
_____	____/____	____/____	_____
_____	____/____	____/____	_____
_____	____/____	____/____	_____

Routing Requirements

What routing is required?

- ☒ **Static routing** - Manually configured routes
- ☐ **BGP** - Dynamic routing with BGP
- ☒ **SPF** - Dynamic routing with OSPF (via BGP redistribution)

BGP requirements (if applicable):

Parameter	Value
Local ASN	_____
Peer ASN(s)	_____
Advertised prefixes	_____

NAT Requirements

What NAT is required?

- ☒ **NAT** - Source NAT for outbound traffic
- ☐ **No NAT** - Direct routing between sites

10.6 Security Features

Network Firewall

☒ Yes - L3/L4 firewall policies

☐ No

Firewall requirements:

Source	Destination	Protocol	Port	Action
_____	_____	_____	_____	[] Allow [] Deny
_____	_____	_____	_____	[] Allow [] Deny
_____	_____	_____	_____	[] Allow [] Deny

Number of firewall rules: _____

Micro-Segmentation

☒ Yes - Segment traffic within sites

☐ No

Forward Proxy

☒ Yes - HTTP/HTTPS inspection

☒ Yes - URL filtering

☐ No

Service Insertion

☒ Yes - F5 BIG-IP integration

☒ Yes - Palo Alto Networks

☒ Yes - Other: _____

☐ No

10.7 Cloud Integration

AWS Connectivity

If connecting AWS:

Parameter	Value
AWS regions	_____
VPCs to connect	_____
Transit Gateway integration	<input type="checkbox"/> Yes <input type="checkbox"/> No
Direct Connect	<input type="checkbox"/> Yes <input type="checkbox"/> No

Azure Connectivity

If connecting Azure:

Parameter	Value
Azure regions	_____
VNets to connect	_____
Virtual WAN integration	<input type="checkbox"/> Yes <input type="checkbox"/> No
ExpressRoute	<input type="checkbox"/> Yes <input type="checkbox"/> No

GCP Connectivity

If connecting Google Cloud:

Parameter	Value
GCP regions	_____
VPCs to connect	_____
Cloud Interconnect	<input type="checkbox"/> Yes <input type="checkbox"/> No

10.8 Observability

Visibility Requirements

What network visibility do you need?

- ☒ Site-to-site tunnel status
- ☒ Latency monitoring
- ☒ Bandwidth utilization
- ☒ Flow logs / traffic analysis
- ☒ Security event logging

Integration

Where should network telemetry be sent?

- ☒ 5 XC Console only
 - ☒ IEM integration: ____
 - ☒ Network monitoring tool: ____
-

10.9 Advanced Features (Advanced Tier)

Advanced Network Connect Features

- ☒ **Anomaly detection** - ML-based traffic analysis
- ☒ **Integrated WAF/DDoS/Bot** - Security at network edge
- ☒ **Advanced service chaining** - Complex traffic flows

Site Mesh Groups

- ☒ **Full mesh** - Direct connectivity between all sites
 - ☒ **Hub-spoke mesh** - Connectivity through hub sites
 - ☒ No site mesh required
-

10.10 Summary: Multi-Cloud Networking Requirements

Requirement	Value
Total Sites to Connect	_____
Cloud Environments	_____
On-Premises Data Centers	_____
Edge/Branch Sites	_____
Total Inter-Site Bandwidth	_____ Mbps
CE Nodes Required	_____
Network Firewall Rules	_____
Tier Required	<input type="checkbox"/> Standard <input type="checkbox"/> Advanced

Network topology diagram attached: ☐ Yes ☐ No

Additional notes:

11. App Connect Sizing

F5 Distributed Cloud App Connect provides service mesh capabilities with app-to-app connectivity, service discovery, and centralized orchestration across distributed environments.

11.1 App Connect Requirements

Use Cases

What App Connect capabilities do you need?

- ☒ **Service discovery** - Discover services across environments
 - ☒ **Service mesh** - Secure service-to-service communication
 - ☒ **App migration** - Migrate apps between environments
 - ☒ **Kubernetes networking** - Connect K8s clusters
 - ☒ **Legacy integration** - Connect legacy and modern apps
-

11.2 Application Environment

Application Architecture

What type of applications do you have?

- ☒ Monolithic applications
- ☒ Microservices
- ☒ Hybrid (monolith + microservices)
- ☒ Serverless / Functions
- ☒ Legacy applications

Kubernetes Deployments

Do you have Kubernetes clusters?

- ☒ Yes
- ☐ No

If yes:

Cluster Name	Location	Distribution	Services
_____	_____	<input type="checkbox"/> EKS <input type="checkbox"/> AKS <input type="checkbox"/> GKE <input type="checkbox"/> OpenShift <input type="checkbox"/> Other	_____
_____	_____	<input type="checkbox"/> EKS <input type="checkbox"/> AKS <input type="checkbox"/> GKE <input type="checkbox"/> OpenShift <input type="checkbox"/> Other	_____
_____	_____	<input type="checkbox"/> EKS <input type="checkbox"/> AKS <input type="checkbox"/> GKE <input type="checkbox"/> OpenShift <input type="checkbox"/> Other	_____

Total Kubernetes clusters: _____

Service Inventory

How many services need connectivity?

Environment	Service Count
Production	_____
Staging	_____
Development	_____
Total	_____

.....

11.3 Service Discovery

Service Discovery Requirements

What service discovery mechanisms do you use?

- ☒ Kubernetes DNS
- ☒ Consul
- ☒ DNS-based
- ☒ Static configuration
- ☒ Other: _____

Cross-Environment Discovery

Do services need to discover services in other environments?

- ☒ Yes - Cross-cluster Kubernetes
 - ☒ Yes - Kubernetes to VM-based
 - ☒ Yes - Cloud to on-premises
 - ☒ No - Single environment only
-

11.4 Traffic Management

Load Balancing

What load balancing is needed between services?

- ☒ Round robin
- ☒ Least connections
- ☒ Weighted distribution
- ☒ Geographic / Proximity-based

Advanced Traffic Management

- ☒ **A/B testing** - Route percentage to different versions
- ☒ **Canary deployments** - Gradual rollout

- 🔍 **Blue-green deployments** - Switch between versions
- 🔍 **Header-based routing** - Route based on headers
- 🔍 **Fault injection** - Test resilience

Traffic Patterns

Describe service-to-service traffic patterns:

Source Service	Destination Service	RPS	Latency Requirement
_____	_____	_____	< _____ ms
_____	_____	_____	< _____ ms
_____	_____	_____	< _____ ms

11.5 Security

Service-to-Service Security

What security is required between services?

- 🔍 **mTLS** - Mutual TLS authentication
- 🔍 **Service policies** - Allow/deny between services
- 🔍 **Encryption** - Encrypt all service traffic

Policy Requirements

Source	Destination	Action	Notes
_____	_____	[] Allow [] Deny	_____
_____	_____	[] Allow [] Deny	_____
_____	_____	[] Allow [] Deny	_____

Identity Integration

What identity systems need integration?

- ☒ Service accounts (Kubernetes)
 - ☒ Auth/OIDC
 - ☒ PIFFE/SPIRE
 - ☒ Custom certificates
 - ☒ None
-

11.6 Observability

Service Observability

What service observability do you need?

- ☒ Request tracing
- ☒ Service dependency mapping
- ☒ Traffic flow visualization
- ☒ Error rate monitoring
- ☒ Latency metrics

Distributed Tracing

Do you use distributed tracing?

- ☒ Yes - Jaeger
 - ☒ Yes - Zipkin
 - ☒ Yes - Other: _____
 - ☒ No
-

11.7 Migration Use Cases

Application Migration

Are you migrating applications?

- ☒es - Cloud to cloud
- ☒es - On-premises to cloud
- ☒es - Monolith to microservices
- ☐o

Migration details:

Application	From	To	Timeline
_____	_____	_____	_____
_____	_____	_____	_____

Hybrid Operation

- ☒es - Active/Active across locations
- ☒es - Active/Standby failover
- ☐o

11.8 Integration

Existing Service Mesh

Do you have an existing service mesh?

- ☒es - Istio
- ☒es - Linkerd
- ☒es - Consul Connect
- ☒es - Other: _____
- ☐o

If yes, will you:

- ☐ Replace with F5 App Connect
- ☐ Integrate/coexist
- ☐ Migrate gradually

F5 BIG-IP Integration

Do you have F5 BIG-IP to integrate?

- ☐ Yes - Discover BIG-IP services
- ☐ Yes - Extend BIG-IP functionality
- ☐ No

11.9 Summary: App Connect Requirements

Requirement	Value
Total Services	_____
Kubernetes Clusters	_____
Cross-Environment Discovery	<input type="checkbox"/> Yes <input type="checkbox"/> No
mTLS Required	<input type="checkbox"/> Yes <input type="checkbox"/> No
Advanced Traffic Management	<input type="checkbox"/> Yes <input type="checkbox"/> No
Service Migration	<input type="checkbox"/> Yes <input type="checkbox"/> No
Tier Required	<input type="checkbox"/> Standard <input type="checkbox"/> Advanced

Service mesh diagram attached: ☐ Yes ☐ No

Additional notes:

12. CDN Sizing

F5 Distributed Cloud CDN provides global content delivery with intelligent caching, reducing latency and bandwidth costs while integrating with F5's security services.

12.1 CDN Requirements

CDN Goals

What are your primary CDN goals?

- ☒ Improve user experience / reduce latency
 - ☒ Reduce origin server load
 - ☒ Reduce bandwidth/egress costs
 - ☒ Global content distribution
 - ☒ DoS protection at the edge
 - ☒ Other: _____
-

12.2 Content Profile

Content Types

What content will be cached?

Content Type	Percentage	Cache TTL
Static images (jpg, png, gif, svg)	____%	____ hours
JavaScript / CSS	____%	____ hours
Video / Media files	____%	____ hours
HTML pages	____%	____ hours
API responses	____%	____ seconds
Documents (PDF, etc.)	____%	____ hours
Other: _____	____%	____

Content Size

Metric	Value
Total unique content size	____ GB/TB
Average object size	____ KB
Largest object size	____ MB
Total number of unique objects	____

Content Origin

Where is your origin content hosted?

Origin Location	Provider	Percentage
_____	<input type="checkbox"/> AWS <input type="checkbox"/> Azure <input type="checkbox"/> GCP <input type="checkbox"/> On-Prem <input type="checkbox"/> Other	____%
_____	<input type="checkbox"/> AWS <input type="checkbox"/> Azure <input type="checkbox"/> GCP <input type="checkbox"/> On-Prem <input type="checkbox"/> Other	____%

12.3 Traffic Volume

Request Metrics

Metric	Average	Peak
Requests per second	_____	_____
Requests per month	_____	_____
Bandwidth (Gbps)	_____	_____

Regional Distribution

Where are your users located?

Region	Traffic Percentage
North America	_____%
Europe	_____%
Asia-Pacific	_____%
South America	_____%
Other	_____%

Regional Pricing

CDN data transfer and request pricing varies by region.

12.4 Caching Configuration

Cache Policy

How should content be cached?

- ☒ **Honor origin headers** - Respect Cache-Control headers
- ☒ **Override with custom TTL** - Set custom cache times
- ☒ **Query string handling:** ☐ Include ☐ Ignore ☐ Selective

Cache Key Configuration

What should be included in cache keys?

- ☒ **URL path**
- ☒ **Query string parameters**
- ☒ **Specific headers:** _____
- ☒ **Cookies:** _____

Cache Purge Requirements

How will you purge cached content?

- ☒ **Manual purge via console**
- ☒ **API-based purge**
- ☒ **Tag-based purge**
- ☒ **Path-based purge**
- ☒ **Full cache purge**

Estimated purge frequency: _____ per day/week

12.5 Security Integration

CDN with Security

- ☒ **WAF at the edge**

- ☒ Not defense at the edge
- ☒ DoS protection
- ☒ Rate limiting
- ☒ Geographic restrictions

TLS Configuration

Parameter	Value
TLS termination at edge	<input type="checkbox"/> Yes <input type="checkbox"/> No
Minimum TLS version	<input type="checkbox"/> TLS 1.2 <input type="checkbox"/> TLS 1.3
Custom certificates	<input type="checkbox"/> Yes <input type="checkbox"/> No
HTTP to HTTPS redirect	<input type="checkbox"/> Yes <input type="checkbox"/> No

12.6 Advanced Features

Dynamic Content Optimization

- ☒ Image optimization / WebP conversion
- ☒ Minification (JS/CSS/HTML)
- ☒ Compression (Gzip/Brotli)
- ☒ HTTP/2 / HTTP/3 support

Custom Rules

URL Pattern	Cache Behavior	TTL
/api/*	<input type="checkbox"/> Cache <input type="checkbox"/> Bypass	_____
/static/*	<input type="checkbox"/> Cache <input type="checkbox"/> Bypass	_____
*.css	<input type="checkbox"/> Cache <input type="checkbox"/> Bypass	_____
_____	<input type="checkbox"/> Cache <input type="checkbox"/> Bypass	_____

12.7 Performance Metrics

Expected Cache Performance

Metric	Target
Target cache hit ratio	> ____%
Target TTFB from edge	< ____ ms
Acceptable origin load reduction	____%

Monitoring Requirements

What CDN metrics do you need?

- ☒ cache hit/miss ratios
- ☒ bandwidth by region
- ☒ request counts
- ☒ error rates
- ☒ origin response times
- ☒ popular content reports

12.8 Summary: CDN Requirements

Requirement	Value
Domains to CDN	_____
Monthly Requests	_____
Monthly Data Transfer	_____ GB
Primary Regions	_____
Security Integration	[] Yes [] No
Custom Cache Rules	[] Yes [] No

Additional notes:

13. Edge Compute Sizing

F5 Distributed Cloud provides edge compute capabilities through Customer Edge sites and App Stack, enabling you to run application logic closer to users.

13.1 Edge Compute Requirements

Edge Compute Use Cases

What are your edge compute requirements?

- ☒ **API processing** - Process API requests at the edge
 - ☒ **Data transformation** - Transform data before reaching origin
 - ☒ **Authentication** - Edge authentication/authorization
 - ☒ **Content personalization** - Personalize content at the edge
 - ☒ **IoT processing** - Process IoT data locally
 - ☒ **Machine learning inference** - Run ML models at the edge
 - ☒ **Real-time analytics** - Process analytics locally
 - ☒ Other: _____
-

13.2 Workload Profile

Workload Types

What types of workloads will run at the edge?

- ☒ Containers (Docker/Kubernetes)
- ☒ Virtual machines
- ☒ Serverless functions
- ☒ Custom applications

Workload Details

Workload Name	Type	CPU	Memory	Storage
_____	<input type="checkbox"/> Container <input type="checkbox"/> VM	_____ cores	_____ GB	_____ GB
_____	<input type="checkbox"/> Container <input type="checkbox"/> VM	_____ cores	_____ GB	_____ GB
_____	<input type="checkbox"/> Container <input type="checkbox"/> VM	_____ cores	_____ GB	_____ GB

Workload Scaling

How should workloads scale?

- ☒ Fixed size - Manual scaling
☐ Horizontal auto-scaling
☐ Vertical scaling

13.3 Edge Locations

Edge Site Locations

Where do you need edge compute?

Location	Site Type	Workloads
_____	<input type="checkbox"/> Data Center <input type="checkbox"/> Branch <input type="checkbox"/> Retail <input type="checkbox"/> Other	_____
_____	<input type="checkbox"/> Data Center <input type="checkbox"/> Branch <input type="checkbox"/> Retail <input type="checkbox"/> Other	_____
_____	<input type="checkbox"/> Data Center <input type="checkbox"/> Branch <input type="checkbox"/> Retail <input type="checkbox"/> Other	_____

Total edge compute locations: _____

Edge Infrastructure

What infrastructure is available at edge locations?

Location	Compute Available	Network	Power/Cooling
_____	<input type="checkbox"/> Servers <input type="checkbox"/> VMs <input type="checkbox"/> None	_____ Mbps	<input type="checkbox"/> Yes <input type="checkbox"/> Limited
_____	<input type="checkbox"/> Servers <input type="checkbox"/> VMs <input type="checkbox"/> None	_____ Mbps	<input type="checkbox"/> Yes <input type="checkbox"/> Limited

13.4 App Stack Requirements

App Stack Deployment

- ☒ Yes - Managed K8s at the edge
- ☐ No - Using existing infrastructure

Container Requirements

If using containers:

Parameter	Value
Total containers	_____
Container registry	<input type="checkbox"/> Docker Hub <input type="checkbox"/> Private <input type="checkbox"/> AWS ECR <input type="checkbox"/> Azure ACR <input type="checkbox"/> GCR
Container sizes needed	<input type="checkbox"/> Tiny <input type="checkbox"/> Medium <input type="checkbox"/> Large

Container Sizes

- **Tiny:** 0.25 vCPU, 0.5GB RAM
- **Medium:** 1 vCPU, 2GB RAM
- **Large:** 2 vCPU, 4GB RAM

13.5 Networking

Edge Network Requirements

How do edge workloads need to communicate?

- ☒ With origin/cloud services
- ☒ With other edge sites
- ☒ With local devices (IoT, sensors)
- ☒ With external APIs

Network Performance

Requirement	Value
Latency to local users	< ____ ms
Bandwidth to cloud	____ Mbps
Local network bandwidth	____ Mbps

13.6 Data Management

Data at the Edge

What data will be processed at the edge?

- ☒ User data / PII
- ☒ IoT sensor data
- ☒ Transaction data
- ☒ Log data
- ☒ Media / video

Data Residency

Are there data residency requirements?

☒ Yes - Data must stay in specific regions

☐ No

Regions with data residency requirements: _____

Edge Storage

☒ Yes - _____ GB per site

☐ No - Stateless workloads only

13.7 Summary: Edge Compute Requirements

Requirement	Value
Edge Compute Locations	_____
Total Workloads	_____
App Stack (Managed K8s)	[] Yes [] No
Container Count	_____
Persistent Storage	[] Yes [] No

Primary edge compute use case:

14. Customer Edge Sites Sizing

Customer Edge (CE) sites are F5 software deployments in your environment that provide private connectivity, local security enforcement, and edge compute capabilities.

14.1 CE Site Requirements

CE Use Cases

Why do you need Customer Edge sites?

- ☒ **Private connectivity** - Access applications on private networks
- ☒ **Local security enforcement** - WAF/security at the edge
- ☒ **Multi-cloud networking** - Site-to-site connectivity
- ☒ **Edge compute** - Run workloads locally
- ☒ **Low latency** - Local processing requirements
- ☒ **Data residency** - Keep data local
- ☒ **Other:** _____

14.2 Site Inventory

Site Locations

Where will CE sites be deployed?

Site Name	Location	Environment	Purpose
_____	_____	<input type="checkbox"/> DC <input type="checkbox"/> Branch <input type="checkbox"/> Edge <input type="checkbox"/> Cloud	_____
_____	_____	<input type="checkbox"/> DC <input type="checkbox"/> Branch <input type="checkbox"/> Edge <input type="checkbox"/> Cloud	_____
_____	_____	<input type="checkbox"/> DC <input type="checkbox"/> Branch <input type="checkbox"/> Edge <input type="checkbox"/> Cloud	_____
_____	_____	<input type="checkbox"/> DC <input type="checkbox"/> Branch <input type="checkbox"/> Edge <input type="checkbox"/> Cloud	_____
_____	_____	<input type="checkbox"/> DC <input type="checkbox"/> Branch <input type="checkbox"/> Edge <input type="checkbox"/> Cloud	_____

Total CE sites: _____

Site Criticality

Site	Criticality	High Availability Required
_____	<input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low	<input type="checkbox"/> Yes (3-node) <input type="checkbox"/> No (1-node)
_____	<input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low	<input type="checkbox"/> Yes (3-node) <input type="checkbox"/> No (1-node)
_____	<input type="checkbox"/> Critical <input type="checkbox"/> High <input type="checkbox"/> Medium <input type="checkbox"/> Low	<input type="checkbox"/> Yes (3-node) <input type="checkbox"/> No (1-node)

14.3 Infrastructure Requirements

Deployment Platform

How will CE sites be deployed?

Site	Platform	Hypervisor/OS
_____	<input type="checkbox"/> VM <input type="checkbox"/> Bare Metal <input type="checkbox"/> Cloud VM	_____
_____	<input type="checkbox"/> VM <input type="checkbox"/> Bare Metal <input type="checkbox"/> Cloud VM	_____
_____	<input type="checkbox"/> VM <input type="checkbox"/> Bare Metal <input type="checkbox"/> Cloud VM	_____

Node Sizing

What size CE nodes do you need?

CE Node Size Reference

Size	vCPU	RAM	Disk	Use Case
Standard	8	32GB	80GB	Basic networking/security
App Stack	8	32GB	100GB	+ Container workloads
Large	16	64GB	100GB	High throughput/complex policies

Site	Size	Nodes	Total vCPU	Total RAM
_____	[] Standard [] App Stack [] Large	[] 1 [] 3	_____	_____ GB
_____	[] Standard [] App Stack [] Large	[] 1 [] 3	_____	_____ GB
_____	[] Standard [] App Stack [] Large	[] 1 [] 3	_____	_____ GB

High Availability Configuration

For production sites, 3-node clusters are recommended:

Site	HA Mode	Nodes	Notes
_____	[] Single [] 3-node HA	_____	_____
_____	[] Single [] 3-node HA	_____	_____

14.4 Network Configuration

Network Interfaces

How many network interfaces per CE node?

- ☐ **Single interface (on-a-stick)** - Simplified deployment
- ☐ **Dual interface** - Inside and outside networks
- ☐ **Multiple interfaces** - Complex routing

IP Addressing

Site	Interface	Subnet	Gateway	DHCP or Static
_____	Outside	____/____	_____	<input type="checkbox"/> DHCP <input type="checkbox"/> Static
_____	Inside	____/____	_____	<input type="checkbox"/> DHCP <input type="checkbox"/> Static
_____	Outside	____/____	_____	<input type="checkbox"/> DHCP <input type="checkbox"/> Static
_____	Inside	____/____	_____	<input type="checkbox"/> DHCP <input type="checkbox"/> Static

DNS Configuration

Site	DNS Servers
_____	_____
_____	_____

Internet Connectivity

How do CE sites connect to F5 Regional Edges?

Site	Internet Access	Proxy Required
_____	<input type="checkbox"/> Direct <input type="checkbox"/> NAT <input type="checkbox"/> Proxy	<input type="checkbox"/> Yes <input type="checkbox"/> No
_____	<input type="checkbox"/> Direct <input type="checkbox"/> NAT <input type="checkbox"/> Proxy	<input type="checkbox"/> Yes <input type="checkbox"/> No

14.5 Workload Configuration

Services at CE Sites

What services will run at CE sites?

Site	Services
_____	<input type="checkbox"/> HTTP LB <input type="checkbox"/> TCP LB <input type="checkbox"/> WAF <input type="checkbox"/> Network Firewall <input type="checkbox"/> App Stack
_____	<input type="checkbox"/> HTTP LB <input type="checkbox"/> TCP LB <input type="checkbox"/> WAF <input type="checkbox"/> Network Firewall <input type="checkbox"/> App Stack
_____	<input type="checkbox"/> HTTP LB <input type="checkbox"/> TCP LB <input type="checkbox"/> WAF <input type="checkbox"/> Network Firewall <input type="checkbox"/> App Stack

Origin Servers Behind CE

What applications/services are behind each CE?

Site	Applications	Servers/IPs
_____	_____	_____ servers
_____	_____	_____ servers
_____	_____	_____ servers

Traffic Volume Through CE

Site	Requests/sec	Bandwidth	Connections
_____	_____	_____ Mbps	_____
_____	_____	_____ Mbps	_____
_____	_____	_____ Mbps	_____

14.6 Security Configuration

Network Firewall at CE

☒ Yes - Ingress filtering

- ☒ Yes - Egress filtering
- ☒ Yes - East-West filtering
- ☐ No

Estimated firewall rules per site: _____

Forward Proxy at CE

- ☒ Yes - For outbound internet access
- ☐ No

Network Policies

What network policies are needed?

- ☒ Allow/deny lists
- ☒ Geographic restrictions
- ☒ Rate limiting
- ☒ Custom L3/L4 rules

14.7 Multi-Cloud Connectivity

Site Mesh

Will CE sites participate in site mesh?

- ☒ Yes - Full mesh with other CEs
- ☒ Yes - Hub-spoke topology
- ☐ No

Tunnel Configuration

Site	Connects To	Tunnel Type
_____	_____	<input type="checkbox"/> IPsec <input type="checkbox"/> SSL VPN
_____	_____	<input type="checkbox"/> IPsec <input type="checkbox"/> SSL VPN

14.8 App Stack (Optional)

App Stack Required

- ☒ Yes - Run container workloads
- ☒ No - Networking/security only

If yes:

Site	Containers	Storage	Registry
_____	_____	_____ GB	_____
_____	_____	_____ GB	_____

14.9 Operational Requirements

Management Access

How will CE sites be managed?

- ☒ 5 XC Console (required)
- ☒ SH access for troubleshooting
- ☒ Local console access

Monitoring

What monitoring is required?

- ☒ Infrastructure health (CPU/Memory/Disk)
- ☒ Network metrics (throughput/latency)
- ☒ Application metrics
- ☒ Security events

Maintenance Windows

Site	Maintenance Window	Change Control
_____	_____	[] Standard [] Expedited [] Emergency only
_____	_____	[] Standard [] Expedited [] Emergency only

14.10 Summary: Customer Edge Requirements

Requirement	Value
Total CE Sites	_____
HA Sites (3-node)	_____
Single Node Sites	_____
Total CE Nodes	_____
Total vCPU Required	_____
Total RAM Required	_____ GB
App Stack Sites	_____

Site deployment timeline:

Site	Target Deployment Date
_____	_____
_____	_____
_____	_____

Additional notes:

15. Cloud Sites Sizing

Cloud Sites are F5-managed deployments in public cloud providers (AWS, Azure, GCP) that provide cloud-native integration and connectivity.

15.1 Cloud Site Requirements

Cloud Site Use Cases

Why do you need Cloud Sites?

- ☒ **Cloud-native apps** - Protect cloud workloads
- ☒ **PC/VNet connectivity** - Connect to private cloud networks
- ☒ **Multi-cloud networking** - Bridge multiple clouds
- ☒ **Cloud egress** - Secure internet access from cloud
- ☒ **Service mesh** - Connect cloud-based services
- ☒ **Other:** _____

15.2 Cloud Provider Inventory

AWS Sites

☒ **Yes**

☐ **No**

If yes:

AWS Region	VPCs to Connect	Workloads	Node Size
_____	_____	_____	<input type="checkbox"/> Standard <input type="checkbox"/> Large
_____	_____	_____	<input type="checkbox"/> Standard <input type="checkbox"/> Large
_____	_____	_____	<input type="checkbox"/> Standard <input type="checkbox"/> Large

AWS integration requirements:

- ☒ AWS Transit Gateway integration
- ☒ AWS Direct Connect integration
- ☒ IPsec peering
- ☒ PrivateLink endpoints

Azure Sites

☒ Yes

☐ No

If yes:

Azure Region	VNets to Connect	Workloads	Node Size
_____	_____	_____	<input type="checkbox"/> Standard <input type="checkbox"/> Large
_____	_____	_____	<input type="checkbox"/> Standard <input type="checkbox"/> Large
_____	_____	_____	<input type="checkbox"/> Standard <input type="checkbox"/> Large

Azure integration requirements:

- ☒ Azure Virtual WAN integration
- ☒ Azure ExpressRoute integration
- ☒ IPsec peering
- ☒ Private Endpoint

Google Cloud Sites

☒ Yes

☐ No

If yes:

GCP Region	VPCs to Connect	Workloads	Node Size
_____	_____	_____	[] Standard [] Large
_____	_____	_____	[] Standard [] Large
_____	_____	_____	[] Standard [] Large

GCP integration requirements:

- ☒ Cloud Interconnect integration
- ☒ Shared VPC support
- ☒ Private Service Connect

15.3 Cloud Network Configuration

Deployment Mode

How should Cloud Sites be deployed?

- ☒ **Ingress/Egress Gateway** - Single interface, simplified
- ☒ **Ingress Gateway** - Internet-facing only
- ☒ **Workload** - Full routing capability

IP Addressing

Cloud Site	Site Network CIDR	Inside Subnets	Outside Subnets
_____	_____/____	_____	_____
_____	_____/____	_____	_____
_____	_____/____	_____	_____

VPC/VNet Connectivity

What cloud networks need connectivity?

Cloud Network	Cloud Provider	CIDR	Connect To
_____	<input type="checkbox"/> AWS <input type="checkbox"/> Azure <input type="checkbox"/> GCP	____/____	_____
_____	<input type="checkbox"/> AWS <input type="checkbox"/> Azure <input type="checkbox"/> GCP	____/____	_____
_____	<input type="checkbox"/> AWS <input type="checkbox"/> Azure <input type="checkbox"/> GCP	____/____	_____

15.4 High Availability

HA Configuration

What availability is required?

Cloud Site	HA Mode	Availability Zones
_____	<input type="checkbox"/> Single AZ <input type="checkbox"/> Multi-AZ	_____ AZs
_____	<input type="checkbox"/> Single AZ <input type="checkbox"/> Multi-AZ	_____ AZs
_____	<input type="checkbox"/> Single AZ <input type="checkbox"/> Multi-AZ	_____ AZs

Node Count

Cloud Site	Master Nodes	Worker Nodes (if App Stack)
_____	<input type="checkbox"/> 1 <input type="checkbox"/> 3	_____
_____	<input type="checkbox"/> 1 <input type="checkbox"/> 3	_____
_____	<input type="checkbox"/> 1 <input type="checkbox"/> 3	_____

15.5 Services at Cloud Sites

Services Required

What services will run at Cloud Sites?

Cloud Site	Services
_____	<input type="checkbox"/> HTTP LB <input type="checkbox"/> TCP LB <input type="checkbox"/> WAF <input type="checkbox"/> Network Connect <input type="checkbox"/> App Stack
_____	<input type="checkbox"/> HTTP LB <input type="checkbox"/> TCP LB <input type="checkbox"/> WAF <input type="checkbox"/> Network Connect <input type="checkbox"/> App Stack
_____	<input type="checkbox"/> HTTP LB <input type="checkbox"/> TCP LB <input type="checkbox"/> WAF <input type="checkbox"/> Network Connect <input type="checkbox"/> App Stack

Traffic Volume

Cloud Site	Expected Throughput	Connections
_____	_____ Mbps	_____
_____	_____ Mbps	_____
_____	_____ Mbps	_____

15.6 Cloud Credentials

Cloud Account Access

How will F5 XC access your cloud accounts?

Cloud Provider	Access Method	Account/Subscription ID
AWS	<input type="checkbox"/> IAM Role <input type="checkbox"/> Access Key	_____
Azure	<input type="checkbox"/> Service Principal	_____
GCP	<input type="checkbox"/> Service Account	_____

Permissions Required

Have you reviewed F5 XC required cloud permissions?

- ☒ Yes - AWS IAM policy reviewed
- ☒ Yes - Azure RBAC permissions reviewed
- ☒ Yes - GCP IAM roles reviewed
- ☐ No - Need to review

15.7 Cost Optimization

Instance Types

Preferred cloud instance types:

Cloud Provider	Instance Type	vCPU	Memory
AWS	<input type="checkbox"/> t3.xlarge <input type="checkbox"/> m5.xlarge <input type="checkbox"/> m5.2xlarge <input type="checkbox"/> Custom	_____	_____ GB
Azure	<input type="checkbox"/> Standard_D4s_v4 <input type="checkbox"/> Standard_D8s_v4 <input type="checkbox"/> Custom	_____	_____ GB
GCP	<input type="checkbox"/> n1-standard-4 <input type="checkbox"/> n1-standard-8 <input type="checkbox"/> Custom	_____	_____ GB

Cost Considerations

- ☒ Use spot/preemptible instances where possible
- ☒ Use reserved capacity for steady workloads
- ☒ Optimize for specific regions with lower costs

15.8 Summary: Cloud Sites Requirements

Requirement	Value
AWS Cloud Sites	_____
Azure Cloud Sites	_____
GCP Cloud Sites	_____
Total Cloud Sites	_____
Multi-AZ Deployments	_____
App Stack Sites	_____

Cloud regions to deploy:

AWS: _____

Azure: _____

GCP: _____

Additional notes:
