


nominalMUON_ID μμe




nominalMUON_ID eeµ







nominalMUON_MS μμμ




nominalMUON_MS μμe




nominalMUON_MS eeµ







nominalMUON_SAGITTA_RESBIAS μμμ





nominalMUON_SAGITTA_RESBIAS μμe





nominalMUON_SAGITTA_RESBIAS eeµ

















nominalMUON_SCALE μμμ




nominalMUON_SCALE μμe




nominalMUON_SCALE eeµ







nominalEG_RESOLUTION_ALL μμμ




nominalEG_RESOLUTION_ALL μμe




nominalEG_RESOLUTION_ALL eeµ




nominalEG_RESOLUTION_ALL eee




nominalEG_SCALE_AF2 μμμ




nominalEG_SCALE_AF2 μμe




nominalEG_SCALE_AF2 eeµ




nominalEG_SCALE_AF2 eee




nominalEG_SCALE_ALL μμμ




nominalEG_SCALE_ALL μμe




nominalEG_SCALE_ALL eeµ




nominalEG_SCALE_ALL eee




nominalMUON_ID μμμ




MUON_EFF_RECO_SYS μμμ




MUON EFF RECO SYS μμe




MUON_EFF_RECO_SYS eeµ







MUON_EFF_TrigSystUncertainty μμμ





MUON_EFF_TrigSystUncertainty μμe




MUON_EFF_TrigSystUncertainty eeµ































EL_EFF_ID_TOTAL_1NPCOR_PLUS_UNCOR eeµ











20

17.5

15

12.5

10

7.5

5

4.5

4

3

 $0.00\% \pm 0.00\%$

 $0.00\% \pm 0.00\%$

 $0.00\% \pm 0.00\%$

no sig.

1 mm

mass [GeV]

