

ORIGINS

- Google Brain Team within Google's Machine Intelligence group
- Open sourced November 9, 2015

27,696 stars

11,163 forked copies





ORIGINALLY - DISTBELIEFV2

WHAT IS IT

- Open source software library for machine learning in various types of perceptual and language understanding tasks
- Flexible architecture to deploy computational models to one or more CPUs or GPUs in a desktop, server, or mobile device with a single API

TRAINING






HOW DOES IT WORK

- TensorFlow computations are expressed as stateful dataflow graphs
- Designed for neural networks but can support any domain where computation can be modeled as a data flow graph





- Nodes represent mathematical operations, while edges represent the multidimensional data arrays (tensors) communicated between nodes
- A Tensor is a typed multi-dimensional array. i.e. a mini-batch of images can be represented as a 4-D array of floating point numbers with dimensions [batch, height, width, channels].

WHY

- Simplify the deployment of large machine learning models to a variety of hardware setups
- Aid in portability so that research models could be applied to commercial grade applications



USE CASES

- RankBrain: Deep neural nets for search ranking on www.google.com
- Inception Image Classification: Deep convolutional neural network for highly accurate computer vision (Google reverse image recognition)
- SmartReply: Deep (LSTM) long short term memory model to automatically generate email responses
- Massively Multitask Networks for Drug Discovery: Deep neural network model for identifying promising drug candidates.
- On-Device Computer Vision for OCR: On device computer vision model to do optical character recognition to enable real-time translation

THANK YOU

