

New Usability Concept for Modelling Wizard

(TINF21C, SWE)

Project: Modelling Wizard Improvements

Customer: Markus Rentschler

Christian Holder

Team:

Project Manager	– Robin Ziegler (inf21100@lehre.dhbw-stuttgart.de)
Developer	– Nils Hoffmann (inf21194@lehre.dhbw-stuttgart.de)
Test Manager	– Michael Grote (inf21111@lehre.dhbw-stuttgart.de)
System Architect	– Fabian Kreuzer (inf21106@lehre.dhbw-stuttgart.de)
Tech. Documentation	– Dana Frey (inf21099@lehre.dhbw-stuttgart.de)
Product Manager	– Maximilian Trumpp (inf21123@lehre.dhbw-stuttgart.de)
Graphical Designer	– Sophie Kirschner (inf21083@lehre.dhbw-stuttgart.de)

Change History

Version	Date	Author	Comment
0.1	18.03.2023	Sophie Kirschner	Initial Setup
0.2	19.03.2023	Nils Hoffmann	Revision
0.3	21.03.2023	Sophie Kirschner	Sketch integration
0.4	30.03.2023	Sophie Kirschner	Improvements

Table of Contents

1. Introduction	5
2. Guideline DIN EN ISO 9241-110	6
3. Navigation Bar	8
3.1 File Menu.....	8
3.1.1 Issue 1: “Save and Close File”	8
3.1.2 Issue 2: “Open” and „Import”	8
3.1.3 Issue 3: “Load Library”	8
3.2 Options Menu	9
3.2.1 Issue: mode indicator	9
3.3 Help menu	9
3.3.1 Issue: “About”	9
3.4 Issue: Input fields	9
4. Generic Data	10
4.1 Issue 1: Button to expand “Attributes” sheet.....	10
4.2 Issue 2: “Role Class Library”	10
4.3 Issue 3: “Interface Class Library”	11
4.4 Issue 4: Usage of libraries	11
4.5 Issue 5: first column in “Generic Information” table	11
4.6 Issue 6: selected table entry below the table	11
4.7 Issue 7: “Attributes” sheet in advanced mode	11
4.8 Additional changes:	11
5. Interfaces	12
5.1 Issue 1: additional button to expand “Attributes” sheet.....	12
5.2 Issue 2: “Interface Class Library”	12
5.3 Issue 3: “Role Class Library”	12
5.4 Issue 4: usage of libraries	12
5.5 Issue 5: first column in “Interfaces” table.....	12
5.6 Issue 6: selected table entry below the table.....	12
5.7 Issue 7: “Attributes” sheet in advanced mode	12
5.8 Additional changes:	13
6. Attachments	14
6.1 Issue 1: “Role Class Library” and “Interface Class Library”	14
6.2 Issue 2: form for adding attachments.....	14
6.3 Issue 3: first column in table	15

6.4 Additional changes:	15
7. General Issues	16
7.1 Issue 1: dark mode and individual sizing.....	16
7.2 Issue 2: color theme	16
7.3 Issue 3: old look and feel	16
7.4 Additional changes:	16
8. Sources.....	17

1. Introduction

The new usability concept is based on the already performed GUI (Graphical User Interface) analysis. It can be viewed with the following link:

<https://github.com/users/robinziegler/projects/1?pane=issue&itemId=13232065>

In the solution described below, the problems found there are fixed, thus ensuring better usability as well as user experience.

The solution must comply with the applicable guidelines. In this project, we base ourselves on the DIN EN ISO 9241 Guidelines with a special focus on part 110 - "Principles of dialog design". In the following, we will take a closer look at this guideline.

Another important guideline for ensuring usability is the regulation for creating barrier-free information technology. We do not consider the implementation of this to be relevant in the context of the project with regard to the user profile. The purpose of the ordinance is to enable and ensure a comprehensive and fundamentally unrestricted barrier-free design of modern information and communication technology. The implementation is carried out, among other things, with the help of videos with sign language [1]. This is not necessary in the project because, for example, no acoustic signals are sent.

In the individual chapters, the known issues from the analysis are mentioned with the targeted solutions. In order to visualize the new concept, additional design sketches are included, on the basis of which a prototype of the GUI can be made afterwards.

2. Guideline DIN EN ISO 9241-110

In the following, we will take a closer look at the DIN EN ISO 9241 standard. It "describes quality guidelines for ensuring the ergonomics of interactive systems." [2]

The standard is divided into 17 sections, of which Section 110- Principles of Dialog Design is particularly authoritative.

The following is a summary of these principles:

Task appropriateness

A system should support the user in completing his task by basing the functionalities on the characteristic properties of the task rather than on the technology used to complete it. Unnecessary commands, for example, should be hidden and related commands should be grouped together. [3]

Self-descriptiveness

In a dialog, it should be obvious to the user at all times where he is, what actions can be taken and how they will be executed. The user should also be informed about changes in the state and expected inputs. For example, it makes sense to provide the required input format or to display meaningful error messages instead of simple error codes. [3]

Conformity to expectations

A dialog should conform to all foreseeable user concerns and generally accepted conventions from the context of use. This includes common keyboard shortcuts for e.g. copy and paste, as well as the use of commonly known abbreviations. [3]

Controllability

The user should be able to start the program sequence, as well as to influence direction and speed, until the desired goal is reached. Important functions for this are the saving of incomplete processing steps, the possibility of undoing certain steps and the call of old states. [3]

Individualizability

A system is individualizable when users can change the presentation of information to suit their individual abilities and needs, e.g. by using a zoom function. [3]


Conduciveness to learning

A dialog should support and guide the user in learning how to use the interactive system. For example, there should be a short explanation for each working step. [3]

Error tolerance

The intended work result should be achieved with either no or minimal correction effort on the part of the user, despite recognizably flawed input. Error tolerance can be achieved by the following means: Error detection and prevention (damage control) e.g., by suggesting corrected input or pointing out any problems; error correction, or error management, to deal with errors that do occur. [3]

3. Navigation Bar



Picture 1: Navigation bar overview

3.1 File Menu

3.1.1 Issue 1: “Save and Close File”

The “Save and Close File” option is unnecessarily redundant in the menu since the options “Save” and “Exit” already exist.

Solution: Remove the option

3.1.2 Issue 2: “Open” and „Import”


The options “Open” and “Import” provide the same feature.

Solution: Merge into a single function


3.1.3 Issue 3: “Load Library”

The “Load Library” option fits better in “Libraries” menu than in the “File” menu.

Solution: Move to the “Libraries” menu



Picture 2: Navigation bar „File” menu




Picture 3 Navigation bar „Libraries” menu

3.2 Options Menu

3.2.1 Issue: mode indicator

There is no indicator, which mode/file is currently active. The self- descriptiveness is not given.

Solution: Display of all possible modes, the currently active ones grayed out including an indicator (dot, checkmark or "active" written out in the line)



Picture 4: Navigation bar „Options“ menu

3.3 Help menu

3.3.1 Issue: “About”

The “About” option doesn’t suit the term “Help”. This issue is optional since About is in most applications found under this tab (englsich 1+)


Solution: “Help”: Direct Link to the Manual, “About”: Transfer to a separate menu point in the navigation bar (please see at picture 1: Navigation bar overview)

3.4 Issue: Input fields

Unnecessary function in navigation bar; confusing for user

Solution: Remove the function (please see at picture 1: Navigation bar overview)

4. Generic Data

Generic Data		Interfaces	Attachments				
Generic Information		Attributes					
Role	Add Role Class Library	AttributeName	Values	Default	Units	DataType	Semantic
 AutomationComponent(Class: AutomationMLBaseRole)		IdentificationData					
		Manufacturer				xs:string	
		ManufacturerURI				xs:string	
		DeviceClass				xs:string	
		Model				xs:string	
		ProductCode				xs:string	
		OrderCode				xs:string	
		HardwareRevision				xs:string	
		SoftwareRevision				xs:string	
		SerialNumber				xs:string	
		FabricationNumber				xs:string	
		ProductInstanceURI				xs:string	
		GeneralTechnicalData					
		AmbientTemperature				xs:string	
		TemperatureMin				xs:int	
		TemperatureMax				xs:int	
		IPCCode				xs:string	
		Material				xs:string	
		Weight				xs:float	
		Height			mm	xs:integer	
		Width				xs:integer	
		Length				xs:integer	
		CommercialData					
		PackagingAndTransport...					
		GTIN					xs:string
		CustomsTariffNumber					xs:integer
		CountryOfOrigin			code		xs:string
		ProductDetails					xs:string
		DescriptionShort					xs:string
		DescriptionLong					xs:string
		InternationalPID					xs:string
		ManufacturerPID					xs:string
		SpecialTreatmentClass					xs:string

Picture 5: Generic Data tab overview

Generic Data

Interfaces

Attachments

Generic Information

Role

Add Role Class Library

AutomationComponent(Class: AutomationMLBaseRole)

Add role class

☐ AutomationMLComponentBaseRCL

☐ AdditionalDeviceDescription

☐ Connector

☐ Documentation

☐ GeometryModel

☐ GraphicRepresentation

☐ Icon

☐ LogicModel

☐ PLCOpenMLLogic

☐ AMLogic

☐ FMLLogic

☐ KinematicModel

☐ MaintenanceDescription

☐ Model

☐ Symbol

☐ AutomationMLComponentStandardRCL

☐ AutomationMLFMLLogicRoleClassLib

☐ AutomationMLBaseRoleClassLib

Add

Cancel

Attributes

AttributeName	Values	Default	Units	DataType	Semantic
IdentificationData				xs:string	
Manufacturer				xs:string	
ManufacturerURI				xs:string	
DeviceClass				xs:string	
Model				xs:string	
ProductCode				xs:string	
OrderCode				xs:string	
HardwareRevision				xs:string	
SoftwareRevision				xs:string	
SerialNumber				xs:string	
FabricationNumber				xs:string	
ProductInstanceURI				xs:string	
GeneralTechnicalData					
AmbientTemperature				xs:string	
TemperatureMin				xs:int	
TemperatureMax				xs:int	
IPCCode				xs:string	
Material				xs:string	
Weight			mm	xs:float	
Height				xs:integer	
Width				xs:integer	
Length				xs:integer	
CommercialData					
PackagingAndTransport...					
GTIN				xs:string	
CustomsTariffNumber				xs:integer	
CountryOfOrigin			code	xs:string	
ProductDetails				xs:string	
DescriptionShort				xs:string	
DescriptionLong				xs:string	
InternationalPID				xs:string	
ManufacturerPID				xs:string	
SpecialTreatmentClass				xs:string	

Picture 6: Generic Data „Add Role Class Library“ button clicked -> Library selection menu

4.1 Issue 1: Button to expand “Attributes” sheet

User has to click on additional button to expand prefilled “Attributes” sheet

Solution: Remove the separate button; on clicking the table row, directly open the prefilled “Attributes” sheet

4.2 Issue 2: “Role Class Library”

Display of “Role Class Library” unnecessary for basic usage

Solution: Implement it as a fold-out function. If the user clicks somewhere out of the fold-out menu, it automatically folds in

4.3 Issue 3: “Interface Class Library”

Display of “Interface Class Library” unnecessary for “General Data” tab, because it provides no purpose at this position

Solution: Remove the menu

4.4 Issue 4: Usage of libraries

No explanation on the usage of libraries for inexperienced users

Solution: Remove the drag-and-drop system and replace it with a combination of checkboxes and an “Add” button, enabling the selection of multiple libraries at once

4.5 Issue 5: first column in “Generic Information” table

No real purpose of first column in “Generic Information” table

Solution: Remove the column

4.6 Issue 6: selected table entry below the table

Display of selected table entry below the table unnecessary

Solution: Remove it

4.7 Issue 7: “Attributes” sheet in advanced mode

“DataType” unrestricted editing through the user can cause problems

Solution: Dropdown selection menu to limit the User-Input

4.8 Additional changes:

- Move the delete button of the added libraries to the individual table rows
- Rename the attribute “Product Code” to “Device Name”

5. Interfaces

Because the “Interfaces” tab is quite similar to the “Generic Data” tab, please see the previous sketch.

5.1 Issue 1: additional button to expand “Attributes” sheet

User has to click on additional button to expand prefilled “Attributes” sheet

Solution: Remove the separate button; on clicking the table row, directly open the prefilled “Attributes” sheet

5.2 Issue 2: “Interface Class Library”

Display of “Interface Class Library” unnecessary for basic usage

Solution: Implement it as a fold-out function. If the user clicks somewhere out of the fold-out menu, it automatically folds in

5.3 Issue 3: “Role Class Library”

Display of “Role Class Library” unnecessary for “Interfaces” tab, because it provides no purpose at this position

Solution: Remove the menu

5.4 Issue 4: usage of libraries

No explanation on the usage of libraries for inexperienced users

Solution: Remove the drag-and-drop system and replace it with a combination of checkboxes and an “Add” button, enabling the selection of multiple libraries at once

5.5 Issue 5: first column in “Interfaces” table

No real purpose of first column in “Interfaces” table

Solution: Remove the column

5.6 Issue 6: selected table entry below the table

Display of selected table entry below the table unnecessary

Solution: Remove it

5.7 Issue 7: “Attributes” sheet in advanced mode


“DataType” unrestricted editing through the user can cause problems

Solution: Dropdown selection menu to limit the User-Input


5.8 Additional changes:

- Move the delete button of the added libraries to the individual table rows

6. Attachments



Picture 7: Attachments tab overview



Picture 8: Attachments „Add Attachment” button clicked -> Attachment Selection menu

6.1 Issue 1: “Role Class Library” and “Interface Class Library”

Display of “Role Class Library” and “Interface Class Library” unnecessary for “Attachments” tab, because it provides no purpose at this position

Solution: Remove the menus

6.2 Issue 2: form for adding attachments

The form for adding attachments is not user-friendly. To activate the form, the add button must be pressed, which is not communicated

Solution: Only show the input form when the “add” button is pressed. After successfully adding an attachment, hide the form again

6.3 Issue 3: first column in table

No real purpose of first column in table

Solution: Remove the column

6.4 Additional changes:

- Move the delete button of the added libraries to the individual table rows

7. General Issues

7.1 Issue 1: dark mode and individual sizing

No dark mode and individual sizing option (no customizability)

Solution: Optional dark mode and sizing function in navigation bar

7.2 Issue 2: color theme

Unattractive color theme and no clear marking of which tab you are in (Generic Data, Interfaces or Attachments)

Solution: Colored mark of currently used tab

7.3 Issue 3: old look and feel

Generally old look and feel

Solution: Usage of WinUI3 for designing the new GUI

7.4 Additional changes:

- Show an information tag when hovering over different areas with the cursor to ease the usage

8. Sources

- [1] https://www.gesetze-im-internet.de/bitv_2_0/BJNR184300011.html
- [2] <https://www.handbuch-usability.de/grundlagen/normen-und-standards/iso-9241/>
- [3] Sarodnick, F./Brau, H.: Methoden der Usability Evaluation, Wissenschaftliche Grundlagen und praktische Anwendung, 2. Auflage, Bern 2011