

Writing

Rob J Hyndman

ACEMS Mentoring Seminar

Outline

- 1 **References**
- 2 Languages and editors
- 3 Reproducibility & version control
- 4 Writing a paper or thesis
- 5 Getting published
- 6 Reviewer reports
- 7 Writing grant applications
- 8 Writing industry and media reports

Managing references

Mendeley

- ➔ Free and on all operating systems
- ➔ Web-version and local version synced
- ➔ Browser extension for adding papers/books
- ➔ Attach notes and annotations to papers.
- ➔ Works with Word, LibreOffice or LaTeX.
- ➔ Generate bibliography automatically
- ➔ Handles all formatting for you.



To install:

- Set up account at www.mendeley.com
- Download from www.mendeley.com

Managing references

Zotero

- Free and on all operating systems
- Web-version and local version synced
- Browser extension for adding papers/books
- Attach notes and annotations to papers.
- Works with Word, LibreOffice or LaTeX.
- Generate bibliography automatically
- Handles all formatting for you.

zotero

To install:

- Set up account at www.zotero.org
- Download from www.zotero.org

Managing references

Paperpile

- ➡ \$3 per month and runs on Google Chrome
- ➡ Papers stored on Google Drive
- ➡ Browser extension for adding papers/books
- ➡ Works with Google Docs or LaTeX.
- ➡ Generate bibliography automatically
- ➡ Handles all formatting for you.
- ➡ Amazingly fast



To install:

- Set up account at paperpile.com
- Download Google chrome browser extension

What to cite?

- Cite what is important.
- Cite (only) what is relevant.
- Avoid lists of gratuitous references.
- Include proper citations for all packages and software you use.



What to cite?

- Cite what is important.
- Cite (only) what is relevant.
- Avoid lists of gratuitous references.
- Include proper citations for all packages and software you use.



```
citation("packagename")
```

Sight what you cite

- Every article cited should be sighted, & preferably read.
- At the very least, check that the article cited really does say what you think it says.
- Type the reference information yourself.
- Don't just cite what other people say about citations.
- Store accurate reference info from the start.
- Give credit where it is due.



Sight what you cite

- Every article cited should be sighted, & preferably read.
- At the very least, check that the article cited really does say what you think it says.
- Type the reference information yourself.
- Don't just cite what other people say about citations.
- Store accurate reference info from the start.
- Give credit where it is due.
 - Diebold did not invent PITs.
 - Hyndman did not invent exponential smoothing or ARIMA models.



Use Google Scholar for more than searching



My profile



My library



Google Scholar

☒ Articles ☐ Case law

New! Quickly flip through papers on your phone

Recommended articles

[CSAR: The cross-sectional autoregression model](#)

C Hartmann, M Hahmann, D Habich, W Lehner - Data Science and Advanced ..., 2017

[Designing K-nearest neighbors model for low voltage load forecasting](#)

O Valgaev, F Kupzog, H Schmeck - Power & Energy Society General Meeting, 2017 ..., 2017

[See all recommendations](#)

Stand on the shoulders of giants

[Go to Google Scholar](#)

Use Google Scholar for more than searching



Any time

Since 2018

Since 2017

Since 2014

Custom range...

Sort by relevance

Sort by date

☐ include patents

☐ include citations

Create alert

Voila: Visual **Anomaly Detection** and Monitoring with **Streaming Spatiotemporal Data**

[N Cao](#), [C Lin](#), [Q Zhu](#), [YR Lin](#), [X Teng](#)... - IEEE transactions on ..., 2018 - [ieeexplore.ieee.org](#)



... **feature** descriptors along multiple facets, with the advantage to examine **features** associated with ... from a traffic tensor; however, like other methods, the produced **feature** matrices and ... **Based** on these system requirements, we developed Voila, an inte- grated system solution for ...

☆ Cited by 2 [Related articles](#) [All 8 versions](#)

A New Model for Evaluating Range-Based **Anomaly Detection Algorithms**

[N Tatbul](#), [TJ Lee](#), [S Zdonik](#), [J Gottschlich](#) - arXiv preprint arXiv:1803.03639, 2018 - [arxiv.org](#)



... We aim to demonstrate two key **features** of our model: (i) its expressive power for ... Multiple ranged-**based** stochastic **anomalies** appear with inverted negative values ... **Anomaly Detection Algorithm**: We trained a TensorFlow- implemented version of LSTM-AD, a long short-term mem ...

☆ [All 2 versions](#)

[PDF] [arxiv.org](#)

[PDF] **Anomaly Detection in Streaming Nonstationary Temporal Data**

[PD Talagala](#), [RJ Hyndman](#), [K Smith-Miles](#)... - 2018 - [researchgate.net](#)



... (the same **features** as were defined in step 1 of Algorithm 1) from each of these n time series in $W[t-w:t]$. This produces an $n \times m$ **feature** matrix, Mtest. 3. Project Mtest, onto the 2D PC space of D10 ... Since the test statistic **based** on the integrated ...

☆

[PDF] [researchgate.net](#)

[PDF] **Anomaly Detection in Finance: Editors' Introduction**

[A Anandakrishnan](#), [S Kumar](#)... - ... **Anomaly Detection** ..., 2018 - [proceedings.mlr.press](#)



... **Feature** engineering strategies for credit card fraud **detection**. Expert Systems With Ap- plications, 51:134–142, 2016 ... Pd-fds: Purchase density **based** online credit card fraud **detection** system ... A framework for constructing **features** and models for intrusion **detection** systems ...

☆

[PDF] [mlr.press](#)

Detecting anomalous emotion through big data from social networks based on

Use Google Scholar for more than searching



Any time

Since 2018

Since 2017

Since 2014

Custom range...

Sort by relevance

Sort by date

☐ include patents

☐ include citations

Create alert

Voila: Visual
Data

N Cao, C Lin, C

... feature des

with ... from a

on these syste

☆ 99 Cite

A New Model for Evaluating Range-Based Anomaly Detection Algorithms

[PDF] arxiv.org

N Tatbul, TJ Lee, S Zdonik, J Gottschlich - arXiv preprint arXiv:1803.03639, 2018 - arxiv.org

... We aim to demonstrate two key **features** of our model: (i) its expressive power for ... Multiple
ranged-**based stochastic anomalies** appear with inverted negative values ... **Anomaly Detection**
Algorithm: We trained a TensorFlow- implemented version of LSTM-AD, a long short-term mem ...

☆ 99 All 2 versions

[PDF] Anomaly Detection in Streaming Nonstationary Temporal Data

[PDF] researchgate.net

PD Talagala, RJ Hyndman, K Smith-Miles... - 2018 - researchgate.net

... (the same **features** as were defined in step 1 of Algorithm 1) from each of these n time
series in $W[t-w:t]$. This produces an $n \times m$ **feature** matrix, Mtest. 3. Project Mtest, onto the
2D PC space of D_{t0} ... Since the test statistic **based** on the integrated ...

☆ 99 99

[PDF] Anomaly Detection in Finance: Editors' Introduction

[PDF] mlr.press

A Anandakrishnan, S Kumar... - ... **Anomaly Detection** ..., 2018 - proceedings.mlr.press

... **Feature** engineering strategies for credit card fraud **detection**. Expert Systems With Ap- plications,
51:134–142, 2016 ... Pd-fds: Purchase density **based** online credit card fraud **detection** system ...
A framework for constructing **features** and models for intrusion **detection** systems ...

☆ 99 99

Detecting anomalous emotion through big data from social networks based on

- Link GS to your reference manager.
- Keep everything you are ever likely to cite in your reference manager.

Use Google Scholar for more than searching



Any time

Since 2018

Since 2017

Since 2014

Custom range...

Sort by relevance

Sort by date

☐ include patents

☐ include citations

Create alert

Voila: Visual **Anomaly Detection** and Monitoring with **Streaming Spatiotemporal Data**

[N Cao](#), [C Lin](#), [Q Zhu](#), [YR Lin](#), [X Teng](#)... - IEEE transactions on ..., 2018 - [ieeexplore.ieee.org](#)



... **feature** descriptors along multiple facets, with the advantage to examine **features** associated with ... from a traffic tensor; however, like other methods, the produced **feature** matrices and ... **Based** on these system requirements, we developed Voila, an inte- grated system solution for ...

☆ Cited by 2 [Related articles](#) [All 8 versions](#)

A New Model for Evaluating Range-Based **Anomaly Detection Algorithms**

[N Tatbul](#), [TJ Lee](#), [S Zdonik](#), [J Gottschlich](#) - arXiv preprint arXiv:1803.03639, 2018 - [arxiv.org](#)



... We aim to demonstrate two key **features** of our model: (i) its expressive power for ... Multiple ranged-**based** stochastic **anomalies** appear with inverted negative values ... **Anomaly Detection** Algorithm: We trained a TensorFlow- implemented version of LSTM-AD, a long short-term mem ...

☆ [All 2 versions](#)

[PDF] [arxiv.org](#)

[PDF] **Anomaly Detection in Streaming Nonstationary Temporal Data**

[PD Talagala](#), [RJ Hyndman](#), [K Smith-Miles](#)... - 2018 - [researchgate.net](#)



... (the same **features** as were defined in step 1 of Algorithm 1) from each of these n time series in $W[t-w:t]$. This produces an $n \times m$ **feature** matrix, Mtest. 3. Project Mtest, onto the 2D PC space of D₁₀ ... Since the test statistic **based** on the integrated ...

☆

[PDF] [researchgate.net](#)

[PDF] **Anomaly Detection in Finance: Editors' Introduction**

[A Anandakrishnan](#), [S Kumar](#)... - ... **Anomaly Detection** ..., 2018 - [proceedings.mlr.press](#)



... **Feature** engineering strategies for credit card fraud **detection**. Expert Systems With Ap- plications, 51:134–142, 2016 ... Pd-fds: Purchase density **based** online credit card fraud **detection** system ... A framework for constructing **features** and models for intrusion **detection** systems ...

☆

[PDF] [mlr.press](#)

Detecting anomalous emotion through big data from social networks based on

Use Google Scholar for more than searching



Articles

About 798 results (0.03 sec)



My profile



My library



Any time

Since 2018

Since 2017

Since 2014

Custom range...

Sort by relevance

Sort by date

☐ include patents

☐ include citations

Create alert

Voila: Visual **Anomaly Detection** and Monitoring with **Streaming Spatiotemporal Data**

[N Cao](#), [C Lin](#), [Q Zhu](#), [YR Lin](#), [X Teng](#)... - IEEE transactions on ..., 2018 - [ieeexplore.ieee.org](#)

... **feature** descriptors along multiple facets, with the advantage to examine **features** associated with ... from a traffic tensor; however, like other methods, the produced **feature** matrices and ... **Based** on these system requirements, we developed Voila, an inte- grated system solution for ...

☆ Cited by 2 [Related articles](#) [All 8 versions](#)

A New Model for Evaluating Range-Based **Anomaly Detection Algorithms**

[N Tatbul](#), [TJ Lee](#), [S Zdonik](#), [J Gottschlich](#) - arXiv preprint arXiv:1803.03639, 2018 - [arxiv.org](#)

... We aim to demonstrate two key **features** of our model: (i) its expressive power for ... Multiple ranged-**based** stochastic **anomalies** appear with inverted negative values ... **Anomaly Detection Algorithm**: We trained a TensorFlow- implemented version of LSTM-AD, a long short-term mem ...

☆ [All 2 versions](#)

[PDF] **Anomaly Detection in Streaming Nonstationary Temporal Data**

[PD Talagaria](#), [RJ Hyndman](#), [K Smith-Miles](#)... - 2018 - [researchgate.net](#)

... (the same **features** as were defined in step 1 of Algorithm 1) from each of these n time series in $W[t-w:t]$. This produces an $n \times m$ **feature** matrix, Mtest. 3. Project Mtest, onto the 2D PC space of D10 ... Since the test statistic **based** on the integrated ...

☆

[PDF] **Anomaly Detection in Finance: Editors' Introduction**

[A Anandakrishnan](#), [S Kumar](#)... - ... **Anomaly Detection** ..., 2018 - [proceedings.mlr.press](#)

... **Feature** engineering strategies for credit card fraud **detection**. Expert Systems With Ap- plications, 51:134–142, 2016 ... Pd-fds: Purchase density **based** online credit card fraud **detection** system ... A framework for constructing **features** and models for intrusion **detection** systems ...

☆

Detecting anomalous emotion through big data from social networks based on

[PDF] [arxiv.org](#)

[PDF] [researchgate.net](#)

[PDF] [mlr.press](#)

Use Google Scholar for more than searching



Rob J Hyndman

FOLLOW

Professor of Statistics, [Monash University](#)
Verified email at monash.edu - [Homepage](#)


[Forecasting](#) [Time series](#) [Applied Statistics](#) [Machine learning](#) [Exploratory data analysis](#)

<input type="checkbox"/> TITLE	CITED BY	YEAR
<input type="checkbox"/> Forecasting methods and applications S Makridakis, SC Wheelwright, RJ Hyndman John Wiley & Sons	4798*	1998
<input type="checkbox"/> Another look at measures of forecast accuracy RJ Hyndman, AB Koehler International journal of forecasting 22 (4), 679-688	1815	2006
<input type="checkbox"/> Automatic time series for forecasting: the forecast package for R RJ Hyndman, Y Khandakar Journal of Statistical Software	1149	2007
<input type="checkbox"/> Forecasting: principles and practice RJ Hyndman, G Athanasopoulos OTexts	776	2014
<input type="checkbox"/> 25 years of time series forecasting JG De Gooijer, RJ Hyndman International journal of forecasting 22 (3), 443-473	682	2006
<input type="checkbox"/> Forecasting with exponential smoothing: the state space approach RJ Hyndman, AB Koehler, JK Ord, RD Snyder Springer Verlag	675	2008
<input type="checkbox"/> Sample quantiles in statistical packages RJ Hyndman, Y Fan The American Statistician 50 (4), 361-365	636	1996
<input type="checkbox"/> Detecting trend and seasonal changes in satellite image time series	581	2010

Cited by

[VIEW ALL](#)

	All	Since 2013
Citations	19636	12091
h-index	54	43
i10-index	113	91



Co-authors

[EDIT](#)

- Ralph Snyder**
Associate Professor, Department... >
- George Athanasopoulos**
Monash University >
- Han Lin Shang**
Research School of Finance, Act... >
- Keith Ord**
Professor of Business Statistics, ... >
- Bircan Erbas**
La Trobe University >

Use Google Scholar for more than searching

Google Scholar



Rob J Hyndman

FOLLOW


Professor of Statistics, [Monash University](#)
Verified email at monash.edu - [Homepage](#)

[Forecasting](#) [Time series](#) [Applied Statistics](#) [Machine learning](#) [Exploratory data analysis](#)

Cited by

[VIEW ALL](#)

	All	Since 2013
Citations	19636	12091
h-index	54	43
i10-index	113	91



Co-authors

[EDIT](#)

<input type="checkbox"/> TITLE	CITED BY	YEAR
<input type="checkbox"/> Forecasting methods and applications S Makridakis, SC Wheelwright, RJ Hyndman John Wiley & Sons	4798 *	1998
<input type="checkbox"/> Another look at measures of forecast accuracy RJ Hyndman, AB Koehler International journal of forecasting 22 (4), 679-688	1815	2006
<input type="checkbox"/> Automatic time series for forecasting: the forecast package for R RJ Hyndman, Y Khandakar Journal of Statistical Software	1149	2007
<input type="checkbox"/> Forecasting: principles and practice RJ Hyndman, G Athanasopoulos OTexts		
<input type="checkbox"/> 25 years of time series forecasting JG De Gooijer, RJ Hyndman International journal of forecasting 22 (3),		
<input type="checkbox"/> Forecasting with exponential smoothing RJ Hyndman, AB Koehler, JK Ord, RD S		
<input type="checkbox"/> Sample quantiles in statistical packages RJ Hyndman, Y Fan The American Statistician 50 (4), 361-365	636	1996
<input type="checkbox"/> Detecting trend and seasonal changes in satellite image time series	581	2010

- Create your GS profile once you have (at least) one paper.
- Follow key authors in your area.

Use Google Scholar for more than searching



Any time

Since 2018

Since 2017

Since 2014

Custom range...

Sort by relevance

Sort by date

☐ include patents

☐ include citations

Create alert

Voila: Visual **Anomaly Detection** and Monitoring with **Streaming Spatiotemporal Data**

[N Cao](#), [C Lin](#), [Q Zhu](#), [YR Lin](#), [X Teng](#)... - IEEE transactions on ..., 2018 - [ieeexplore.ieee.org](#)



... **feature** descriptors along multiple facets, with the advantage to examine **features** associated with ... from a traffic tensor; however, like other methods, the produced **feature** matrices and ... **Based** on these system requirements, we developed Voila, an inte- grated system solution for ...

☆ Cited by 2 [Related articles](#) [All 8 versions](#)

A New Model for Evaluating Range-Based **Anomaly Detection Algorithms**

[N Tatbul](#), [TJ Lee](#), [S Zdonik](#), [J Gottschlich](#) - arXiv preprint arXiv:1803.03639, 2018 - [arxiv.org](#)



... We aim to demonstrate two key **features** of our model: (i) its expressive power for ... Multiple ranged-**based** stochastic **anomalies** appear with inverted negative values ... **Anomaly Detection** Algorithm: We trained a TensorFlow- implemented version of LSTM-AD, a long short-term mem ...

☆ [All 2 versions](#)

[PDF] [arxiv.org](#)

[PDF] **Anomaly Detection in Streaming Nonstationary Temporal Data**

[PD Talagala](#), [RJ Hyndman](#), [K Smith-Miles](#)... - 2018 - [researchgate.net](#)



... (the same **features** as were defined in step 1 of Algorithm 1) from each of these n time series in $W[t-w:t]$. This produces an $n \times m$ **feature** matrix, Mtest. 3. Project Mtest, onto the 2D PC space of D10 ... Since the test statistic **based** on the integrated ...

☆

[PDF] [researchgate.net](#)

[PDF] **Anomaly Detection in Finance: Editors' Introduction**

[A Anandakrishnan](#), [S Kumar](#)... - ... **Anomaly Detection** ..., 2018 - [proceedings.mlr.press](#)



... **Feature** engineering strategies for credit card fraud **detection**. Expert Systems With Ap- plications, 51:134–142, 2016 ... Pd-fds: Purchase density **based** online credit card fraud **detection** system ... A framework for constructing **features** and models for intrusion **detection** systems ...

☆

[PDF] [mlr.press](#)

Detecting anomalous emotion through big data from social networks based on

Use Google Scholar for more than searching



Articles

About 798 results (0.03 sec)



My profile



My library



Any time

Since 2018

Since 2017

Since 2014

Custom range...

Sort by relevance

Sort by date

☐ include patents

☐ include citations

☒ Create alert

Voila: Visual **Anomaly Detection** and Monitoring with **Streaming Spatiotemporal Data**

[N Cao](#), [C Lin](#), [Q Zhu](#), [YR Lin](#), [X Teng](#)... - IEEE transactions on ..., 2018 - [ieeexplore.ieee.org](#)



... **feature** descriptors along multiple facets, with the advantage to examine **features** associated with ... from a traffic tensor; however, like other methods, the produced **feature** matrices and ... **Based** on these system requirements, we developed Voila, an inte- grated system solution for ...

☆ Cited by 2 [Related articles](#) [All 8 versions](#)

A New Model for Evaluating Range-Based **Anomaly Detection Algorithms**

[N Tatbul](#), [TJ Lee](#), [S Zdonik](#), [J Gottschlich](#) - arXiv preprint arXiv:1803.03639, 2018 - [arxiv.org](#)



... We aim to demonstrate two key **features** of our model: (i) its expressive power for ... Multiple ranged-**based** stochastic **anomalies** appear with inverted negative values ... **Anomaly Detection Algorithm**: We trained a TensorFlow- implemented version of LSTM-AD, a long short-term mem ...

☆ All 2 versions

[PDF] **Anomaly Detection in Streaming Nonstationary Temporal Data**

[PD Talagala](#), [RJ Hyndman](#), [K Smith-Miles](#)... - 2018 - [researchgate.net](#)



... (the same **features** as were defined in step 1 of Algorithm 1) from each of these n time series in $W[t-w:t]$. This produces an $n \times m$ **feature** matrix, M_{test} . 3. Project M_{test} onto the PD space of $D(t)$... Since the test statistic **based** on the integrated ...

☆

[PDF] **Anomaly Detection in Finance: Editors' Introduction**

[A Anandakrishnan](#), [S Kumar](#)... - ... **Anomaly Detection** ..., 2018 - [proceedings.mlr.press](#)



... **Feature** engineering strategies for credit card fraud **detection**. Expert Systems With Ap- plications, 51:134–142, 2016 ... Pd-fds: Purchase density **based** online credit card fraud **detection** system ... A framework for constructing **features** and models for intrusion **detection** systems ...

☆

Detecting anomalous emotion through big data from social networks based on

[PDF] [arxiv.org](#)

[PDF] [researchgate.net](#)

[PDF] [mlr.press](#)

Use Google Scholar for more than searching



My profile



My library



Google Scholar

☒ Articles ☐ Case law

New! Quickly flip through papers on your phone

Recommended articles

[CSAR: The cross-sectional autoregression model](#)

C Hartmann, M Hahmann, D Habich, W Lehner - Data Science and Advanced ..., 2017

[Designing K-nearest neighbors model for low voltage load forecasting](#)

O Valgaev, F Kupzog, H Schmeck - Power & Energy Society General Meeting, 2017 ..., 2017

[See all recommendations](#)

Stand on the shoulders of giants

[Go to Google Scholar](#)

Use Google Scholar for more than searching




My profile



My library



Google Scholar



Articles



Case law

New! Quickly flip through papers on your phone

Recommended articles

[CSAR: The cross-sectional autoregression model](#)

C Hartmann, M Hahmann, D Habich, W Lehner - Data Science and Advanced ..., 2017

[Designing K-nearest neighbors model for low voltage load forecasting](#)


O Valgaev, F Kupzog, H Schmeck - Power & Energy Society General Meeting, 2017 ..., 2017

[See all recommendations](#)


Stand on the shoulders of giants


[Go to Google Scholar](#)

Use Google Scholar for more than searching











Search my library





My library



 My profile  My library 

My library

Cited by me

Trash

Manage labels...

Any time


Since 2018

Since 2017


Since 2014

Custom range...


☐ Effective forecasting and judgmental adjustments: an empirical evaluation and strategies for improvement in supply-chain planning [\[PDF\] academia.edu](#)

[R Fildes, P Goodwin, M Lawrence...](#) - International journal of ..., 2009 - Elsevier 


Abstract Demand forecasting is a crucial aspect of the planning process in supply-chain companies. The most common approach to forecasting demand in these companies involves the use of a computerized forecasting system to produce initial forecasts and the ...

 Cited by 249 [Related articles](#) [All 12 versions](#)



☐ Judgmental forecasting: A review of progress over the last 25 years [\[PDF\] bilkent.edu.tr](#)

[M Lawrence, P Goodwin, M O'Connor...](#) - International Journal of ..., 2006 - Elsevier 



Abstract The past 25 years has seen phenomenal growth of interest in judgemental approaches to forecasting and a significant change of attitude on the part of researchers to the role of judgement. While previously judgement was thought to be the enemy of accuracy ...

 Cited by 342 [Related articles](#) [All 17 versions](#)


☐ Forecasting: principles and practice [\[PDF\] robjhyndman.com](#)

[RJ Hyndman, G Athanasopoulos](#) - 2014 - books.google.com  


Forecasting is required in many situations. Stocking an inventory may require forecasts of demand months in advance. Telecommunication routing requires traffic forecasts a few minutes ahead. Whatever the circumstances or time horizons involved, forecasting is an ...

 Cited by 776 [Related articles](#) [All 5 versions](#) 

☐ Prediction by supervised principal components [\[PDF\] jstor.org](#)

[E Bair, T Hastie, D Paul...](#) - Journal of the American ..., 2006 - amstat.tandfonline.com 

In regression problems where the number of predictors greatly exceeds the number of observations, conventional regression techniques may produce unsatisfactory results. We describe a technique called supervised principal components that can be applied to this ...

 Cited by 535 [Related articles](#) [All 24 versions](#)

☐ Common principal components & related multivariate models

Use Google Scholar for more than searching



My profile



My library



Google Scholar

☒ Articles ☐ Case law

New! Quickly flip through papers on your phone

Recommended articles

[CSAR: The cross-sectional autoregression model](#)

C Hartmann, M Hahmann, D Habich, W Lehner - Data Science and Advanced ..., 2017

[Designing K-nearest neighbors model for low voltage load forecasting](#)

O Valgaev, F Kupzog, H Schmeck - Power & Energy Society General Meeting, 2017 ..., 2017

[See all recommendations](#)

Stand on the shoulders of giants

[Go to Google Scholar](#)

Use Google Scholar for more than searching



My profile



My library



Google Scholar



Articles



Case law

New! Quickly flip through papers on your phone

Recommended articles

CSAR: The cross-sectional autoregression model

C Hartmann, M Hahmann, D Habich, W Lehner - Data Science and Advanced ..., 2017

Designing K-nearest neighbors model for low voltage load forecasting

O Valgaev, F Kupzog, H Schmeck - Power & Energy Society General Meeting, 2017 ..., 2017

[See all recommendations](#)

Stand on the shoulders of giants

[Go to Google Scholar](#)

Outline

- 1 References
- 2 Languages and editors
- 3 Reproducibility & version control
- 4 Writing a paper or thesis
- 5 Getting published
- 6 Reviewer reports
- 7 Writing grant applications
- 8 Writing industry and media reports

L^AT_EX

To install:

- Download MikTeX, MacTeX or TeXlive.

Document processing

- ➔ Free and open-source
- ➔ Available on all operating systems
- ➔ Used by every mathematical publisher
- ➔ Separate content from style
- ➔ Format complex equations
- ➔ Automatic numbering
- ➔ Automatic bibliography
- ➔ Monash thesis template available

RMarkdown

My Thesis

A thesis submitted for the degree of
Bachelor of Commerce (Honours)

by

Sarah Baggart



Department of Econometrics and Business Statistics

Monash University
Australia

April 2017

RMarkdown


- ➔ Combines R and LaTeX into one system
- ➔ Reproducible research
- ➔ Monash PhD template
- ➔ Monash working paper template
- ➔ Templates for most statistics journals
- ➔ Mandatory for my students

Microsoft Word



Microsoft Word

- Impossible to do proper version control
- Poor formatting of equations
- Impossible to make reproducible
- More difficult to automate cross-referencing, numbering
- Files more likely to be corrupted



Editors

Find a good text editor and learn how to use it.

- regex search and replace
- spell checking
- syntax highlighting
- linting

Some good editors

- ➞ Sublimetext
- ➞ Atom
- ➞ RStudio
- ➞ TeXstudio

Outline

- 1 References
- 2 Languages and editors
- 3 Reproducibility & version control**
- 4 Writing a paper or thesis
- 5 Getting published
- 6 Reviewer reports
- 7 Writing grant applications
- 8 Writing industry and media reports

Reproducibility

Not reproducible:

- Data edited in a spreadsheet
- Click and point analysis
- Copy and paste graphs and tables
- Tables typed by hand

Reproducible

- All data edits scripted
- All analysis scripted
- Graphs and tables automatically pulled in to the document
- Tables generated with scripts



Reproducibility

Someone should be able to reproduce your document without having to guess what software you had installed, what versions, which files do what, etc.

Reproducibility

Someone should be able to reproduce your document without having to guess what software you had installed, what versions, which files do what, etc.

- Stay organized.
- Your documents should be in *self-contained* repositories including bib files, Rmd/tex files.
- Be kind to future you. You will have amnesia.
- Track software versions

Reproducibility

Someone should be able to reproduce your document without having to guess what software you had installed, what versions, which files do what, etc.

- Stay organized.
- Your documents should be in *self-contained* repositories including bib files, Rmd/tex files.
- Be kind to future you. You will have amnesia.
- Track software versions

```
{r setup, include=FALSE}
knitr::opts_chunk$set(echo=FALSE)
writeLines(capture.output(sessionInfo()),
           "sessionInfo.txt")
```

Version control


I HEARD YOU DON'T USE VERSION CONTROL



I ALSO LIKE TO LIVE DANGEROUSLY


Version control

- `thesis_v1`, `thesis_v2`, etc., is not adequate version control.
- You need to track changes over time, have a *remote* repository, and be able to roll back as required.
- Your repository should contain *everything* required to produce your document including computer code, references, writing.
- Your repository should have an obvious structure and be fully documented.
- **Github** solves these problems
- Read “Happy git with R”: happygitwithr.com



Version control with git

- RStudio integrates with github, so version control is built in.
- But github can be used with *any* text-based language including Matlab, Stata, Python, LaTeX, R, Rmarkdown, markdown, etc.
- Git allows you to:
 - track changes
 - experiment in branches
 - undo
- Github provides:
 - backup and restore
 - synchronisation



Outline

- 1 References
- 2 Languages and editors
- 3 Reproducibility & version control
- 4 Writing a paper or thesis**
- 5 Getting published
- 6 Reviewer reports
- 7 Writing grant applications
- 8 Writing industry and media reports

Names and titles

- Your name is your brand. Choose one and stick to it.

Names and titles

- Your name is your brand. Choose one and stick to it.
- Titles should be informative, short and catchy (in that order).

Names and titles

- Your name is your brand. Choose one and stick to it.
- Titles should be informative, short and catchy (in that order).
 - Optimal forecast reconciliation for hierarchical and grouped time series through trace minimization
 - Exploring the sources of uncertainty: why does bagging for time series forecasting work?
 - Do levels of airborne grass pollen influence asthma hospital admissions?
 - Unmasking the Theta method
 - I am not an econometrician

Names and titles

- Your name is your brand. Choose one and stick to it.
- Titles should be informative, short and catchy (in that order).
 - Optimal forecast reconciliation for hierarchical and grouped time series through trace minimization
 - Exploring the sources of uncertainty: why does bagging for time series forecasting work?
 - Do levels of airborne grass pollen influence asthma hospital admissions?
 - Unmasking the Theta method
 - I am not an econometrician
- Some journals don't like imaginative titles.

Who should be listed as an author?

Monash authorship policy

... in all cases authorship must be based on making a substantial intellectual contribution to the work described and taking sole or joint responsibility for that contribution or, where appropriate, the work as a whole. Accordingly, authorship must be based upon a substantial contribution and responsibility for at least one, and usually more than one, of the following activities:

- Conception and design of the project;
- Analysis and interpretation of research data;
- Drafting significant parts of the work or critically revising it so as to contribute to the interpretation.

Who should be listed as an author?

Unacceptable inclusions of authorship

- Being head of department, holding other positions of authority, or personal friendship with the authors;
- Providing a routine technical contribution;
- Providing routine assistance in some aspects of the project;
- Acquisition of funding;
- General supervision of the research team;
- Providing data that has already been published or materials obtained from third parties (including the routine collation and provision of research source material).

Who should be listed as an author?

Unacceptable inclusions of authorship

- Being head of department, holding other positions of authority, or personal friendship with the authors;
- Providing a routine technical contribution;
- Providing routine assistance in some aspects of the project;
- Acquisition of funding;
- General supervision of the research team;
- Providing data that has already been published or materials obtained from third parties (including the routine collation and provision of research source material).

Acknowledge everyone who helped but is not an author.

Writing an abstract

- 1 What did you do?
- 2 Why did you do it? What question were you trying to answer?
- 3 How did you do it? State your methods.
- 4 What did you learn? State your major results.
- 5 Why does it matter? Point out at least one significant implication.

Original Article

Visualizing statistical models: Removing the blindfold

Abstract

Visualization can help in model building, diagnosis, and in developing an understanding about how a model summarizes data. This paper proposes three strategies for visualizing statistical models: (i) display the model in the data space, (ii) look at all members of a collection, and (iii) explore the process of model fitting, not just the end result. Each strategy is accompanied by examples, including MANOVA, classification algorithms, hierarchical clustering, ensembles of linear models, projection pursuit, self-organizing maps, and neural networks.

Writing an abstract



International Journal of Forecasting

Volume 23, Issue 2, April–June 2007, Pages 189–203



- 1 What did you do?
- 2 Why did you do it?
What question were you trying to answer?
- 3 How did you do it?
State your methods.
- 4 What did you learn?
State your major results.
- 5 Why does it matter?
Point out at least one

Bias in macroeconomic forecasts

Roy Batchelor 

 Show more

<https://doi.org/10.1016/j.ijforecast.2007.01.004>

[Get rights and content](#)

Abstract


This paper documents the presence of systematic bias in the real GDP and inflation forecasts of private sector forecasters in the G7 economies in the years 1990–2005. The data come from the monthly Consensus Economics forecasting service, and bias is measured and tested for significance using parametric fixed effect panel regressions and nonparametric tests on accuracy ranks. We examine patterns across countries and forecasters to establish whether the bias reflects the inefficient use of information, or whether it reflects a rational response to financial, reputational and other incentives operating for forecasters. In several G7 countries – Japan, Italy, Germany and France – there is evidence of a change in the trend growth rate. In these circumstances, standard tests for rationality are inappropriate, and a bias towards optimism in the consensus forecast is inevitable as rational forecasters learn about the new trend. In all countries there is evidence that individual forecasters converge on the consensus forecast too slowly. However, the persistent optimism of some forecasters, and the persistent pessimism of others, is not consistent with the predictions of models of “rational bias” that have become popular in the finance and economics literature.

Writing an abstract

- Should be a stand-alone summary. It is the only thing most people will read.
- No references or citations.
- Write in the past tense.
- Be explicit, precise and concise.
- Stick to a single paragraph.
- Restrict background information to a sentence or two at most.
- Make sure that your abstract is consistent with what you reported in the paper.
- Write the abstract last


How to write a lot

- Block out a regular writing time (e.g., 2 hours every morning).
- Write something every day.
- Set a word or paragraph goal for each session.
- Practice makes perfect better.
- Writing clarifies thinking.
- Build on a scaffold.



Excuses

- There's not enough time
- I need to read more articles before I begin
- I need a new computer, a better printer, etc.
- I'm waiting for inspiration




Words to avoid

According to Andrew Gelman

- Note that
- Interestingly
- It is interesting to note that
- Obviously
- It is clear that
- very
- quite
- of course
- Notice that

Plagiarism



- Never plagiarise from other papers — not even sentence fragments. Use your own words.
- Don't plagiarise from your own papers either.

Outline

- 1 References
- 2 Languages and editors
- 3 Reproducibility & version control
- 4 Writing a paper or thesis
- 5 Getting published**
- 6 Reviewer reports
- 7 Writing grant applications
- 8 Writing industry and media reports

Finding the right journal

ANTARCTICA JOURNAL OF MATHEMATICS

INTERNET DEVELOPMENT SOCIETY OF PURE AND APPLIED MATHEMATICS AND STATISTICS

Submit your papers either in Msword or pdf two copies to the following two emails

"mkrsvveerakumar@yahoo.com" and

"mkrsvveerakumar@gmail.com" Mobile: 9849569109 (Andhra

Pradesh) Isd+91 / Outside Andhra Pradesh, kindly prefix 0

A peer reviewed journal

International Standard Serial Number: ISSN 0972-8643

Antarctica Journal of Mathematics publishes original research papers in all branches of Mathematics (including computer science & statistics).

Page Charges : \$4(Non Indianas) Rs.150(Indians)

[CLICK TO DONATE](#)

[INSTRUCTIONS TO AUTHORS](#)

[Buy an Article](#)

[VIEW THIS JOURNAL ONLINE](#)

[Download Instructions\(New Authors\)](#)

[Software](#)

[Text Books](#)

[SUBSCRIPTION DETAILS](#)

[EDITORIAL BOARD](#)


[ABSTRACTS](#)

[Academic](#)

- Beware of academic phishing!
- Consider journals of papers you cite.
- Check impact factors and journal rankings.
- Aim as high as possible, but be realistic.

How do journals work?

Editor-in-Chief
Editors
Associate Editors
Reviewers



How do journals work?

Editor-in-Chief


Editors

Associate Editors

Reviewers

Possible outcomes

- 1 Accept
- 2 Revise and resubmit
- 3 Reject and resubmit
- 4 Reject



Submitting to journals

- Don't be too fussed about journal styles. Most journals are much more lenient than the guide to authors suggests.
- Use biblatex which makes it easy to change bibliographic styles if necessary.
- Don't bother with long cover letters.
- Don't grovel.
- Check the submission when requested.

An IJF rejection letter

Thank you for this submission, but as it consists entirely of the IJF author guidelines, it is not suitable for publication in the IJF. We publish original research, not author guidelines. Perhaps the *Journal for Guidelines* would be an appropriate outlet.

In future, when you are asked to check the pdf of your paper, you might find it useful to actually do so, rather than just claim to have done so. That way, you will avoid this kind of mistake.

Common reasons for rejection at the IJF

- Sending it to the wrong journal.
- Poor literature review
- No new ideas
- Limited empirical evaluation
- Outrageous claims

Outline

- 1 References
- 2 Languages and editors
- 3 Reproducibility & version control
- 4 Writing a paper or thesis
- 5 Getting published
- 6 Reviewer reports
- 7 Writing grant applications
- 8 Writing industry and media reports

Dealing with reviewer reports

- Put the reviews aside for a couple of days until you calm down.
- Poor reviews indicate poor editors.
- The best journals have the best reviewers.
- If the reviewers misunderstood your paper, then it is not explained clearly enough.
- Unless you strongly disagree, do what the reviewers have requested.
- Make the changes, even if the paper has been rejected and you are sending it to a new journal.

Writing responses to reviewer reports

If the journal allows a resubmission, you need to write a response to the reviewers.

Author responses to Associate Editor comments

1. In Section 2.1: the notion of a reconciliation matrix P is introduced. This will not be clear to a majority of the readership of JASA. I suggest that a specific example of P . I would also like to see an expanded discussion of the remark that “ $SPS = S$ is required for unbiased forecasts”. This would be helpful to the general readership. Its not obvious (at least, not to me). It also seems to be important since it was used in page 5 to explain why Σ_h is not identifiable.

We have now included on page 7 examples for two choices of P which lead to the commonly used bottom-up and top-down approaches and a detailed explanation as to why $SPS = S$ is required for unbiased reconciled forecasts assuming that the base forecasts are unbiased.

2. On Equation (2) [now (3)]: What conditions do we need about dependence between y_1, \dots, y_T and ε_h ? Is Σ_h the unconditional covariance matrix of ε_h or is it the conditional covariance (given y_1, \dots, y_T)? Of course both will be equivalent under independence between ε_h and y_1, \dots, y_T .

It is assumed that ε_h is independent of observations y_1, \dots, y_T . We explicitly state this now right after equation (3).

3. From the definition of W_h in Lemma 1, the errors in Equations (5) and (6) have mean 0. How is this expectation computed? Is this conditional on y_1, \dots, y_T ?

As you have correctly anticipated, in Equations (5) and (6) errors have mean zero as the

Writing responses to reviewer reports

If the journal allows a resubmission, you need to write a response to the reviewers.

- No grovelling
- Cut and paste reviewer comments into response, then add your own comments beneath in a different colour/font.
- Give page/paragraph numbers for all changes.
- Respond to *all* the points with a simple but specific explanation of what you have done.
- If you strongly disagree, you need to persuade the editor (not the reviewer) of your perspective.
- Exception: bad editors sometimes act as rubber stamps for reviewers.
- Keep your response as short as possible. Respect the editor's time.

Becoming a reviewer

- 1 Write good articles
- 2 Get them published



Becoming a reviewer

- 1 Write good articles
- 2 Get them published



Why review?

- You learn a lot.
- You get better known by the research leaders in your area.
- You get to see the latest research before everyone else.
- The scholarly publishing system depends on it.

Writing a good review

- 1 What is the paper about?
- 2 What is the gap that it is trying to solve?
- 3 How does it address the gap? Do the methods/theory work, check what is promised
- 4 What sort of application is discussed? Is it contemporary, and interesting data problem, or data pulled from another paper, and a bit tired?
- 5 How well does the title/abstract describe the main contributions of the paper?
- 6 Is the introduction readable? If you have trouble understanding the problem from the intro there will be many other readers in the same situation
- 7 Is the solution original? Are there other published papers on the same problem? Have they been cited appropriately? Are they missing major existing work?

Writing a good review

- 1 Provide a general summary of the paper and its contribution.
 - 2 Describe the major problems that need addressing.
 - 3 List minor corrections required.
- Do not include a recommendation about whether to publish in the report itself.
 - Be the reviewer you would like to have.

Outline

- 1 References
- 2 Languages and editors
- 3 Reproducibility & version control
- 4 Writing a paper or thesis
- 5 Getting published
- 6 Reviewer reports
- 7 Writing grant applications**
- 8 Writing industry and media reports

Writing grant applications

- Read the guidelines and rules and follow them.
- Read successful grant applications in area.
- Grab attention in the first paragraph
- Clearly specify aims
- Sell the project — why should someone spend money on you?
- Be clear and succinct
- Write for a non-expert audience. Decision-makers probably not in your research field.
- Explain project management and timelines
- Demonstrate credibility
- Explain role of every person on the grant and why they are needed.
- Build partnerships
- Ensure budget is realistic and justifiable.
- Allow time for many drafts.
- Find peers to review it.

Outline

- 1 References
- 2 Languages and editors
- 3 Reproducibility & version control
- 4 Writing a paper or thesis
- 5 Getting published
- 6 Reviewer reports
- 7 Writing grant applications
- 8 Writing industry and media reports

Industry reports

- Reproducibility is crucial. The data will likely change several times during the project.
- Fully document what you did.
- Write in layers:
 - 1 Executive summary
 - 2 Introduction
 - 3 Body of report
 - 4 Appendices

Each layer provides more details.

- Most people will only read the executive summary.
- Highlight recommendations in the first few pages.
- Remember the readers may not be experts.
- Include contact information somewhere.

Media reports

- Find a headline hook
- Write in layers
 - 1 Headline
 - 2 First paragraph provides a summary
 - 3 Next paragraphs provide more detail
 - 4 Finish with contact information
- Inverted pyramid style: details in descending order of importance.
- Avoid jargon, cliches and slang.
- Don't over-simplify
- Don't claim more than is true.
- Ask your media office for help.

Slides and resources

robjhyndman.com/seminars/Writing