

# Outline

#### **STL Features**

### Strength of seasonality and trend

# STL decomposition

$$y_t = T_t + S_t + R_t$$

# Seasonal strength

$$\max\left(0,1-\frac{\operatorname{Var}(R_t)}{\operatorname{Var}(S_t+R_t)}\right)$$

## Trend strength

$$\max\left(0,1-\frac{\operatorname{Var}(R_t)}{\operatorname{Var}(T_t+R_t)}\right)$$

#### **STL Features**

#### Strength of seasonality and trend

## STL decomposition

$$y_t = T_t + S_t + R_t$$

## **Seasonal strength**

$$\max\left(0, 1 - \frac{\operatorname{Var}(R_t)}{\operatorname{Var}(S_t + R_t)}\right)$$

## **Trend strength**

$$\max \left(0, 1 - \frac{\text{Var}(R)}{\text{Var}(T_t + \frac{\text{Holidays more seasonal than other travel.}}{\text{WA has strongest trends.}}\right)$$

#### **STL Features**

#### Strength of seasonality and trend

## STL decomposition

$$y_t = T_t + S_t + R_t$$

## Seasonal strength

$$\max\left(0, 1 - \frac{\operatorname{Var}(R_t)}{\operatorname{Var}(S_t + R_t)}\right)$$

## **Trend strength**

$$\max \left(0, 1 - \frac{\text{Var}(R)}{\text{Var}(T_t + \frac{\text{Holidays more seasonal than other travel.}}{\text{WA has strongest trends.}}\right)$$


## **Lab Session 9**

#### **Lab Session 9**


- Use GGally::ggpairs() to look at the relationships between the STL-based features. You might wish to change seasonal\_peak\_year and seasonal\_trough\_year to factors.
- Which is the peak quarter for holidays in each state?

## **Feature extraction and statistics**

# Dimension reduction for features



# Dimension reduction for features



# **Lab Session 10**

#### **Lab Session 10**

- Use a feature-based approach to look for outlying series in PBS.
- What is unusual about the series you identify as outliers?