

Forecast reconciliation

4. Temporal & cross-temporal forecast reconciliation

Rob J Hyndman



MONASH University

Photo by Edvard Alexander Rølvaag on Unsplash

robjhyndman.com/fr2023


Outline

1 Cross-temporal probabilistic forecast reconciliation


Notation reminder

- Data: $\mathbf{y}_t = \mathbf{S}\mathbf{b}_t$ where \mathbf{S} is a summing matrix and \mathbf{b}_t is a vector of disaggregated time series
- Base forecasts: $\hat{\mathbf{y}}_{T+h|T}$
- Reconciled forecasts: $\tilde{\mathbf{y}}_{T+h|T} = \mathbf{S}\mathbf{G}\hat{\mathbf{y}}_{T+h|T}$
- MinT: $\mathbf{G} = (\mathbf{S}'\mathbf{W}_h^{-1}\mathbf{S})^{-1}\mathbf{S}'\mathbf{W}_h^{-1}$ where \mathbf{W}_h is covariance matrix of base forecast errors.


Temporal reconciliation



Temporal reconciliation



Temporal reconciliation



- Forecast series at each available frequency.
- Optimally combine forecasts within the same

Temporal reconciliation

For a time series y_1, \dots, y_T , observed at frequency m , we generate aggregate series

$$y_j^{[k]} = \sum_{t=1+(j-1)k}^{jk} y_t, \quad \text{for } j = 1, \dots, [T/k]$$

- $k \in F(m) = \{\text{factors of } m\}$.
- A single unique hierarchy is only possible when there are no coprime pairs in $F(m)$.
- $M_k = m/k$ is seasonal period of aggregated series.
- Proposed by Athanasopoulos, Hyndman, Kourentzes, Petropoulos (*EJOR*, 2017)

Cross-temporal reconciliation

- Kourentzes, Athanasopoulos (ATR, 2019)
- Punia, Singh, Madaan (C&IE, 2020)
- Di Fonzo, Girolimetto (2020)

Cross-temporal reconciliation

- Kourentzes, Athanasopoulos (ATR, 2019)
- Punia, Singh, Madaan (C&IE, 2020)
- Di Fonzo, Girolimetto (2020)

ISF talks coming up!

- ➡ Mitch O'Hara-Wild: *Probabilistic cross-temporal hierarchies in fable* (in about 3 hours)
- ➡ Tommi Di Fonzo: *Non-negative cross-temporal forecast reconciliation. An application to the Australian domestic tourism flows* (in about 11 hours).

Thief

- thief paper

Daniele and Tommy's papers

Outline

1 Cross-temporal probabilistic forecast reconciliation

Cross-temporal probabilistic forecast reconciliation

Thanks!



More information

 robjhyndman.com/fr2023

 robjhyndman.com

 @robjhyndman

 aus.social/@robjhyndman

 @robjhyndman

 rob.hyndman@monash.edu

References

-  Athanasopoulos, G, RJ Hyndman, N Kourentzes, and F Petropoulos (2017). Forecasting with temporal hierarchies. *European J Operational Research* **262**(1), 60–74.
-  Di Fonzo, T and D Girolimetto (2023). Cross-temporal forecast reconciliation: Optimal combination method and heuristic alternatives. *International Journal of Forecasting* **39**(1), 39–57.