

NAME: _____

PERIOD: _____

DATE: _____

Counts or Conditional Percents?

AP Statistics · Unit 2 · Topic 2.1 · B: 2026-10-15 · E: 2026-10-19

[STAR] TODAY'S PROBLEM

Suppose a counselor records whether each of 200 students plays a school sport and whether the student usually gets at least 8 hours of sleep on a school night.

Kai: *Seventy-five nonathletes but only 35 athletes get at least 8 hours, so playing a sport goes with less sleep.*

Rosa: *Those counts compare groups of different sizes; 35 out of 50 may tell a different story from 75 out of 150.*

Usual sleep on a school night

Sport?	≥ 8 h	< 8 h	Total
Plays	35	15	50
Does not	75	75	150
Total	110	90	200

FIRST TAKE — before we discuss (5 min)

Which student's reasoning seems more useful for deciding whether sport participation and sleep are related? Name one table detail.

[BOOK] COMPARE WITHIN GROUPS (keep on the page)

A **two-way table** records combinations of two categorical variables. A raw count answers *how many*; it does not by itself answer *how likely within a group*. To compare groups of different sizes, compute a **conditional relative frequency**: cell count $\div$ total for that row or column. If the conditional distributions differ, the variables appear associated. Association from observed data does not by itself establish cause.

Work (a)–(c) from the rules box:

DOK 1 (a) Name the two categorical variables.

DOK 2 (b) Find the percent who get at least 8 hours of sleep in each sport group. Show the two fractions.

DOK 3 (c) Whose reasoning is better supported? Use both percentages and explain why comparing 75 with 35 can mislead. State whether this table shows that playing a sport causes more sleep. Write 3–4 sentences.

Frame: The variables appear _____ because _____% of athletes versus _____% of nonathletes _____.

Frame: The 75-to-35 comparison misleads because _____, and the table cannot establish cause because _____.

EXIT — turn this in

One thing the rules box changed about my first take: _____