

Interpreting a Chi-Square Result

AP Statistics · Unit 3 · Topic 3.15 · B: 2027-01-04 · E: 2027-02-08 · TEACHER KEY

CED TETHER

- **Skill 3.E** — Calculate a test statistic and find a p-value, provided conditions for inference are met.
- **Skill 4.B** — Interpret statistical calculations and findings to assign meaning or assess a claim.
- **Skill 4.E** — Justify a claim using a decision based on significance tests.
- **EU VAR-8** — The chi-square distribution may be used to model variation.
- **EU DAT-3** — Significance testing allows us to make decisions about hypotheses within a particular context.
- **LO VAR-8.L** — Calculate the appropriate statistic for a chi-square test for homogeneity or independence. [Skill 3.E]
- **EK VAR-8.L.1** — The appropriate test statistic for a chi-square test for homogeneity or independence is the chi-square statistic: $\chi^2 = \sum (\text{Observed count} - \text{Expected count})^2 / \text{Expected count}$, with degrees of freedom equal to $(\text{number of rows} - 1)(\text{number of columns} - 1)$.
- **LO VAR-8.M** — Determine the p-value for a chi-square significance test for independence or homogeneity. [Skill 3.E]
- **EK VAR-8.M.1** — The p-value for a chi-square test for independence or homogeneity for a number of degrees of freedom is found using the appropriate table or technology.
- **EK VAR-8.M.2** — For a test of independence or homogeneity for a two-way table, the p-value is the proportion of values in a chi-square distribution with appropriate degrees of freedom that are equal to or larger than the test statistic.
- **LO DAT-3.K** — Interpret the p-value for the chi-square test for homogeneity or independence. [Skill 4.B]
- **EK DAT-3.K.1** — An interpretation of the p-value for the chi-square test for homogeneity or independence is the probability, given the null hypothesis and probability model are true, of obtaining a test statistic as, or more, extreme than the observed value.
- **LO DAT-3.L** — Justify a claim about the population based on the results of a chi-square test for homogeneity or independence. [Skill 4.E]
- **EK DAT-3.L.1** — A decision to either reject or fail to reject the null hypothesis for a chi-square test for homogeneity or independence is based on comparison of the p-value to the significance level, α .
- **EK DAT-3.L.2** — The results of a chi-square test for homogeneity or independence can serve as the statistical reasoning to support the answer to a research question about the population that was sampled (independence) or the populations that were sampled (homogeneity).

Essential question: How do cell contributions and study design control what a significant chi-square result permits us to say?

DOK-3 skill: 4.B · **FRQ pattern:** scaled-cell-evidence-and-scope

DOK rationale: Part (c) coordinates scaled cell evidence, the overall p-value, sampling scope, and causal limits to adjudicate two accounts and trace both consequences of the rejected reasoning.

Do Now (first take) → Explore (video + follow-along) → Exit (finish + turn in) DOK: 1
→ 3 **Minutes: 45**

Teacher does

- Display the board and ask for one sentence using the study description.
- Begin the 8.6 video follow-along at minute 5.

- Return to the board at minute 33. Students finish the shortened parts and justify their judgment.
- Collect at the door. Score part (c) only using the three required elements.

Students do

- Write a one-sentence first take before the video.
- Complete the video follow-along worksheet.
- Finish (a)–(c), revise the first take in the exit line, and turn in the sheet.

Questions to ask

- Which specific number or study detail supports your choice?
- What claim would go beyond the evidence, and why?

Adult role

Circulate and ask for evidence. Accept a concise response; do not require omitted calculations or a second full inference write-up.

[WARN] WATCH FOR

- Choosing a speaker without a reason.
- Copying numbers without explaining what they support.

SCORING PART (c) — E / P / I

Expected elements

- **cell-comparison** (required) — Uses $9.4239 > 6.5761$ to explain why raw gaps alone do not determine contribution
- **population-conclusion** (required) — Uses $p < 0.05$ to conclude association in the 6,000-cardholder population
- **causal-limit** (required) — Explains why chosen methods leave other personal differences as possible causes

E	Justifies the scaled-cell comparison, gives a threshold-based population association conclusion, and explains the causal limit.
P	Shows substantive valid reasoning for at least one required element, but does not meet all E requirements. Credit correct reasoning even when another claim is wrong.
I	Shows no substantive valid reasoning for any required element; a name, unsupported choice, or copied number alone does not count.

[STAR] TODAY'S PROBLEM — annotated

Suppose a city library takes an SRS of 240 of its 6,000 active adult cardholders. It records each person's chosen notification method and whether the person returned an item late in the previous six months.

Nia: "Email/Late has the largest raw gap, 13.75; I think that cell drives the statistic and the result shows email prevents late returns."

Omar: "Expected counts differ, so raw gaps may not settle cell influence. I would calculate contributions and examine how notification methods were obtained before interpreting."

Late returns

Method	Late	Not late	Total
Email	15	85	100
Text	24	56	80
None	30	30	60
Total	69	171	240

FIRST TAKE (5 min)

Can this study show that choosing email causes fewer late returns? Give one reason from how the study was done.

Key: Ungraded. Everyday language is enough before the video; formal vocabulary belongs in the finish.

Rules callout "SCALE EACH GAP, THEN BOUND THE CONCLUSION (keep on the page)" is printed on the student sheet.

DOK 1 (a) State the degrees of freedom, excluding the totals row and column.

Key: $df = (3 - 1)(2 - 1) = 2$.

DOK 2 (b) Expected counts are 28.75 for Email/Late and 17.25 for None/Late. Calculate these two contributions using $(O - E)^2/E$.

Key: Email/Late: $(15 - 28.75)^2/28.75 = 6.5761$. None/Late: $(30 - 17.25)^2/17.25 = 9.4239$.

DOK 3 (c) Technology gives $\chi^2 = 22.5172$ and $p = 0.0000129$. In 3–4 sentences, judge the accounts: compare the two contributions, use $\alpha = 0.05$ for a population conclusion, and explain why the study does not show prevention.

Key: Omar is justified: None/Late contributes 9.4239, more than Email/Late's 6.5761, even though its raw gap is smaller. Dividing by the different expected counts changes the comparison. Since $0.0000129 < 0.05$, reject no association and conclude that chosen method and late return are associated among the 6,000 active adult cardholders. Methods were chosen rather than randomly assigned, so other differences among people could explain the association; email is not shown to prevent late returns.

EXIT

One thing the video changed about my first take: _____