


NTP Stress Test Results for 192.168.1.214



Concurrent Requests	Total Requests	Requests/Second	Successes	Failures	Losses	Success Rate	Successful Requests/Second	Started	Ended
0	94,486	18,897.20	91,994	0	2,492	97.36%	18,398.80	2026-09-13 12:42:07 PM	2026-09-13 12:42:22 PM
1	95,147	19,029.40	91,645	0	3,502	96.32%	18,329.00	2026-09-13 12:42:23 PM	2026-09-13 12:42:38 PM
2	95,396	19,079.20	91,641	0	3,755	96.06%	18,328.20	2026-09-13 12:42:39 PM	2026-09-13 12:42:54 PM
3	95,533	19,106.60	91,653	0	3,880	95.94%	18,330.60	2026-09-13 12:42:55 PM	2026-09-13 12:43:10 PM
4	95,549	19,109.80	91,548	0	4,001	95.81%	18,309.60	2026-09-13 12:43:11 PM	2026-09-13 12:43:26 PM
5	95,018	19,003.60	91,535	0	3,483	96.33%	18,307.00	2026-09-13 12:43:27 PM	2026-09-13 12:43:42 PM
6	95,699	19,139.80	91,499	0	4,200	95.61%	18,299.80	2026-09-13 12:43:43 PM	2026-09-13 12:43:58 PM
7	95,607	19,121.40	91,528	0	4,079	95.73%	18,305.60	2026-09-13 12:43:59 PM	2026-09-13 12:44:14 PM
8	95,009	19,001.80	90,757	0	4,252	95.52%	18,151.40	2026-09-13 12:44:15 PM	2026-09-13 12:44:30 PM
9	95,511	19,102.20	91,295	0	4,216	95.59%	18,259.00	2026-09-13 12:44:31 PM	2026-09-13 12:44:47 PM
10	94,915	18,983.00	90,679	0	4,236	95.54%	18,135.80	2026-09-13 12:44:48 PM	2026-09-13 12:45:03 PM
11	95,391	19,078.20	91,128	0	4,263	95.53%	18,225.60	2026-09-13 12:45:04 PM	2026-09-13 12:45:19 PM
12	95,010	19,002.00	90,754	0	4,256	95.52%	18,150.80	2026-09-13 12:45:20 PM	2026-09-13 12:45:35 PM
13	95,434	19,086.80	91,270	0	4,164	95.64%	18,254.00	2026-09-13 12:45:36 PM	2026-09-13 12:45:51 PM
14	94,236	18,847.20	90,118	0	4,118	95.63%	18,023.60	2026-09-13 12:45:52 PM	2026-09-13 12:46:08 PM
15	94,852	18,970.40	90,598	0	4,254	95.52%	18,119.60	2026-09-13 12:46:09 PM	2026-09-13 12:46:24 PM

NTP Stress Test Results

Concurrent Requests	Total Requests	Requests/Second	Successes	Failures	Losses	Success Rate	Successful Requests/Second	Started	Ended
16	94,883	18,976.60	90,695	0	4,188	95.59%	18,139.00	2026-09-13 12:46:25 PM	2026-09-13 12:46:40 PM
17	95,206	19,041.20	91,194	0	4,012	95.79%	18,238.80	2026-09-13 12:46:41 PM	2026-09-13 12:46:56 PM
18	95,072	19,014.40	91,089	0	3,983	95.81%	18,217.80	2026-09-13 12:46:57 PM	2026-09-13 12:47:13 PM
19	95,054	19,010.80	91,075	0	3,979	95.81%	18,215.00	2026-09-13 12:47:14 PM	2026-09-13 12:47:29 PM
20	94,481	18,896.20	90,494	0	3,987	95.78%	18,098.80	2026-09-13 12:47:30 PM	2026-09-13 12:47:45 PM
21	94,235	18,847.00	90,350	0	3,885	95.88%	18,070.00	2026-09-13 12:47:46 PM	2026-09-13 12:48:02 PM
22	94,804	18,960.80	90,744	0	4,060	95.72%	18,148.80	2026-09-13 12:48:03 PM	2026-09-13 12:48:18 PM
23	94,729	18,945.80	90,637	0	4,092	95.68%	18,127.40	2026-09-13 12:48:19 PM	2026-09-13 12:48:34 PM
24	94,717	18,943.40	90,789	0	3,928	95.85%	18,157.80	2026-09-13 12:48:35 PM	2026-09-13 12:48:51 PM
25	94,450	18,890.00	90,577	0	3,873	95.90%	18,115.40	2026-09-13 12:48:52 PM	2026-09-13 12:49:07 PM
26	93,958	18,791.60	90,151	0	3,807	95.95%	18,030.20	2026-09-13 12:49:08 PM	2026-09-13 12:49:23 PM
27	94,473	18,894.60	90,705	0	3,768	96.01%	18,141.00	2026-09-13 12:49:24 PM	2026-09-13 12:49:40 PM
28	94,440	18,888.00	90,642	0	3,798	95.98%	18,128.40	2026-09-13 12:49:41 PM	2026-09-13 12:49:56 PM
29	93,575	18,715.00	90,074	0	3,501	96.26%	18,014.80	2026-09-13 12:49:57 PM	2026-09-13 12:50:12 PM
30	94,009	18,801.80	90,214	0	3,795	95.96%	18,042.80	2026-09-13 12:50:14 PM	2026-09-13 12:50:29 PM
31	94,042	18,808.40	90,473	0	3,569	96.20%	18,094.60	2026-09-13 12:50:30 PM	2026-09-13 12:50:45 PM
32	93,701	18,740.20	90,090	0	3,611	96.15%	18,018.00	2026-09-13 12:50:46 PM	2026-09-13 12:51:02 PM
33	93,836	18,767.20	90,447	0	3,389	96.39%	18,089.40	2026-09-13 12:51:03 PM	2026-09-13 12:51:18 PM
34	93,735	18,747.00	90,363	0	3,372	96.40%	18,072.60	2026-09-13 12:51:19 PM	2026-09-13 12:51:35 PM
35	92,806	18,561.20	89,469	0	3,337	96.40%	17,893.80	2026-09-13 12:51:36 PM	2026-09-13 12:51:52 PM
36	93,370	18,674.00	90,153	0	3,217	96.55%	18,030.60	2026-09-13 12:51:53 PM	2026-09-13 12:52:08 PM
37	92,943	18,588.60	89,698	0	3,245	96.51%	17,939.60	2026-09-13 12:52:09 PM	2026-09-13 12:52:24 PM
38	93,542	18,708.40	90,312	0	3,230	96.55%	18,062.40	2026-09-13 12:52:26 PM	2026-09-13 12:52:41 PM
39	92,988	18,597.60	90,068	0	2,920	96.86%	18,013.60	2026-09-13 12:52:42 PM	2026-09-13 12:52:57 PM
40	93,013	18,602.60	90,174	0	2,839	96.95%	18,034.80	2026-09-13 12:52:59 PM	2026-09-13 12:53:14 PM
41	92,279	18,455.80	89,597	0	2,682	97.09%	17,919.40	2026-09-13 12:53:15 PM	2026-09-13 12:53:31 PM
42	92,348	18,469.60	90,170	0	2,178	97.64%	18,034.00	2026-09-13 12:53:32 PM	2026-09-13 12:53:47 PM
43	92,220	18,444.00	89,729	0	2,491	97.30%	17,945.80	2026-09-13 12:53:48 PM	2026-09-13 12:54:04 PM
44	92,053	18,410.60	89,430	0	2,623	97.15%	17,886.00	2026-09-13 12:54:05 PM	2026-09-13 12:54:20 PM
45	92,512	18,502.40	90,105	0	2,407	97.40%	18,021.00	2026-09-13 12:54:21 PM	2026-09-13 12:54:37 PM

NTP Stress Test Results

Concurrent Requests	Total Requests	Requests/Second	Successes	Failures	Losses	Success Rate	Successful Requests/Second	Started	Ended
46	91,529	18,305.80	89,228	0	2,301	97.49%	17,845.60	2026-09-13 12:54:38 PM	2026-09-13 12:54:54 PM
47	91,700	18,340.00	89,323	0	2,377	97.41%	17,864.60	2026-09-13 12:54:55 PM	2026-09-13 12:55:10 PM
48	91,398	18,279.60	88,985	0	2,413	97.36%	17,797.00	2026-09-13 12:55:11 PM	2026-09-13 12:55:27 PM
49	91,342	18,268.40	89,099	0	2,243	97.54%	17,819.80	2026-09-13 12:55:28 PM	2026-09-13 12:55:43 PM
50	91,382	18,276.40	89,098	0	2,284	97.50%	17,819.60	2026-09-13 12:55:45 PM	2026-09-13 12:56:00 PM
51	90,808	18,161.60	88,446	0	2,362	97.40%	17,689.20	2026-09-13 12:56:01 PM	2026-09-13 12:56:17 PM
52	90,548	18,109.60	88,473	0	2,075	97.71%	17,694.60	2026-09-13 12:56:18 PM	2026-09-13 12:56:33 PM
53	91,303	18,260.60	87,998	0	3,305	96.38%	17,599.60	2026-09-13 12:56:34 PM	2026-09-13 12:56:50 PM
54	90,630	18,126.00	87,562	0	3,068	96.61%	17,512.40	2026-09-13 12:56:51 PM	2026-09-13 12:57:07 PM
55	90,108	18,021.60	87,948	0	2,160	97.60%	17,589.60	2026-09-13 12:57:08 PM	2026-09-13 12:57:23 PM
56	90,916	18,183.20	87,367	0	3,549	96.10%	17,473.40	2026-09-13 12:57:24 PM	2026-09-13 12:57:40 PM
57	91,006	18,201.20	88,653	0	2,353	97.41%	17,730.60	2026-09-13 12:57:41 PM	2026-09-13 12:57:57 PM
58	90,007	18,001.40	87,570	0	2,437	97.29%	17,514.00	2026-09-13 12:57:58 PM	2026-09-13 12:58:14 PM
59	90,574	18,114.80	87,000	0	3,574	96.05%	17,400.00	2026-09-13 12:58:15 PM	2026-09-13 12:58:30 PM
60	90,359	18,071.80	88,263	0	2,096	97.68%	17,652.60	2026-09-13 12:58:32 PM	2026-09-13 12:58:47 PM
61	90,481	18,096.20	87,729	0	2,752	96.96%	17,545.80	2026-09-13 12:58:48 PM	2026-09-13 12:59:04 PM
62	90,316	18,063.20	87,563	0	2,753	96.95%	17,512.60	2026-09-13 12:59:05 PM	2026-09-13 12:59:21 PM
63	90,496	18,099.20	87,067	0	3,429	96.21%	17,413.40	2026-09-13 12:59:22 PM	2026-09-13 12:59:37 PM
64	90,230	18,046.00	87,739	0	2,491	97.24%	17,547.80	2026-09-13 12:59:39 PM	2026-09-13 12:59:54 PM
65	90,070	18,014.00	87,789	0	2,281	97.47%	17,557.80	2026-09-13 12:59:55 PM	2026-09-13 1:00:11 PM
66	89,836	17,967.20	87,571	0	2,265	97.48%	17,514.20	2026-09-13 1:00:12 PM	2026-09-13 1:00:28 PM
67	89,902	17,980.40	87,743	0	2,159	97.60%	17,548.60	2026-09-13 1:00:29 PM	2026-09-13 1:00:45 PM
68	89,475	17,895.00	87,228	0	2,247	97.49%	17,445.60	2026-09-13 1:00:46 PM	2026-09-13 1:01:02 PM
69	89,513	17,902.60	85,866	0	3,647	95.93%	17,173.20	2026-09-13 1:01:03 PM	2026-09-13 1:01:19 PM
70	89,488	17,897.60	87,098	0	2,390	97.33%	17,419.60	2026-09-13 1:01:20 PM	2026-09-13 1:01:36 PM
71	89,594	17,918.80	86,920	0	2,674	97.02%	17,384.00	2026-09-13 1:01:37 PM	2026-09-13 1:01:53 PM
72	88,835	17,767.00	86,465	0	2,370	97.33%	17,293.00	2026-09-13 1:01:54 PM	2026-09-13 1:02:10 PM
73	89,310	17,862.00	86,635	0	2,675	97.00%	17,327.00	2026-09-13 1:02:11 PM	2026-09-13 1:02:27 PM
74	89,024	17,804.80	86,510	0	2,514	97.18%	17,302.00	2026-09-13 1:02:28 PM	2026-09-13 1:02:44 PM
75	89,193	17,838.60	86,878	0	2,315	97.40%	17,375.60	2026-09-13 1:02:45 PM	2026-09-13 1:03:01 PM

NTP Stress Test Results

Concurrent Requests	Total Requests	Requests/Second	Successes	Failures	Losses	Success Rate	Successful Requests/Second	Started	Ended
76	89,131	17,826.20	85,695	0	3,436	96.15%	17,139.00	2026-09-13 1:03:02 PM	2026-09-13 1:03:17 PM
77	89,085	17,817.00	86,629	0	2,456	97.24%	17,325.80	2026-09-13 1:03:19 PM	2026-09-13 1:03:34 PM
78	88,483	17,696.60	86,671	0	1,812	97.95%	17,334.20	2026-09-13 1:03:36 PM	2026-09-13 1:03:52 PM
79	88,384	17,676.80	86,301	0	2,083	97.64%	17,260.20	2026-09-13 1:03:53 PM	2026-09-13 1:04:09 PM
80	88,214	17,642.80	86,075	0	2,139	97.58%	17,215.00	2026-09-13 1:04:10 PM	2026-09-13 1:04:26 PM
81	88,399	17,679.80	85,864	0	2,535	97.13%	17,172.80	2026-09-13 1:04:27 PM	2026-09-13 1:04:43 PM
82	88,606	17,721.20	86,449	0	2,157	97.57%	17,289.80	2026-09-13 1:04:44 PM	2026-09-13 1:05:00 PM
83	88,755	17,751.00	86,327	0	2,428	97.26%	17,265.40	2026-09-13 1:05:01 PM	2026-09-13 1:05:17 PM
84	88,078	17,615.60	85,667	0	2,411	97.26%	17,133.40	2026-09-13 1:05:18 PM	2026-09-13 1:05:34 PM
85	88,145	17,629.00	85,954	0	2,191	97.51%	17,190.80	2026-09-13 1:05:35 PM	2026-09-13 1:05:51 PM
86	88,351	17,670.20	86,175	0	2,176	97.54%	17,235.00	2026-09-13 1:05:52 PM	2026-09-13 1:06:08 PM
87	88,609	17,721.80	86,401	0	2,208	97.51%	17,280.20	2026-09-13 1:06:09 PM	2026-09-13 1:06:25 PM
88	87,942	17,588.40	85,586	0	2,356	97.32%	17,117.20	2026-09-13 1:06:26 PM	2026-09-13 1:06:42 PM
89	88,137	17,627.40	86,022	0	2,115	97.60%	17,204.40	2026-09-13 1:06:43 PM	2026-09-13 1:06:59 PM
90	87,379	17,475.80	85,222	0	2,157	97.53%	17,044.40	2026-09-13 1:07:01 PM	2026-09-13 1:07:17 PM
91	87,930	17,586.00	85,699	0	2,231	97.46%	17,139.80	2026-09-13 1:07:18 PM	2026-09-13 1:07:34 PM
92	87,788	17,557.60	85,528	0	2,260	97.43%	17,105.60	2026-09-13 1:07:35 PM	2026-09-13 1:07:51 PM
93	87,408	17,481.60	84,533	0	2,875	96.71%	16,906.60	2026-09-13 1:07:52 PM	2026-09-13 1:08:08 PM
94	87,328	17,465.60	84,946	0	2,382	97.27%	16,989.20	2026-09-13 1:08:09 PM	2026-09-13 1:08:25 PM
95	87,971	17,594.20	85,059	0	2,912	96.69%	17,011.80	2026-09-13 1:08:27 PM	2026-09-13 1:08:42 PM
96	87,185	17,437.00	83,609	0	3,576	95.90%	16,721.80	2026-09-13 1:08:44 PM	2026-09-13 1:09:00 PM
97	85,788	17,157.60	83,109	0	2,679	96.88%	16,621.80	2026-09-13 1:09:01 PM	2026-09-13 1:09:17 PM
98	87,169	17,433.80	84,753	0	2,416	97.23%	16,950.60	2026-09-13 1:09:18 PM	2026-09-13 1:09:34 PM
99	87,127	17,425.40	84,737	0	2,390	97.26%	16,947.40	2026-09-13 1:09:35 PM	2026-09-13 1:09:51 PM
100	86,725	17,345.00	84,258	0	2,467	97.16%	16,851.60	2026-09-13 1:09:52 PM	2026-09-13 1:10:08 PM

Options: Test mode: Paced; Test duration: 5 seconds; Max requests/second: 19,500

Key results: Minimum Successful Requests/Second 16,621.80; Maximum Successful Requests/Second 18,398.80

Notes:

Tested against ESP32TimeServer running on a Waveshare ESP32-P4-WIFI6-POE-ETH

Time Server Port: 123

Tests started: 2026-09-13 12:42:07 PM Ended: 2026-09-13 1:10:08 PM