


NTP Stress Test Results for 192.168.1.24



Concurrent Requests	Total Requests	Requests / Sec.	Successes	Failures	Success Rate	Started	Ended
0	22,103	4,416.82	22,103	0	100.00%	2026-09-06 10:14:28 AM	2026-09-06 10:14:34 AM
1	37,623	7,506.31	37,623	0	100.00%	2026-09-06 10:14:35 AM	2026-09-06 10:14:41 AM
2	45,974	9,182.96	45,974	0	100.00%	2026-09-06 10:14:42 AM	2026-09-06 10:14:48 AM
3	50,806	10,159.26	50,806	0	100.00%	2026-09-06 10:14:49 AM	2026-09-06 10:14:55 AM
4	50,327	10,088.86	50,327	0	100.00%	2026-09-06 10:14:56 AM	2026-09-06 10:15:02 AM
5	50,577	10,118.12	50,577	0	100.00%	2026-09-06 10:15:03 AM	2026-09-06 10:15:09 AM
6	50,508	10,092.57	50,508	0	100.00%	2026-09-06 10:15:10 AM	2026-09-06 10:15:16 AM
7	50,424	10,088.51	50,424	0	100.00%	2026-09-06 10:15:17 AM	2026-09-06 10:15:23 AM
8	50,474	10,093.46	50,474	0	100.00%	2026-09-06 10:15:24 AM	2026-09-06 10:15:30 AM
9	50,505	10,095.87	50,505	0	100.00%	2026-09-06 10:15:31 AM	2026-09-06 10:15:37 AM
10	50,389	10,099.12	50,389	0	100.00%	2026-09-06 10:15:38 AM	2026-09-06 10:15:44 AM
11	50,871	10,149.64	50,871	0	100.00%	2026-09-06 10:15:45 AM	2026-09-06 10:15:51 AM
12	50,625	10,143.81	50,625	0	100.00%	2026-09-06 10:15:52 AM	2026-09-06 10:15:58 AM
13	50,559	10,129.76	50,559	0	100.00%	2026-09-06 10:15:59 AM	2026-09-06 10:16:05 AM
14	50,730	10,125.61	50,730	0	100.00%	2026-09-06 10:16:06 AM	2026-09-06 10:16:12 AM
15	50,470	10,082.08	50,470	0	100.00%	2026-09-06 10:16:13 AM	2026-09-06 10:16:19 AM
16	50,416	10,062.04	50,416	0	100.00%	2026-09-06 10:16:20 AM	2026-09-06 10:16:26 AM
17	50,783	10,130.47	50,783	0	100.00%	2026-09-06 10:16:27 AM	2026-09-06 10:16:33 AM
18	50,687	10,138.93	50,687	0	100.00%	2026-09-06 10:16:34 AM	2026-09-06 10:16:40 AM
19	50,231	10,059.27	50,231	0	100.00%	2026-09-06 10:16:41 AM	2026-09-06 10:16:47 AM

NTP Stress Test Results

Concurrent Requests	Total Requests	Requests / Sec.	Successes	Failures	Success Rate	Started	Ended
20	50,793	10,145.34	50,793	0	100.00%	2026-09-06 10:16:48 AM	2026-09-06 10:16:54 AM
21	50,766	10,146.19	50,764	2	100.00%	2026-09-06 10:16:55 AM	2026-09-06 10:17:01 AM
22	50,731	10,148.60	50,728	3	99.99%	2026-09-06 10:17:02 AM	2026-09-06 10:17:08 AM
23	50,453	10,099.12	50,448	5	99.99%	2026-09-06 10:17:09 AM	2026-09-06 10:17:15 AM
24	50,629	10,122.31	50,621	8	99.98%	2026-09-06 10:17:16 AM	2026-09-06 10:17:22 AM
25	50,784	10,137.73	50,779	5	99.99%	2026-09-06 10:17:23 AM	2026-09-06 10:17:29 AM
26	50,543	10,129.45	50,541	2	100.00%	2026-09-06 10:17:30 AM	2026-09-06 10:17:36 AM
27	50,816	10,155.06	50,814	2	100.00%	2026-09-06 10:17:37 AM	2026-09-06 10:17:43 AM
28	50,590	10,117.18	50,588	2	100.00%	2026-09-06 10:17:44 AM	2026-09-06 10:17:50 AM
29	50,383	10,085.56	50,382	1	100.00%	2026-09-06 10:17:51 AM	2026-09-06 10:17:57 AM
30	50,480	10,065.81	50,477	3	99.99%	2026-09-06 10:17:58 AM	2026-09-06 10:18:04 AM
31	50,517	10,098.85	50,515	2	100.00%	2026-09-06 10:18:05 AM	2026-09-06 10:18:11 AM
32	50,430	10,074.09	50,422	8	99.98%	2026-09-06 10:18:12 AM	2026-09-06 10:18:18 AM
33	50,366	10,078.25	50,363	3	99.99%	2026-09-06 10:18:19 AM	2026-09-06 10:18:25 AM
34	50,365	10,084.51	50,362	3	99.99%	2026-09-06 10:18:26 AM	2026-09-06 10:18:32 AM
35	50,535	10,096.19	50,532	3	99.99%	2026-09-06 10:18:33 AM	2026-09-06 10:18:39 AM
36	50,641	10,121.27	50,638	3	99.99%	2026-09-06 10:18:40 AM	2026-09-06 10:18:46 AM
37	50,513	10,080.20	50,511	2	100.00%	2026-09-06 10:18:47 AM	2026-09-06 10:18:53 AM
38	50,371	10,080.59	50,363	8	99.98%	2026-09-06 10:18:54 AM	2026-09-06 10:19:00 AM
39	50,201	10,047.10	50,199	2	100.00%	2026-09-06 10:19:01 AM	2026-09-06 10:19:07 AM
40	50,283	10,035.66	50,276	7	99.99%	2026-09-06 10:19:08 AM	2026-09-06 10:19:14 AM
41	50,475	10,116.69	50,472	3	99.99%	2026-09-06 10:19:15 AM	2026-09-06 10:19:21 AM
42	49,683	9,955.19	49,679	4	99.99%	2026-09-06 10:19:22 AM	2026-09-06 10:19:28 AM
43	50,194	9,990.52	50,178	16	99.97%	2026-09-06 10:19:29 AM	2026-09-06 10:19:35 AM
44	50,083	10,004.90	50,066	17	99.97%	2026-09-06 10:19:36 AM	2026-09-06 10:19:42 AM
45	50,268	10,051.72	50,265	3	99.99%	2026-09-06 10:19:43 AM	2026-09-06 10:19:49 AM
46	50,055	10,008.73	50,052	3	99.99%	2026-09-06 10:19:50 AM	2026-09-06 10:19:56 AM
47	50,106	10,022.24	50,096	10	99.98%	2026-09-06 10:19:57 AM	2026-09-06 10:20:03 AM
48	50,227	10,038.92	50,220	7	99.99%	2026-09-06 10:20:04 AM	2026-09-06 10:20:10 AM
49	49,950	9,985.02	49,939	11	99.98%	2026-09-06 10:20:11 AM	2026-09-06 10:20:17 AM
50	50,139	10,023.15	50,136	3	99.99%	2026-09-06 10:20:18 AM	2026-09-06 10:20:24 AM
51	50,076	9,995.46	50,065	11	99.98%	2026-09-06 10:20:25 AM	2026-09-06 10:20:31 AM
52	50,152	10,012.16	50,144	8	99.98%	2026-09-06 10:20:32 AM	2026-09-06 10:20:38 AM
53	50,061	10,007.78	50,053	8	99.98%	2026-09-06 10:20:39 AM	2026-09-06 10:20:45 AM
54	50,049	10,002.11	50,039	10	99.98%	2026-09-06 10:20:46 AM	2026-09-06 10:20:52 AM

NTP Stress Test Results

Concurrent Requests	Total Requests	Requests / Sec.	Successes	Failures	Success Rate	Started	Ended
55	50,274	10,049.57	50,271	3	99.99%	2026-09-06 10:20:53 AM	2026-09-06 10:20:59 AM
56	50,022	10,013.60	50,007	15	99.97%	2026-09-06 10:21:00 AM	2026-09-06 10:21:06 AM
57	50,046	9,996.14	50,043	3	99.99%	2026-09-06 10:21:07 AM	2026-09-06 10:21:13 AM
58	50,059	10,012.00	50,051	8	99.98%	2026-09-06 10:21:14 AM	2026-09-06 10:21:20 AM
59	50,041	9,994.66	50,023	18	99.96%	2026-09-06 10:21:21 AM	2026-09-06 10:21:27 AM
60	49,329	9,881.46	49,318	11	99.98%	2026-09-06 10:21:28 AM	2026-09-06 10:21:34 AM
61	49,974	9,989.60	49,966	8	99.98%	2026-09-06 10:21:35 AM	2026-09-06 10:21:41 AM
62	49,975	9,990.46	49,970	5	99.99%	2026-09-06 10:21:42 AM	2026-09-06 10:21:48 AM
63	49,930	9,970.94	49,926	4	99.99%	2026-09-06 10:21:49 AM	2026-09-06 10:21:55 AM
64	49,617	9,941.82	49,605	12	99.98%	2026-09-06 10:21:56 AM	2026-09-06 10:22:02 AM
65	49,863	9,945.00	49,859	4	99.99%	2026-09-06 10:22:03 AM	2026-09-06 10:22:09 AM
66	49,293	9,864.09	49,278	15	99.97%	2026-09-06 10:22:10 AM	2026-09-06 10:22:16 AM
67	49,922	9,952.79	49,899	23	99.95%	2026-09-06 10:22:17 AM	2026-09-06 10:22:23 AM
68	49,774	9,971.87	49,756	18	99.96%	2026-09-06 10:22:24 AM	2026-09-06 10:22:30 AM
69	49,627	9,898.66	49,606	21	99.96%	2026-09-06 10:22:31 AM	2026-09-06 10:22:37 AM
70	49,665	9,935.95	49,642	23	99.95%	2026-09-06 10:22:38 AM	2026-09-06 10:22:44 AM
71	49,116	9,825.17	49,088	28	99.94%	2026-09-06 10:22:45 AM	2026-09-06 10:22:51 AM
72	48,895	9,756.06	48,866	29	99.94%	2026-09-06 10:22:52 AM	2026-09-06 10:22:58 AM
73	49,730	9,947.07	49,695	35	99.93%	2026-09-06 10:22:59 AM	2026-09-06 10:23:05 AM
74	48,184	9,660.97	48,119	65	99.87%	2026-09-06 10:23:06 AM	2026-09-06 10:23:12 AM
75	48,689	9,729.21	48,639	50	99.90%	2026-09-06 10:23:13 AM	2026-09-06 10:23:19 AM
76	49,132	9,826.99	49,080	52	99.89%	2026-09-06 10:23:20 AM	2026-09-06 10:23:26 AM
77	49,371	9,886.23	49,302	69	99.86%	2026-09-06 10:23:27 AM	2026-09-06 10:23:33 AM
78	49,415	9,889.05	49,361	54	99.89%	2026-09-06 10:23:34 AM	2026-09-06 10:23:40 AM
79	48,521	9,704.82	48,463	58	99.88%	2026-09-06 10:23:41 AM	2026-09-06 10:23:47 AM
80	48,672	9,739.81	48,609	63	99.87%	2026-09-06 10:23:48 AM	2026-09-06 10:23:54 AM
81	48,905	9,783.44	48,823	82	99.83%	2026-09-06 10:23:55 AM	2026-09-06 10:24:01 AM
82	48,335	9,646.87	48,264	71	99.85%	2026-09-06 10:24:02 AM	2026-09-06 10:24:08 AM
83	48,635	9,740.94	48,549	86	99.82%	2026-09-06 10:24:09 AM	2026-09-06 10:24:15 AM
84	48,967	9,778.64	48,888	79	99.84%	2026-09-06 10:24:16 AM	2026-09-06 10:24:22 AM
85	48,271	9,676.35	48,189	82	99.83%	2026-09-06 10:24:23 AM	2026-09-06 10:24:29 AM
86	48,702	9,743.57	48,616	86	99.82%	2026-09-06 10:24:30 AM	2026-09-06 10:24:36 AM
87	48,215	9,635.29	48,124	91	99.81%	2026-09-06 10:24:37 AM	2026-09-06 10:24:43 AM
88	48,435	9,689.86	48,340	95	99.80%	2026-09-06 10:24:44 AM	2026-09-06 10:24:50 AM
89	48,664	9,721.43	48,565	99	99.80%	2026-09-06 10:24:51 AM	2026-09-06 10:24:57 AM

NTP Stress Test Results

Concurrent Requests	Total Requests	Requests / Sec.	Successes	Failures	Success Rate	Started	Ended
90	49,096	9,797.16	48,994	102	99.79%	2026-09-06 10:24:58 AM	2026-09-06 10:25:04 AM
91	48,443	9,699.97	48,337	106	99.78%	2026-09-06 10:25:05 AM	2026-09-06 10:25:11 AM
92	48,500	9,689.81	48,371	129	99.73%	2026-09-06 10:25:12 AM	2026-09-06 10:25:18 AM
93	48,128	9,643.68	48,005	123	99.74%	2026-09-06 10:25:19 AM	2026-09-06 10:25:25 AM
94	48,895	9,775.13	48,777	118	99.76%	2026-09-06 10:25:26 AM	2026-09-06 10:25:32 AM
95	48,828	9,769.16	48,703	125	99.74%	2026-09-06 10:25:33 AM	2026-09-06 10:25:39 AM
96	48,460	9,685.17	48,326	134	99.72%	2026-09-06 10:25:40 AM	2026-09-06 10:25:46 AM
97	49,280	9,802.04	49,151	129	99.74%	2026-09-06 10:25:47 AM	2026-09-06 10:25:53 AM
98	49,227	9,832.50	49,093	134	99.73%	2026-09-06 10:25:54 AM	2026-09-06 10:26:00 AM
99	47,929	9,580.03	47,772	157	99.67%	2026-09-06 10:26:01 AM	2026-09-06 10:26:07 AM
100	49,058	9,809.44	48,916	142	99.71%	2026-09-06 10:26:08 AM	2026-09-06 10:26:14 AM

Time Server Port: 123

Tests started: 2026-09-06 10:14:28 AM Ended: 2026-09-06 10:26:14 AM