

Step 7: Review & Submit

Review the information below for correctness and make changes as needed. **After reviewing the** manuscript proofs at the foot of this page, you MUST CLICK 'SUBMIT' to complete your submission.

- * = Required Fields
- * Verify Step Information

Manuscript Type

Regular Paper (S1)

Title

Calibration and characterization of electromagnetic position and orientation trackers

Abstract

An electromagnetic position and orientation tracker must be calibrated so that magnetic measurements can be converted into spatial data, and the accuracy must also be characterized to know what accuracy is obtained. We describe a magnetic calibra

More...

✓ Step 2: File Upload



File 1

ilemt_calibration_V4.pdf

File 2

ILEMT calibration visual abstract.svg

File 3

ilemt_calibration_supplemental_V4.pdf


File 4


ilemt_calibration_V4_reply.pdf

File 5

ilemt_calibration_v3_v4_compare.pdf

File 6





Hollis, Ralph L

rhollis@andrew.cmu.edu R 0009-0008-2378-9071


Carnegie Mellon University, Robotics, Pittsburgh, PA, US

Author 5

Riviere, Cameron

criviere@andrew.cmu.edu R 0000-0002-6749-3140

Carnegie Mellon University, Robotics Institute, Pittsburgh, PA, US





Reviewer

Herman Jaeger (Recommended)

eleceng@ucc.ie

University College Cork Electrical engineering

Reviewer

Alfred Franz (Recommended)

Alfred.Franz@thu.de

Ulm University of Applied Sciences

Reviewer

Filippo Attivissimo (Recommended)

filippo.attivissimo@poliba.it

Polytechnic University of Bari Department of Electrical and Computer Engineering

✓ Step 6: Details & Comments

☑ Edit

Cover Letter

Dear editors,

The paper was previously submitted as Sensors-64105-2023, and was sent back for revisions. I have included detailed details on the specific changes made to address the reviewer's concerns. I have also uploaded separately comparisons of

More...

Funding

U.S. National Institutes of Health

R01EB000526

R01EB024564

R01HL105911

* I confirm that my manuscript does not contain the Lena image.

IEEE's diversity statement and supporting policies such as the IEEE Code of Ethics speak to IEEE's commitment to promoting an inclusive and equitable culture that welcomes all. In alignment with this culture and with respect to the wishes of the subject of the image, Lena Forsén, IEEE will no longer accept submitted papers which include the 'Lena image'.

Overlength Charges

* All papers over 8 formatted pages will be subject to a mandatory overlength page charge of \$175 per
✓ page at the time of publication. By checking this box I confirm that I am aware of and agree to any overlength charges the manuscript may incur.

IEEE Plagiarism Policy

✓

* Please review the following three IEEE Policy Statements completely, then check the box acknowledging you have read all three.

The first policy statement deals with multiple submissions or publications of the same work; the second deals with plagiarism; and the third deals with electronic posting of papers on author websites. Authors are

responsible for understanding and complying with these policies. Failure to comply with these policies may lead to penalties on future publication in IEEE venues.

* Does your manuscript contain supplementary materials such as multimedia, extended objects, or any other item intended for publication but not included in the main body of the paper? Supplementary materials must go through review and may not be added after acceptance.	
✓ Yes	
No	
* Do you have DATA associated with your article?	
No	
IEEE DataPort	

IEEE authors may upload up to 2TB of data related to their article to IEEE DataPort at no cost.

Once your data is uploaded to IEEE DataPort, a DOI (Digital Object Identifier) will be provided immediately. The IEEE DataPort DOI should be entered in the DOI field below and should be included in your main manuscript file. Providing data with your article can strengthen your submission and make your research more easily reproducible.

You can upload your data files to IEEE DataPort at any time (before, during or after the publication process).

The About IEEE DataPort page provides instructions and answers to commonly asked questions.

Use this link to access IEEE DataPort. When you have finished uploading your data/dataset, provide the DOI and Title.

What is the IEEE DataPort DOI for your data? (For data loaded to IEEE DataPort, the DOI displays on the right hand side of your dataset page.)

What is the title of your data as entered into IEEE DataPort?

* Do you have CODE (software) associated with your article?

No

IEEE Xplore + Code Ocean

Code Ocean is a cloud-based computational reproducibility platform, integrated with IEEE *Xplore*, that enables IEEE authors to publish their executable code associated with research articles. Code may be uploaded at submission, revision or after acceptance of the article.

- Sign up / login to Code Ocean
- Upload and submit the code associated with your article:
 - o Code Ocean will verify the code is operational and help with any issues.
 - Your executable code will be published on Code Ocean and available to share.
 - Your code will also be assigned a DOI for proper attribution and increase its discoverability.
 - Once the article is published, a tab featuring your code will be added to the article page on IEEE
 Xplore.

Go to Code Ocean to upload your code. For more information, see our FAQs.

Human and Animal Research Disclosure

* Did this research involve either human subjects or animals? You can review the IEEE policy on human and animal research here.

Not applicable: This submission does not include human or animal research.

* If yes, was approval obtained from a relevant review board (or local/regional equivalent)?

Not applicable: This submission does not include human or animal research.

If this research involves either human subjects or animals, all approval details must be disclosed in the box below, as well as included in the manuscript.

If approvals **have not been obtained**, the reasoning or details of exemption must also be detailed below and included in the manuscript.

The quality of your answers to the following questions may influence substantially the outcome of the editorial process.

* Formulate concisely the novelty of your submission (do not copy verbatim the abstract, or parts thereof). Use between 1 and 256 characters

Formulation of the EM tracker calibration problem using linear matrix/vector representation and pose diagram notation

7/23/2024, 1:20 PM

Detailed practical description of EM tracker calibration Use of general linear transforms to correct EM tracker position error Characterization of EM tracker linearity and cross-coupling Detailed practical discussion of positioning devices for EM tracker calibration and testing	
* Is the main novelty in your submission in the area of the four-letter Attribute you entered in Step 3?	
Yes	
If No, explain why. Use between 1 and 256 characters	
* Has the manuscript text been checked thoroughly for grammar and orthography and figures/tables for legibility?	
Yes	
View Proof	
View HTML Proof View PDF Proof	
Previous Step	
Submit >	

8 of 9

SCHOLARONE"



© Clarivate | © ScholarOne, Inc., 2024. All Rights Reserved. ScholarOne Manuscripts and ScholarOne are registered trademarks of ScholarOne, Inc. ScholarOne Manuscripts Patents #7,257,767 and #7,263,655.

9 of 9