

INOUT screen recording - index for an AI reader

duration 9.59s (recorded 11.99s) - keyframes 1024x576 - sampled 4/s

clock: recording epoch, t=0 is the moment recording started; offset 0ms

this file is pixels only: no DOM events, no transcript, no video track. keyframes are pixel-delta selected.

channels

screen 0.00-11.97s 1280x720

mic 0.17-11.99s

edit (this file follows it: cut content is absent)

cut: 4.20-6.60s removed

keyframes 20 (~16.6k tokens total)

p2 t=0.00s

p3 t=0.50s

p4 t=1.00s

p5 t=1.50s

p6 t=2.00s

p7 t=2.50s

p8 t=3.00s

p9 t=3.50s

p10 t=4.00s

p11 t=6.90s

p12 t=7.40s

p13 t=7.90s

p14 t=8.40s crop

p15 t=8.90s

p16 t=9.40s

p17 t=9.90s


p18 t=10.40s

p19 t=10.90s

p20 t=11.40s

p21 t=11.90s

t=0.00s



t=0.50s




t=1.00s



t=1.50s




t=2.00s



t=2.50s



t=3.00s





t=3.50s




t=4.00s




t=6.90s - small persistent change



t=7.40s - small persistent change




t=7.90s - small persistent change




t=8.40s - small persistent change
lower image: full-res crop of the changed region





t=9.40s - small persistent change



t=9.90s - small persistent change



t=10.40s - small persistent change



t=10.90s - small persistent change



t=11.40s - small persistent change



t=11.90s - small persistent change

