RoboCupJunior Soccer Rules 2026

Soccer League Committee 2026:		**Soccer League Committee 2025:**	
Hikaru Sugiura	USA	Hikaru Sugiura	USA
Jakub Gál	Slovakia	Jakub Gál	Slovakia
Mohammad Hadi Shirani	Iran	Mohammad Hadi Shirani	Iran
David Schwarz	Germany	David Schwarz	Germany
Christian Rieseberg	Germany	William Plummer	Australia (CHAIR)
Isa El Doori	Netherlands (CHAIR)	Isa El Doori	Netherlands

These are the Soccer rules for RoboCupJunior 2026. They are released by the RoboCupJunior Soccer League Committee. The English version of these rules has priority over any translations.

Teams are advised to check the RoboCupJunior Soccer site [1] and Soccer forum [2] for procedures and requirements for the international competition. Instead ask tournament organizers for local, regional and super-regional competitions. Each team is responsible for making sure they have the correct rules for each competition. Teams should ask for clarifications on the Forum where necessary. [3]

Teams are encouraged to get in touch with the RoboCupJunior community on our Discord. Show what you're working on, ask questions or join the weekly discussions on future rules and league design. [a] You can also reach the Soccer League Committee directly via email [b]

[a] You can join the server at https://robocup-junior.github.io/soccer-rules/discord/
[b] robocupjunior-soccer [at] robocup [dot] org

Figure 1 Two teams of two robots with an orange ball on a RoboCupJunior Soccer field.



[1] https://junior.robocup.org/
[2] https://junior.forum.robocup.org/c/robocupjunior-soccer/5
[3] The current version of these rules can be found at https://robocup-junior.github.io/soccer-rules/master/rules.html in HTML form and at https://robocup-junior.github.io/soccer-rules/master/rules.pdf in PDF form.

Preface

In the RoboCupJunior Soccer challenge, teams of young engineers design, build, and program two fully autonomous mobile robots to compete against another team in matches. The robots must detect a ball and score into a color-coded goal on a special field that resembles a human soccer field.

To be successful, participants must demonstrate skill in programming, robotics, electronics and mechatronics. Teams are also expected to contribute to the advancement of the community as a whole by sharing their discoveries with other participants and by engaging in good sportsmanship, regardless of culture, age or result in the competition. **All are expected to compete, learn, have fun, and grow.**

RoboCupJunior Soccer consist of two sub-leagues: **Soccer Vision (formerly Soccer Open)** [4] and **Soccer Infrared (formerly Soccer Lightweight)** [5]. These rules apply for both sub-leagues. There are three main differences between the two leagues.

- **Soccer Infrared** [6] is played using a special ball that emits an IR signal and robots may weigh up to **1.5 kg** [7], and be up to 22cm in size.
- **Soccer Vision** [8] is played using a brightly colored orange golf ball, robots have no weight restriction and may be up to 18cm in size.

A large part of the overall ranking (for the international tournament, other tournaments operate differently) is determined by the judged categories. There are points for documentation, inteview performance etc. [a]

[a] see https://robocup-junior.github.io/soccer-rules/master/scoring.pdf or https://robocup-junior.github.io/-soccer-rules/master/scoring.html

If you would like to start with RoboCupJunior Soccer, please contact the organizer of your regional RoboCupJunior competition and ask them about Rule 7, ENTRY LEAGUE.

Unless specified otherwise, all parts of these rules are released under the terms of the Creative Commons Attribution-ShareAlike License.

The Soccer league is planning to increase the team size to 5. As of 2026-04-23 it is confirmed that a team size of 4 members will be the maximum amount of allowed team members within one team for the Incheon competition. We recommend team size 5 for Super-Regionals and where organizers find it practical also for regional and local competitions. Ask the organizers for each tournament you attend what team size they can accomodate - tournament organizers are encouraged to adapt rules to fit with their situation. Contact information for the world championships is: robocupjunior-soccer [at\] robocup [dot\] org

[4] In previous version this said "Soccer Open"
[5] In previous version this said "Soccer Lightweight"
[6] In previous version this said "Soccer Lightweight"
[7] In previous version this said "1.4 kg"
[8] In previous version this said "Soccer Open"

Changes from the 2025 RoboCupJunior Soccer Rules

The rule changes developed by the Soccer League Committee in cooperation with the RoboCup Junior Soccer Community (please continue to post ideas for the future at any time) aim to improve gameplay.

Detailed changes are listed below and link to the corresponding place in the rules.

- Added " If pushing and multiple defense happen at the same time the referees will call and resolve the pushing situation first, then the multiple defense."
- Added "will call "pushed out""
- Added "Starting this year (2026), Soccer Infrared is using a new IR Ball. The key difference with this ball is the size change from 74mm to 42mm diameter, which is the same size as the Vision League golf ball."
- Added "This ball is Open Source, so anyone can produce one from the files & instructions on the GitHub Page here: https://github.com/robocup-junior/ir-golf-ball ."
- Added "If you or someone you know can help by making or distributing balls for one or more regions the Soccer Committee is interested in helping to make that happen and listing you as a source for balls on the official website. Please get in touch via Forum, Discord or Email"
- Added "Entry Leagues will continue to use the large infrared ball."
- Added "Being 3mm below the size limit and 50g below the weight limit will usually make inspections go more smoothly."
- Added "FOR THE INFRARED LEAGUE ONLY:"
- Changed "Soccer Open" to "Soccer Vision (formerly Soccer Open)"
- Changed "Soccer Lightweight" to "Soccer Infrared (formerly Soccer Lightweight)"
- Changed "Soccer Lightweight" to "Soccer Infrared"
- Changed "1.4 kg" to "1.5 kg"
- Changed "Soccer Open" to "Soccer Vision"
- Changed "only the World Championships, starting in Brazil 2025," to "at least at the world championships (ask other competition organizers)"
- Changed "Lightweight" to "Infrared"
- Changed "Open" to "Vision"
- Changed "Open" to "Vision"
- Changed "Lightweight" to "Infrared"
- Changed "Open" to "Vision"
- Changed "Lightweight" to "Infrared"
- Changed "1400 g" to "1500g"
- Changed "3.0 cm" to "1.5 cm"
- Changed "ask to see a sample kick" to "test the kicker power"

1 GAMEPLAY

1.1 Game procedure and length of a game

1.1.1 RCJ Soccer games consist of two teams of robots playing soccer against each other. Each team has two autonomous robots. The game will consist of two halves. The duration of each half is 10-minutes. There will be a 5-minute break in between the halves.

1.1.2 Teams are expected to be at the field 5 minutes before their game starts. Being at the inspection table does not count in favor of this time limit. Teams that are late for the start of the game may be penalized one goal **per 30 seconds** at the referee's discretion.

1.1.3 The final game score will be trimmed so that there is at most 10-goal difference between the losing and the winning team.

1.2 Pre-match meeting

1.2.1 At the start of the first half of the game, a referee will toss a coin. The team mentioned first in the draw shall call the coin. The winner of the toss can choose either which end to kick towards, or to kick off first. The loser of the toss chooses the other option. After the first half, teams switch sides. The team not kicking off in the first half of the game will kick off to begin the second half of the game.

1.2.2 During the pre-match meeting the referee(s) may check whether the robots are capable of playing (i.e., whether they are at least able to follow and react to the ball). If none of the robots is capable of playing, the game will not be played and zero goals will be awarded to both teams.

1.3 Kick-off

1.3.1 Each half of the game begins with a kick-off. All robots must be located on their own side of the field. All robots must be halted. The ball is positioned by a referee in the center of the field.

1.3.2 The team kicking off places their robots on the field first.

1.3.3 The team not kicking off will now place their robots on the defensive end of the field. All robots on the team not kicking off must be at least 30 cm away from the ball (outside of the center circle).

1.3.4 Robots cannot be placed out of bounds. Robots cannot be repositioned once they have been placed, except if the referee requests to adjust their placement to make sure that the robots are placed properly within the field positions.

1.3.5 On the referee's command (usually by whistle), all robots will be started immediately. Any robots that are started early will be removed by the referee from the field and deemed damaged.

1.3.6 Before a kick-off, **all damaged or out-of-bounds robots** are allowed to return to the playing field immediately if they are *ready and fully functional*.

1.3.A Neutral kick-off

1.3.A.1 A neutral kick-off is the same as the one described in Rule 1.3, Kick-off with a small change: all robots must be at least 30 cm away from the ball (outside of the center circle).

1.4 Scoring

1.4.1 A goal is scored when the ball strikes or touches the back wall of the goal. Goals scored by any robot have the same end result: they give one goal to the team on the opposite side. After a goal, the game will be restarted with a kick-off from the team who was scored against.

1.5 Ball movement

1.5.1 A robot cannot hold a ball. Holding a ball is defined as taking full control of the ball by removing all of degrees of freedom. Examples for ball holding include fixing a ball to the robot's body, surrounding a ball using the robot's body to prevent access by others, encircling the ball or somehow trapping the ball with any part of the robot's body. If a ball does not roll while a robot is moving, it is a good indication that the ball is trapped.

1.5.2 The only exception to holding is the use of a rotating drum (a "dribbler") that imparts dynamic back spin on the ball to keep the ball on its surface.

1.5.3 Other players must be able to access the ball.

1.5.4 The ball needs to stay within the bounds of the field, as defined by the walls. If a robot moves the ball outside of the field (that is, beyond the walls or above their height), it is deemed damaged. (Rule 1.9, Damaged robots)

1.5.5 Any robot must approach and touch the ball when it is placed on the nearest neutral spot. It must do this before lack of progress is called. When on its own side of the field, any robot must be able to move the ball from the nearest neutral spot to the opponent's side of the field. If a specific robot does not act this way, referees may deem it damaged at their discretion. (See Damaged Robots.) This rule does not apply if the robot is hindered from detecting or playing the ball by the opponent.

1.6 Inside the Penalty Area (Pushing and Multiple defense)

1.6.1 No robots are allowed to be fully inside the penalty area. As the penalty areas are marked with a white line, the Out of Bounds rule applies. (Rule 1.8, Out of bounds)

1.6.2 If two robots from the same team are at least partially in a penalty area, the robot further from the ball will be moved to the *furthest unoccupied neutral spot* immediately. If this happens repeatedly, a robot may be deemed damaged at referee's discretion. (Rule 1.9, Damaged robots)

1.6.3 If an attacking and a defending robot touch each other while at least one of them is at least partially inside the penalty area, and at least one of them has physical contact with the ball, this may be called "pushing" at the referee's discretion. In this case, the ball will be moved to the *furthest unoccupied neutral spot* immediately.

1.6.4 If a goal is scored as a result of a "pushing" situation, it will not be granted.

1.6.5 * If pushing and multiple defense happen at the same time the referees will call and resolve the pushing situation first, then the multiple defense.*

1.7 Lack of progress

1.7.1 Lack of progress occurs if there is no progress in the gameplay for a reasonable period of time and the situation is not likely to change. Typical lack of progress situations are when the ball is stuck between robots, when there is no change in ball and robot's positions, or when the ball is beyond detection or reach capability of all robots on the field.

1.7.2 After a visible and loud count [9], a referee will call **`lack of progress`** and will move the ball to the nearest unoccupied neutral spot. If this does not solve the lack of progress, the referee can call lack of progress again and move the ball to a different neutral spot in the same way.

1.8 Out of bounds

1.8.1 If a robot touches a wall or moves completely into the penalty area it will be called for being **`out of bounds`**. When this situation arises, the robot is removed from the field for a one-minute penalty. There is no time stoppage for the game itself. The robot is allowed to return if a kick-off occurs before the penalty has elapsed.

1.8.2 The one-minute penalty starts when the robot is removed from play. Furthermore, any goal scored by the penalized team while the penalized robot is on the field will not be granted. Out-of-bounds robots can be fixed if the team needs to do so, as described in Rule 1.9, Damaged robots.

1.8.3 After the penalty time has passed, robot will be placed on the unoccupied neutral spot furthest from the ball, facing its own goal.

1.8.4 A referee can waive the penalty if the robot was accidentally pushed out of bounds by an opposing robot. In such a case, the referee **will call "pushed out"** and may slightly push the robot back onto the field.

1.9 Damaged robots

1.9.1 If a robot is damaged, it has to be taken off the field and must be fixed before it can play again. Even if repaired, the robot must remain off the field for at least one minute or until the next kick-off is due.

1.9.2 Some examples of a damaged robot include:

- it does not respond to the ball, or is unable to move (it lost pieces, power, etc.).
- it continually moves into the penalty area or out of bounds.
- it turns over on its own accord.

1.9.3 After a robot has been fixed, it will be placed on the unoccupied neutral spot furthest from the ball, facing its own goal.

1.9.4 **Only the referee decides whether a robot is damaged.** A robot can only be taken off or returned with the referee's permission.

1.9.5 If both robots from the same team are deemed damaged at kick-off, gameplay will be paused and the remaining team will be awarded 1 goal for each elapsed 30 seconds that their opponent's robots remain damaged. However, these rules only apply when none of the two robots from the same team were damaged as the result of the opponent team violating the rules.

1.9.6 Whenever a robot is removed from play, its motors must be turned off.

1.10 Human interference

1.10.1 Except for the kick-off, human interference from the teams (e.g. touching the robots) during the game is not allowed unless explicitly permitted by a referee. Violating team(s)/team member(s) may be disqualified from the game.

[9] usually a count of three

1.10.2 The referee(s) can help robots get unstuck if the ball is not being disputed near them and if the situation was created from normal interaction between robots (i.e. it was not a design or programming flaw of the robot alone). The referee(s) will pull back the robots just enough for them to be able to move freely again.

1.11 Interruption of Game

1.11.1 In principle, a game will not be stopped.

1.11.2 A referee can stop the game if there is a situation on or around the field which the referee wants to discuss with an official of the tournament or if the ball malfunctions and a replacement is not readily available.

1.11.3 When the referee has stopped the game, all robots must be stopped and remain on the field untouched. The referee may decide whether the game will be continued/resumed from the situation in which the game was stopped or by a neutral kick-off.

2 ROBOTS

2.1 Interference

2.1.1 Robots are not allowed to be colored orange, yellow or blue in order to avoid interference. Orange, yellow, blue colored parts used in the construction of the robot must either be occluded by other parts from the perception by other robots or be taped/painted with a neutral color.

2.1.2 Robots must not produce magnetic interference in other robots on the field.

2.1.3 Robots must not produce visible light that may prevent the opposing team from playing when placed on a flat surface. Any part of a robot that produces light that may interfere with the opposing robot's vision system must be covered. For Infrared league specific regulations see Rule 5.2.B, Infrared interference

2.1.4 Robots are expected to be capable of dealing with any visible colors above the walls (e.g. blue, yellow, green or orange shirts) either in hardware (e.g. limiting the field of view from looking up) or in software (e.g. masking the input image).

2.1.5 The referee can interrupt a game in progress if any kind of interference from spectators is suspected (IR emitters, camera flashes, mobile phones, radios, computers, etc.).

2.1.6 A team claiming that their robot is affected by the other team's robot in any way must provide proof or evidence of the interference. Any interference needs to be confirmed by the tournament organizers if a claim is placed by the other team.

2.2 Control & Communication

2.2.1 The use of remote control of any kind is not allowed during the match. Robots must be controlled autonomously.

2.2.2 For **at least at the world championships (ask other competition organizers)** [10] use of a Communications Module is required for referees to control the robots. See Rule 6.1, International Competition Specifics

[10] In previous version this said "only the World Championships, starting in Brazil 2025,"

2.3 Agility

2.3.1 Robots must be constructed and programmed in a way that their movement is not limited to only one dimension (defined as a single axis, such as only moving in a straight line). They must move in all directions, for example by turning.

2.4 Handle

2.4.1 All robots must have a stable and easily noticeable handle to hold and to lift them. The handle must be easily accessible and allow the robot to be picked up from at least 5 cm above the highest structure of the robot. There must be a minimum clearance of 5 cm for hands between the highest non-handle part of the robot and the handle.

2.4.2 The dimensions of the handle may exceed the robot height limitation, but the part of the handle that exceeds this limit cannot be used to mount components of the robot.

2.4.3 The weight of the robot includes that of the handle.

2.5 Top Markers

2.5.1 A robot must have markings in order to be distinguished by the referee. Each robot must have a white plastic circle with a diameter of at least 4 cm mounted horizontally on top. This white circle will be used by the referee to write numbers on the robots using markers, therefore the white circles must be accessible and visible. The top markers do not need to be within the size limit of the robot.

2.5.2 Before the game, the referee will designate the numbers for each robot and will write them on the top white circle. Robots not carrying the top white circle are not eligible to play.

Figure 2 A visualization of the top marker



2.6 Violations

2.6.1 Robots that do not abide by the specifications/regulations (see Rule 5.2, Regulations) are not allowed to play, unless these rules specify otherwise.

2.6.2 If violations are detected during a running game the team may be disqualified for that game.

2.6.3 If similar violations occur repeatedly, the team may be disqualified from the tournament.

2.7 Material specifications

2.7.1 Detailed specifications of the ball and fields can be found in the footnote [11].

2.8 Soccer Infrared League Ball change 2026

2.8.1 **Starting this year (2026), Soccer Infrared is using a new IR Ball. The key difference with this ball is the size change from 74mm to 42mm diameter, which is the same size as the Vision League golf ball.**

2.8.2 **This ball is Open Source, so anyone can produce one from the files & instructions on the GitHub Page here: https://github.com/robocup-junior/ir-golf-ball .**

2.8.3 **If you or someone you know can help by making or distributing balls for one or more regions the Soccer Committee is interested in helping to make that happen and listing you as a source for balls on the official website. Please get in touch via Forum, Discord or Email**

2.8.4 **Entry Leagues will continue to use the large infrared ball.** [12]

2.9 Tournament balls

2.9.1 Balls for the tournament must be made available by the tournament organizers. Tournament organizers are not responsible for providing balls for practice.

3 CODE OF CONDUCT

3.1 Fair Play

3.1.1 It is expected that the aim of all teams is to play a fair and clean game of robot soccer. It is expected that all robots will be built with consideration to other participants.

3.1.2 Robots are not allowed to cause deliberate interference with or damage to other robots during normal gameplay.

3.1.3 Robots are not allowed to cause damage to the field or to the ball during normal gameplay.

3.1.4 A robot that causes damage may be disqualified from a specific match at the tournament organizer's discretion.

3.1.5 Humans are not allowed to cause deliberate interference with robots or damage to the field or the ball.

[11] https://robocup-junior.github.io/soccer-rules/master/field_specification.pdf or https://robocup-junior.github.io/soccer-rules/-master/field_specification.html and https://robocup-junior.github.io/soccer-rules/master/ball_specification.pdf or https://robocup-junior.github.io/soccer-rules/master/ball_specification.html respectively

[12] Entry Leagues frequently use Lego, FischerTechnik, Vex or other robotics kits with which handling a small ball is more difficult, especially for beginners.

4 CONFLICT RESOLUTION

4.1 Referees

4.1.1 The referee(s) are in charge of making decisions with regards to the game, according to these rules.

4.1.2 **During gameplay, the decisions made by the referee(s) are final.**

4.1.3 Only the team member(s) at the table have a mandate to freely speak to the referee(s).

4.1.4 At the conclusion of the game the results become final with signatures from both teams. Disputes need to be settled before signing.

4.2 Rule clarification

4.2.1 Rule clarification may be made by members of the tournament organizers and the Soccer League Committee, if necessary even during a tournament.

4.3 Rule modification

4.3.1 If special circumstances, such as unforeseen problems or capabilities of a robot occur, rules may be modified by the tournament organizers, if necessary even during a tournament.

4.4 Competition specifics

4.4.1 Each competition (from local to international) may have adapted rules and added specifics (scoring, interviews, tournament modes, rule variations etc.). Check with organizers of each tournament you participate in.

5 LEAGUE REGULATIONS

5.1 Preamble

5.1.1 For RoboCupJunior, there are two sub-leagues: Soccer

5.1.2 **Infrared** [13] and Soccer **Vision** [14]

5.1.3 The matches in the Soccer **Vision** [15] sub-league are conducted using a (passive) orange golf ball, whereas the matches in the Soccer **Infrared** [16] sub-league are played using the (also orange) IR ball. [17]

[13] In previous version this said "Lightweight"
[14] In previous version this said "Open"
[15] In previous version this said "Open"
[16] In previous version this said "Lightweight"
[17] for detailled ball specifications see: Rule 2.7, Material specifications

5.2 Regulations

5.2.A Dimensions

5.2.A.1 Robots will be measured in an upright position with all parts extended. A robot's dimensions must not exceed the following limits:

sub-league	Soccer **Vision** [18]	Soccer **Infrared** [19]
size [0]	18.0 cm	22.0 cm
height	18.0 cm	22.0 cm
weight	No limit	**1500g** [20]
ball-capturing zone	1.5 cm	**1.5 cm** [21]

[0] Robot must fit smoothly into a cylinder of this diameter. **Being 3mm below the size limit and 50g below the weight limit will usually make inspections go more smoothly.**

5.2.A.2 Ball-capturing zone is defined as any internal space created when a straight edge is placed on the protruding points of a robot. This means the ball must not enter the convex hull of a robot by more than the specified depth. Furthermore, it must be possible for another robot to take possession of the ball.

5.2.B Infrared interference

5.2.B.1 **FOR THE INFRARED LEAGUE ONLY:** Components designed to emit IR (e.g. ToF, LiDAR, IR distance sensors, IR LEDs/LASERs etc.) are not allowed and tournament organizers will require such devices to be removed or covered up.

5.2.C Limitations

5.2.C.1 A robot may use any number of cameras without restrictions on lenses, optical parts, optical systems, and total field of view. Components may be sourced in any way the team sees fit.

5.2.C.2 Kicker strength is subject to compliance check at any time during the competition. During gameplay, a referee can **test the kicker power** [22] on the field before each half when a damaged robot is returned to the field or when the game is about to be restarted after a goal. See Appendix A, Kicker Power Measuring Procedures for more details.

5.2.D Inspections

5.2.D.1 Robots must be inspected and certified every day before the first game is played. The tournament organizers may request other inspections if necessary, including random inspections which may happen at any time.

[18] In previous version this said "Open"
[19] In previous version this said "Lightweight"
[20] In previous version this said "1400 g"
[21] In previous version this said "3.0 cm"
[22] In previous version this said "ask to see a sample kick"

6 INTERNATIONAL COMPETITION

6.1 International Competition Specifics

6.1.1 At the international competition (for others ask organizers) the Soccer League Committee will provide each team with a Communication Module. This allow for easier co-ordination of games and referee control of robots during matches. Each team will be expected to interface with this module using a single 2.54mm GPIO pin at present to start and stop the robots. The Soccer League Committee plans on extending this to using UART for more complex applications in future years. Please see the GitHub page for more information on the module: https://github.com/robocup-junior/soccer-communication-module

6.1.2 The module itself may exceed the maximum height of the robot. It must be placed at least 1cm away from the outside and protected from impact damage.

6.2 Interviews

6.2.1 During the international competition, the tournament organizers may arrange to interview teams during the Setup Day of the event. This means that the teams need to be already present early on this day.

6.2.2 Details on what is required for and what to expect from interviews can be found in the scoring document available here [23].

6.2.3 The Soccer League Committee recommends the implementation of interviews in regional competitions as well, but this is not mandatory. Teams should check with tournament organizers if they hold interviews and if so and what kind of interview to expect.

6.3 Technical Challenges

6.3.1 Inspired by the major leagues and the need for further technological advancement of the leagues, the Soccer League Committee runs what are called **Technical Challenges**. New challenges are added each year, and are unknown until during the International Competition.

6.3.2 The idea of these challenges is to give the teams an opportunity to show off various abilities of their robots which may not get noticed during the regular games. Furthermore, the Soccer League Committee envisions these challenges to be a place for testing new ideas that may make it to the future rules, or otherwise shape the competition.

6.3.3 Any RoboCupJunior Soccer team will be eligible to try to tackle these challenges.

6.4 Further information on International Competition

6.4.1 All teams qualified to the international competition **must** share their designs, both hardware and software, with all present and future participants. These teams are also required to send a digital portfolio before the competition. Further details on how will be provided by the Soccer League Committee which acts as the tournament organizers for the international competition.

6.4.2 During the competition days of the international competition (as well as before the event) the team members are responsible for checking all relevant information published by the Soccer League Committee or any other RoboCup official.

[23] https://robocup-junior.github.io/soccer-rules/master/scoring.pdf or https://robocup-junior.github.io/soccer-rules/master/-scoring.html

6.4.3 There will also be a SuperTeam competition, in which various teams from around the world share their robots in one "SuperTeam" and play against other SuperTeams on a so called "Big Field". Teams could utilise different camera lenses or sensors optimised for the larger playing fields to improve their performance. The full rules of this challenge can be found at https://robocup-junior.github.io/soccer-rules/-master/superteam_rules.html or https://robocup-junior.github.io/soccer-rules/master/superteam_rules.pdf

6.4.4 Teams competing in the international competition can receive awards for their performance. These awards are decided and introduced by the Soccer League Committee, which publishes all necessary details well before the actual event. [24]

7 ENTRY LEAGUE

7.0.1 In order to help newcomers experience the RoboCupJunior Soccer competition, the Soccer League Committee would like to encourage competitions to include a so called "Entry League". Although such a league will not be part of the international competition, it is run in many regions and at the SuperRegional competitions (RoboCupJunior SuperRegional Americas, EMEA (Europe, Middle East, Africa) and RoboCup Asia Pacific). To this end, the Soccer League Committee has prepared a suggested ruleset. [25] Some regional and super-regional competitions already have rulesets and will likely make changes to the suggested rulesets or replace them entirely for their events. [26] Teams should ask their local/regional/super-regional tournament organizers for details on what Entry leagues (if any) will be running in their region.

A Kicker Power Measuring Procedures

All robot kickers will be tested with the tournament ball used in the sub-league they participate in. Kicker Power will be measured by means of an on-field test. The bounce off the walls can change depending on field consturction. Teams should make sure they can adjust the power of their kicker if necessary.

The test is performed as follows:

1. Place robot inside a goal with the robot touching the back goal wall.
2. Perform a kick into the opposing goal
3. The kick power test is passed if after bouncing off the opposite goal the ball does not hit the back wall of the goal the robot performed the kick power test from.

[24] for details see https://robocup-junior.github.io/soccer-rules/master/scoring.pdf or https://robocup-junior.github.io/soccer-rules/master/scoring.html

[25] Avaliable as HTML and PDF at https://robocup-junior.github.io/soccer-rules-entry/master/rules.html and https://robocup-junior.github.io/soccer-rules-entry/master/rules.pdf respectively

[26] Examples: https://www.robocupjunior.org.au/wp-content/uploads/2021/02/RCJASoccer-SimpleSimon2021.pdf, https://rcj2019.eu/sites/default/files/Soccer%201-1%20Standard%20Kit%20Rules%202019%20Final.pdf