









Line #	Name	Description	Designator	Quantity	Manufacturer 1	Manufacturer Part Number 1	Manufacturer Lifecycle 1	Supplier 1	Supplier Part Number 1	Supplier Unit Price 1	Supplier Subtotal 1
		CAP, Ceramic, 0.1 uF, +/- 10%, 25 V, -									
		55 to 125 degC, 0805 (2012 Metric),	04 04 0: :								1
	AT2A	RoHS, Tape and Reel	C1, C4, C6, C7, C9, C16, C17	7	Kyocera AVX	08053C104KAT2A	Volume Production	Mouser	581-08053C104K	0,17	1,19
	GRM188R61 H105KAALD		C2, C3, C5, C8, C15, C18	6	Murata	GRM188R61H105KAALD	Volume Production	Arrow	GRM188R61H105KAALD	0,0333	133,2
	GRM155R71 E103JA01J	Ohio O	C10	1	Murata	GRM155R71E103JA01J	Volume Production	Mouser	81-GRM155R71E103JA1J	0,1	0,1
		Chip Capacitor, 0.1 uF, +/- 10%, 16 V55 to 125									
		degC, 0402 (1005 Metric), RoHS,									
	C104KA88D	Tape and Reel	C11, C12	2	Murata	GRM155-R7-1C-104K-A88-D	Volume Production	Mouser	81-GRM155R71C104KA88	0,11	0,22
	C1608X5R1V 335K080AC		C13	1	TDK	C1608X5R1V335K080AC	Volume Production	Digi-Key	445-14167-1-ND	0,45	0,45
		Aluminum Electrolytic									
		Capacitor, UD Series, Low									
		Impedance, 220 uF, 10 V, + / -									
		20%, -55 to 105 degC, Chip Type, 6.3 x 7.7 mm D x I									
	MCL1GS	6.3 x 7.7 mm D x L, Pb-Free, Reel Diode Schottky	C14	1	Nichicon	UUD1A221MCL1GS	Volume Production	Mouser	647-UUD1A221MCL	0,43	0,43
	CBAT54C	30V 200mA 3-Pin SOT-23 T/R	D1	1	Central Semiconductor	CBAT54CTR	Volume Production	Mouser	610-CBAT54CTR	0,43	0,43
		Blue LED, 10 mA, 3.9 V, -40 to 100		,							
	TLMB1100-	degC, 2-Pin SMD (0603), RoHS, Tape									
$\vdash$	GS08	and Reel LED, RED, 2.1 V, -	DS1	1	Vishay	TLMB1100-GS08	Volume Production	Mouser	78-TLMB1100	1,3	1,3
		40 to 100 degC, 2- Pin SMD (0603),									1
		RoHS, Tape and Reel	DS2	1	Vishay	TLMS1100-GS08	Volume Production	Mouser	782-TLMS1100	0,4	0,4
		Yellow LED, 20 mA,									
		2.1 V, -40 to 100 degC, 2-Pin SMD									1
	TLMY1100- GS08	(0603), RoHS, Tape and Reel	DS3	1	Vishay Semiconductors	TLMY1100-GS08	Volume Production	Mouser	78-TLMY1100	0,4	0,4
		7 way SMT straight header									1
		Molex PICOBLADE Series, Series Number 53398,									1
		Number 53398, 1.25mm Pitch 7 Way 1 Row									1
		Straight PCB Header, Solder	ENCODER, ESC, Termistores								1
		Termination, 1A Socket	Motores J1, J2, J3, J4	3				1			1
		0.5 mm Pitch Easy- On (TM) Type FPC	., 32, 33, 34	4					1		
		Connector, 2.0 mm Mated Height,									1
		Right Angle, ZIF, SMT, Bottom									1
		Contact, 16 Circuits, -20 to 85									1
		degC, ELV and RoHS Compliant,									1
	SRR1260-	Tape and Reel FIXED IND 100UH	J5, J6, J7, J8	4	Molex	52746-1671	Volume Production	Newark	56R1785	0,747	2,99
	101M VBAT5S	1.7A 180 MOHM Header, 2-Pin	P1	1	Bourns SparkFun	SRR1260-101M PRT-10474	Volume Production Unknown	Mouser Mouser	652-SRR1260-101M 474-PRT-10474	0,97 1,5	0,97 1,5
	Jumper 0402(1005)	Jumper 0402 (1005 Metric)	R1, R2, R3, R4	4	Vishay	CRCW04020000Z0ED	Volume Production	Mouser	71-CRCW0402-0-E3	0,017	0,17
	1K 5%	1K 0.125W 5% 0805 (2012 Metric)									
		SMD 270R 0.063W 5%	R5	1	Yageo	RC0805JR-071KL	Volume Production	Mouser	603-RC0805JR-071KL	0,11	0,11
	270R 5% 0402(1005)	0402 (1005 Metric) SMD	R6	1	Yageo	AC0402JR-07270RL	Manual Solution	Mouser	603-AC0402JR-07270RL	0,1	0,1
	220R 5%	220R 0.05W 5% 0201 (0603 Metric)									
$\vdash$		SMD 10K 0.063W 1%	R7 R8, R9, R10, R16,	1	Yageo	AF0603JR-07220RL	Manual Solution	Mouser	603-AF0603JR-07220RL	0,12	0,12
	10K 1% 0402(1005)	SMD	R17, R18, R19, R20	8	Vishay	CRCW040210K0FKEDC	Manual Solution	Mouser	71-CRCW040210K0FKEDC	0,051	0,51
7	56K 1%	56K 0.063W 1% 0402 (1005 Metric)				OD0400 EV E4000: -			450 and 4005y		
	0402(1005) LD1117S33C	SMD	R14, R15	5	Bourns	CR0402-FX-5602GLF	Volume Production	Mouser	652-CR0402FX-5602GLF	0,022	0,22
	TR AS7815ADTR		U1	1	STMicroelectronics	LD1117S33CTR	Manual Solution Not Recommended for New	Mouser	511-LD1117S33C	0.4	0,4
	G1 Blue Pill	Integrated Circuit	U2 U3	1	Diodes	AS7815ADTR-G1	Design	Mouser	621-AS7815ADTR-G1	0,43	0,43
		8-Line To 1-Line Data									
	SN74LS151D	Selectors/Multiple xers, D0016A,									1
$\vdash$	ESP8266	LARGE T&R	U4	1	Texas Instruments	SN74LS151DR	Volume Production	Mouser	595-SN74LS151DR	0,93	0,93
	Wifi module 01	ESP-01	U5	1							
7		9-axis									[
		MotionTracking device, 2.4 to 3,6									1
		V, -40 to 85 degC, 24-Pin QFN, RoHS,	114		TDV Investor	MDIL 03E0	Maluma Product**	Manage	410 MDH 0350	7.70	7.70
	MPU-9250	Tape and Reel SIMPLE	U6	1	TDK InvenSense	MPU-9250	Volume Production	Mouser	410-MPU-9250	7,78	7,78
		SWITCHER® Power Converter 150 KHz 3A Step-									1
1		Down Voltage Regulator, 5-pin			TI National						1
			1		TI National	l .	1	1	1	1	
	5.0 AS7805ADTR	TO-263	U7	1	Semiconductor	LM2596SX-5.0	Obsolete	-			