

cl_moveit2z::CbExecuteLast
Trajectory::onEntry

cl_moveit2z::CbMoveEndEffector
Trajectory::onEntry

cl_moveit2z::CbUndoLastTrajectory
::onEntry

cl_moveit2z::CbMoveEndEffector
Trajectory::executeJointSpaceTrajectory

```
graph LR; A[cl_moveit2z::CbExecuteLastTrajectory::onEntry] --> D[cl_moveit2z::CbMoveEndEffectorTrajectory::executeJointSpaceTrajectory]; B[cl_moveit2z::CbMoveEndEffectorTrajectory::onEntry] --> D; C[cl_moveit2z::CbUndoLastTrajectory::onEntry] --> D;
```

The diagram illustrates a call graph where three different callback functions from the `cl_moveit2z` namespace are invoked by a single function, `cl_moveit2z::CbMoveEndEffectorTrajectory::executeJointSpaceTrajectory`. The source functions are `cl_moveit2z::CbExecuteLastTrajectory::onEntry`, `cl_moveit2z::CbMoveEndEffectorTrajectory::onEntry`, and `cl_moveit2z::CbUndoLastTrajectory::onEntry`. Each source function is represented in a white box with a black border, while the target function is in a gray box. Blue arrows indicate the direction of the calls from the source boxes to the target box.