

smacc2_sm_reference
_library/sm_dance_bot
_warehouse_2/include/sm
_dance_bot_warehouse_2/orthogonals
/or_string_publisher.hpp



```
graph BT; A["smacc2_sm_reference_library/sm_dance_bot_warehouse_2/src/sm_dance_bot_warehouse_2.cpp"] --> B["smacc2_sm_reference_library/sm_dance_bot_warehouse_2/include/sm_dance_bot_warehouse_2/sm_dance_bot_warehouse_2.hpp"]; B --> C["smacc2_sm_reference_library/sm_dance_bot_warehouse_2/include/sm_dance_bot_warehouse_2/orthogonals/or_string_publisher.hpp"];
```

The diagram illustrates the compilation path of a C++ source file. It consists of three rectangular boxes arranged vertically, connected by blue arrows pointing upwards. The bottom box contains the source file path. The middle box contains the corresponding header file path. The top box contains the path to the orthogonals directory, which is the final destination for the compiled code.

smacc2_sm_reference
_library/sm_dance_bot
_warehouse_2/include/sm
_dance_bot_warehouse_2/sm
_dance_bot_warehouse_2.hpp

smacc2_sm_reference
_library/sm_dance_bot
_warehouse_2/src/sm_dance
_bot_warehouse_2/sm_dance
_bot_warehouse_2.cpp