


smacc2_sm_reference
_library/sm_dance_bot
_warehouse_2/include/sm
_dance_bot_warehouse_2/orthogonals
/or_obstacle_perception.hpp



```
graph BT; A["smacc2_sm_reference_library/sm_dance_bot_warehouse_2/src/sm_dance_bot_warehouse_2/sm_dance_bot_warehouse_2.cpp"] --> B["smacc2_sm_reference_library/sm_dance_bot_warehouse_2/include/sm_dance_bot_warehouse_2/sm_dance_bot_warehouse_2.hpp"]; B --> C["smacc2_sm_reference_library/sm_dance_bot_warehouse_2/include/sm_dance_bot_warehouse_2/orthogonals/or_obstacle_perception.hpp"];
```

The diagram illustrates the include chain for a C++ source file. It consists of three rectangular boxes arranged vertically, connected by blue arrows pointing upwards. The bottom box (source file) includes the middle box (header file), which in turn includes the top box (header file). The top box is shaded gray, while the others are white.

smacc2_sm_reference
_library/sm_dance_bot
_warehouse_2/include/sm
_dance_bot_warehouse_2/sm
_dance_bot_warehouse_2.hpp

smacc2_sm_reference
_library/sm_dance_bot
_warehouse_2/src/sm_dance
_bot_warehouse_2/sm_dance
_bot_warehouse_2.cpp