

smacc2\_sm\_reference  
\_library/sm\_dance\_bot  
\_warehouse\_3/include/sm  
\_dance\_bot\_warehouse\_3/orthogonals  
/or\_string\_publisher.hpp



```
graph BT; A["smacc2_sm_reference_library/sm_dance_bot_warehouse_3/src/sm_dance_bot_warehouse_3.cpp"] --> B["smacc2_sm_reference_library/sm_dance_bot_warehouse_3/include/sm_dance_bot_warehouse_3/sm_dance_bot_warehouse_3.hpp"]; B --> C["smacc2_sm_reference_library/sm_dance_bot_warehouse_3/include/sm_dance_bot_warehouse_3/orthogonals/or_string_publisher.hpp"];
```

The diagram illustrates the compilation path for the `smacc2_sm_reference` library. It consists of three vertically stacked boxes connected by upward-pointing blue arrows. The bottom box contains the source file `sm_dance_bot_warehouse_3.cpp`. The middle box contains the header file `sm_dance_bot_warehouse_3.hpp`. The top box contains the header file `orthogonals/or_string_publisher.hpp`. The arrows indicate that the source file includes the middle header, which in turn includes the top header.

smacc2\_sm\_reference  
\_library/sm\_dance\_bot  
\_warehouse\_3/include/sm  
\_dance\_bot\_warehouse\_3/sm  
\_dance\_bot\_warehouse\_3.hpp

smacc2\_sm\_reference  
\_library/sm\_dance\_bot  
\_warehouse\_3/src/sm\_dance  
\_bot\_warehouse\_3/sm\_dance  
\_bot\_warehouse\_3.cpp