```
smacc2::ISmaccClientBehavior
     stateMachine
     currentState
     currentOrthogonal
     ISmaccClientBehavior()
     ~ISmaccClientBehavior()
     getStateMachine()
  +
     getName()
  requiresClient()
     requiresComponent()
     onEntry()
  +
     onExit()
     executeOnEntry()
  +
     executeOnExit()
    runtimeConfigure()
     postEvent()
  #
  # postEvent()
  #
     getCurrentState()
  # dispose()
     getNode()
  #
     getLogger()
     onOrthogonalAllocation()
  smacc2::SmaccAsyncClient
            Behavior

    onEntryThread_

 onExitThread

    postFinishEventFn_

    postSuccessEventFn_

    postFailureEventFn_

 onFinished_

    onSuccess_

    onFailure_

 - isShutdownRequested
+ onOrthogonalAllocation()
+ ~SmaccAsyncClientBehavior()
+ onSuccess()
+ onFinished()
+ onFailure()
+ requestForceFinish()
+ executeOnEntry()
+ executeOnExit()
+ waitOnEntryThread()
+ onSuccess()
+ onFinished()
+ onFailure()
# postSuccessEvent()
# postFailureEvent()
# dispose()
# isShutdownRequested()

    waitFutureIfNotFinished()

    cl_nitrosz::CbNav2ZClient
         BehaviorBase
# nitroszClient_
# navigationCallback
# navigationResult_
# goalHandleFuture
+ ~CbNav2ZClientBehaviorBase()
+ onOrthogonalAllocation()
# sendGoal()
# cancelGoal()
# isOwnActionResponse()
# onNavigationResult()
# onNavigationActionSuccess()
# onNavigationActionAbort()
               Δ
```

cl\_nitrosz::CbUndoPathBackwardslistener

- odomTracker
  - options\_
     Chl IndoPathBackwards()
- + CbUndoPathBackwards()+ onEntry()
- + onExit()