```
smacc2::ISmaccClientBehavior

    stateMachine

    currentState

    currentOrthogonal

+ ISmaccClientBehavior()
+ ~ISmaccClientBehavior()
+ getStateMachine()
+ getName()
+ requiresClient()
+ requiresComponent()
# runtimeConfigure()
# onEntry()
# onExit()
# postEvent()
# postEvent()
# getCurrentState()
# dispose()
#getNode()
#getLogger()
executeOnEntry()
executeOnExit()
- onOrthogonalAllocation()
smacc2::SmaccAsyncClient
           Behavior
onEntryThread
onExitThread

    postFinishEventFn

- postSuccessEventFn
postFailureEventFn

    onFinished

- onSuccess
- onFailure

    isShutdownRequested

+ onOrthogonalAllocation()
+ ~SmaccAsyncClientBehavior()
+ onSuccess()
+ onFinished()
+ onFailure()
# postSuccessEvent()
# postFailureEvent()
# dispose()
#isShutdownRequested()
- waitFutureIfNotFinished()
- executeOnEntry()
executeOnExit()
 cl_nav2z::CbWaitNav2Nodes

    topicname

 - sub
 - receivedAliveMsg_

    waitNodes

 + CbWaitNav2Nodes()
 + CbWaitNav2Nodes()
 + onEntry()
  -onMessageReceived()
```