

smacc2\_sm\_reference  
\_library/sm\_dance\_bot  
\_warehouse\_2/include/sm  
\_dance\_bot\_warehouse\_2/orthogonals  
/or\_string\_publisher.hpp



```
graph BT; A["smacc2_sm_reference_library/sm_dance_bot_warehouse_2/src/sm_dance_bot_warehouse_2/sm_dance_bot_warehouse_2.cpp"] --> B["smacc2_sm_reference_library/sm_dance_bot_warehouse_2/include/sm_dance_bot_warehouse_2/sm_dance_bot_warehouse_2.hpp"]; B --> C["smacc2_sm_reference_library/sm_dance_bot_warehouse_2/include/sm_dance_bot_warehouse_2/orthogonals/or_string_publisher.hpp"];
```

The diagram illustrates the compilation path of a C++ source file. It consists of three rectangular boxes arranged vertically, connected by blue arrows pointing upwards. The bottom box contains the source file path, the middle box contains the corresponding header file path, and the top box contains the final header file path after a directory rename. The top box has a light gray background, while the others are white.

smacc2\_sm\_reference  
\_library/sm\_dance\_bot  
\_warehouse\_2/include/sm  
\_dance\_bot\_warehouse\_2/sm  
\_dance\_bot\_warehouse\_2.hpp

smacc2\_sm\_reference  
\_library/sm\_dance\_bot  
\_warehouse\_2/src/sm\_dance  
\_bot\_warehouse\_2/sm\_dance  
\_bot\_warehouse\_2.cpp