```
    orthogonal

+ ISmaccClient()
+ ~ISmaccClient()
+ onInitialize()
+ getName()
+ getComponent()
+ getComponent()
+ getType()
+ getStateMachine()
+ connectSignal()
+ requiresClient()
+ getComponents()
+ postEvent()
+ postEvent()
# onOrthogonalAllocation()
# createComponent()
# createNamedComponent()
# getNode()
# getLogger()
initialize()
- setStateMachine()
setOrthogonal()
  smacc2::client_bases
   ::ISmaccActionClient
  # name
  + ISmaccActionClient()
  + ~ISmaccActionClient()
  + getNamespace()
  + cancelGoal()
  + getClientBase()
             Δ
                   smacc2::client bases
                   ::SmaccActionClientBase
                          < ActionType >
                   + name
                   + lastRequest_
                   + goalHandle
                   + onSucceeded_
                   + onAborted
                   + onCancelled
                   + postSuccessEvent
                   + postAbortedEvent
                   + postCancelledEvent
                   + postFeedbackEvent
                   + done_cb
                   + feedback_cb
                   # client_
                   + SmaccActionClientBase()
                   + SmaccActionClientBase()
                   + ~SmaccActionClientBase()
                   + getClientBase()
                   + onInitialize()
                   + postResultEvent()
                   + onOrthogonalAllocation()
                   + onSucceeded()
                   + onSucceeded()
                   + onAborted()
                   + onAborted()
                   + onCancelled()
                   + onCancelled()
                   + cancelGoal()
                   + sendGoal()
                   + getEventLabel()
# onFeedback()
                   # onResult()
                         < sm_dance_bot_msgs
                         ::action::LEDControl >
smacc2::client_bases
::SmaccActionClientBase
< sm_dance_bot_msgs::action
       ::LEDControl >
+ name_
+ lastRequest
+ goalHandle
+ onSucceeded
+ onAborted
+ onCancelled
+ postSuccessEvent
+ postAbortedEvent
+ postCancelledEvent
+ postFeedbackEvent
+ done_cb
+ feedback_cb
# client_
+ SmaccActionClientBase()
+ SmaccActionClientBase()
+ ~SmaccActionClientBase()
+ getClientBase()
+ onInitialize()
+ postResultEvent()
+ onOrthogonalAllocation()
+ onSucceeded()
+ onSucceeded()
+ onAborted()
+ onAborted()
+ onCancelled()
+ onCancelled()
+ cancelGoal()
```

+ sendGoal()
+ getEventLabel()
onFeedback()
onResult()

sm_dance_bot::cl_led ::ClLED

+ CILED() + getName() + ~CILED()

smacc2::ISmaccClient

components_ - stateMachine_