```
smacc2::ISmaccClientBehavior

    stateMachine

    - currentState
   - currentOrthogonal
   + ISmaccClientBehavior()
   + ~ISmaccClientBehavior()
   + getStateMachine()
   + getName()
   + requiresClient()
   + requiresComponent()
   + onEntry()
   + onExit()
   + executeOnEntry()
   + executeOnExit()
   # runtimeConfigure()
   # postEvent()
   # postEvent()
   # getCurrentState()
   # dispose()
   # getNode()
   # getLogger()
    onOrthogonalAllocation()
                  Δ
   smacc2::SmaccAsyncClient
               Behavior
   - onEntryThread
   - onExitThread

    postFinishEventFn

   - postSuccessEventFn
   - postFailureEventFn

    onFinished

   - onSuccess_
   - onFailure

    isShutdownRequested

   + onOrthogonalAllocation()
   + ~SmaccAsyncClientBehavior()
   + onSuccess()
   + onFinished()
   + onFailure()
   + requestForceFinish()
   + executeOnEntry()
   + executeOnExit()
   + waitOnEntryThread()
   + onSuccess()
   + onFinished()
   + onFailure()
   # postSuccessEvent()
   # postFailureEvent()
   # dispose()
   #isShutdownRequested()
   - waitFutureIfNotFinished()
cl_nav2z::CbNav2ZClientBehaviorBase
# nav2zClient
# navigationCallback
# navigationResult
# goalHandleFuture
+ ~CbNav2ZClientBehaviorBase()
+ onOrthogonalAllocation()
# sendGoal()
# cancelGoal()
# isOwnActionResponse()
# onNavigationResult()
# onNavigationActionSuccess()
# onNavigationActionAbort()
                  Д
     cl_nav2z::CbAbsoluteRotate
+ listener
+ absoluteGoalAngleDegree
+ yawGoalTolerance
+ maxVelTheta
+ spinningPlanner

    oldYawTolerance

    oldMaxVelTheta

- oldMinVelTheta
+ CbAbsoluteRotate()
+ CbAbsoluteRotate()
+ onEntry()
+ onExit()
- updateTemporalBehaviorParameters()
        nav2z::CbRotateLookAt
      + listener
      + lookAtPose
      + CbRotateLookAt()
      + CbRotateLookAt()
      + onEntry()
```