

smacc2\_sm\_reference  
\_library/sm\_dance\_bot  
\_warehouse\_2/include/sm  
\_dance\_bot\_warehouse\_2/superstates  
/ss\_radial\_pattern\_2.hpp



```
graph BT; A["smacc2_sm_reference  
_library/sm_dance_bot  
_warehouse_2/src/sm_dance_bot_warehouse_2/sm_dance_bot_warehouse_2.cpp"] --> B["smacc2_sm_reference  
_library/sm_dance_bot_warehouse_2/include/sm_dance_bot_warehouse_2/sm_dance_bot_warehouse_2.hpp"]; B --> C["smacc2_sm_reference  
_library/sm_dance_bot_warehouse_2/include/sm_dance_bot_warehouse_2/superstates/ss_radial_pattern_2.hpp"];
```

The diagram illustrates a three-stage compilation process. At the bottom, a box contains the source file path: `smacc2_sm_reference_library/sm_dance_bot_warehouse_2/src/sm_dance_bot_warehouse_2/sm_dance_bot_warehouse_2.cpp`. A blue arrow points upwards to a middle box containing the header file path: `smacc2_sm_reference_library/sm_dance_bot_warehouse_2/include/sm_dance_bot_warehouse_2/sm_dance_bot_warehouse_2.hpp`. Another blue arrow points upwards from the middle box to a top box containing the superstates header file path: `smacc2_sm_reference_library/sm_dance_bot_warehouse_2/include/sm_dance_bot_warehouse_2/superstates/ss_radial_pattern_2.hpp`. The top box has a gray background, while the others are white.

smacc2\_sm\_reference  
\_library/sm\_dance\_bot  
\_warehouse\_2/include/sm  
\_dance\_bot\_warehouse\_2/sm  
\_dance\_bot\_warehouse\_2.hpp

smacc2\_sm\_reference  
\_library/sm\_dance\_bot  
\_warehouse\_2/src/sm\_dance  
\_bot\_warehouse\_2/sm\_dance  
\_bot\_warehouse\_2.cpp