```
{smacc::ISmaccClient
# components

    stateMachine

    orthogonal

|+ ISmaccClient()
+ ~ISmaccClient()
+ initialize()
+ getName()
+ postEvent()
+ postEvent()
+ getComponent()
+ getComponent()
+ getType()
+ getStateMachine()
+ connectSignal()
+ requiresClient()
+ getComponents()
# onOrthogonalAllocation()
# createComponent()
# createNamedComponent()
# setStateMachine()
# setOrthogonal()
              }
{smacc::client_bases
::SmaccSubscriberClient
     < MessageType >
+ topicName
+ queueSize

    + onFirstMessageReceived

    + onMessageReceived

+ postMessageEvent
+ postInitialMessageEvent
#nh
- sub
firstMessage_
- initialized
|+ SmaccSubscriberClient()
+ SmaccSubscriberClient()
+ ~SmaccSubscriberClienť()
+ onMessageReceived()
+ onFirstMessageReceived()
+ onOrthogonalAllocation()
+ initialize()
- messageCallback()
              }
   multirole_sensor
{cl
::CIMultiroleSensor
     < MessageType >
|+ onMessageTimeout
+ postTimeoutMessageEvent
+ timeout

    timeoutTimer

    initialized

|+ CIMultiroleSensor()
+ onMessageTimeout()
+ onOrthogonalAllocation()
+ initialize()
# resetTimer()
- timeoutCallback()
```