

| smacc2::ISmaccComponent                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| # stateMachine_<br># owner_                                                                                                                                                                                                                                                                                                                                                                                                   |
| + ISmaccComponent()<br>+ ~ISmaccComponent()<br>+ getName()<br># onInitialize()<br># onComponentInitialization()<br># postEvent()<br># postEvent()<br># onStateOrthogonalAllocation()<br># requiresComponent()<br># requiresComponent()<br># requiresClient()<br># createSiblingComponent()<br># createSiblingNamedComponent()<br># getNode()<br># getLogger()<br># getStateMachine()<br>- initialize()<br>- setStateMachine() |

| smacc2::ISmaccUpdatable                                                                              |
|------------------------------------------------------------------------------------------------------|
| - periodDuration_<br>- lastUpdate_                                                                   |
| + ISmaccUpdatable()<br>+ ISmaccUpdatable()<br>+ executeUpdate()<br>+ setUpdatePeriod()<br># update() |

| cl_gcalcli::CpCalendarEventListener                                                                                                                                                                                                                                                                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| + onEventDetected_<br>+ onEventStarted_<br>+ onEventEnded_<br>+ postEventDetectedEvent_<br>+ postEventStartedEvent_<br>+ postEventEndedEvent_<br>- poller_<br>- watches_<br>- triggered_events_<br>- current_events_<br>- initialized_<br>- mutex_                                                                                                                                                        |
| + CpCalendarEventListener()<br>+ ~CpCalendarEventListener()<br>+ onInitialize()<br>+ addWatch()<br>+ clearWatches()<br>+ getWatches()<br>+ resetTriggeredEvents()<br>+ onEventDetected()<br>+ onEventStarted()<br>+ onEventEnded()<br>+ onStateOrthogonalAllocation()<br># update()<br>- onAgendaUpdated()<br>- matchesPattern()<br>- shouldTriggerStart()<br>- shouldTriggerEnd()<br>- getTriggeredKey() |

