

smacc2::ISmaccClientBehavior
- stateMachine_
- currentState
- currentOrthogonal
+ ISmaccClientBehavior()
+ ~ISmaccClientBehavior()
+ getStateMachine()
+ getName()
+ requiresClient()
+ requiresComponent()
+ onEntry()
+ onExit()
+ executeOnEntry()
+ executeOnExit()
# runtimeConfigure()
# postEvent()
# postEvent()
# getCurrentState()
# dispose()
# getNode()
# getLogger()
- onStateOrthogonalAllocation()
smacc2::SmaccAsyncClient Behavior
- onEntryThread_
- onExitThread_
- postFinishEventFn_
- postSuccessEventFn_
- postFailureEventFn_
- onFinished_
- onSuccess_
- onFailure_
- isShutdownRequested_
+ onStateOrthogonalAllocation()
+ ~SmaccAsyncClientBehavior()
+ onSuccess()
+ onFinished()
+ onFailure()
+ requestForceFinish()
+ executeOnEntry()
+ executeOnExit()
+ waitOnEntryThread()
+ onSuccess()
+ onFinished()
+ onFailure()
# postSuccessEvent()
# postFailureEvent()
# dispose()
# isShutdownRequested()
- waitFutureIfNotFinished()
smacc2::SmaccClientBehavior
+ ~SmaccClientBehavior()
+ onEntry()
+ onExit()
cl_moveit2z::CbDetachObject
+ onEntry()
+ onExit()
cl_moveit2z::CbMoveEndEffector
+ targetPose
+ tip_link_
+ group_
# movegroupClient_
+ CbMoveEndEffector()
+ CbMoveEndEffector()
+ onEntry()
# moveToAbsolutePose()
cl_moveit2z::CbMoveEndEffector Trajectory
+ group_
+ tipLink_
+ allowInitialTrajectoryState JointDiscontinuity_
# endEffectorTrajectory_
# movegroupClient_
# beahiorMarkers_
- markersPub_
- iksrv_
- m_mutex_
- postJointDiscontinuityEvent
- postIncorrectInitialState Event
- postMotionExecutionFailure Events
- autocleanmarkers
+ CbMoveEndEffectorTrajectory()
+ CbMoveEndEffectorTrajectory()
+ onStateOrthogonalAllocation()
+ onEntry()
+ onExit()
# computeJointSpaceTrajectory()
# executeJointSpaceTrajectory()
# generateTrajectory()
# createMarkers()
# getCurrentEndEffectorPose()
- initializeROS()
cl_moveit2z::CbMoveCartesian Relative2
+ offset_
+ linearSpeed_m_s_
- globalFrame_
+ CbMoveCartesianRelative2()
+ CbMoveCartesianRelative2()
+ ~CbMoveCartesianRelative2()
+ generateTrajectory()
cl_moveit2z::CbUndoLastTrajectory
- backIndex_
- trajectory
- reversed
+ CbUndoLastTrajectory()
+ CbUndoLastTrajectory()
+ ~CbUndoLastTrajectory()
+ onEntry()
+ generateTrajectory()
cl_moveit2z::CbCircularPivot Motion
+ angularSpeed_rad_s_
+ linearSpeed_m_s_
+ relativeInitialPose_
# planePivotPose_
# deltaRadians_
+ CbCircularPivotMotion()
+ CbCircularPivotMotion()
+ CbCircularPivotMotion()
+ generateTrajectory()
+ createMarkers()
- computeCurrentEndEffector PoseRelativeToPivot()
cl_moveit2z::CbEndEffector Rotate
+ tipLink
+ CbEndEffectorRotate()
+ ~CbEndEffectorRotate()
+ onEntry()
cl_moveit2z::CbMoveJoints
+ scalingFactor_
+ jointValueTarget_
+ group_
# movegroupClient_
+ CbMoveJoints()
+ CbMoveJoints()
+ onEntry()
+ onExit()
# moveJoints()
# currentJointStatesToString()
cl_moveit2z::CbMoveKnown State
- pkg_
- config_path_
+ CbMoveKnownState()
+ ~CbMoveKnownState()
+ onEntry()
- loadJointStatesFromFile()
cl_nav2z::CbAbortNavigation
- nav2ActionInterface_
+ CbAbortNavigation()
+ onStateOrthogonalAllocation()
+ onEntry()
+ onExit()
cl_nav2z::CbActiveStop
- cmd_vel_pub_
+ CbActiveStop()
+ onEntry()
+ onExit()
cl_nav2z::CbLoadWaypointsFile
+ filepath_
+ parameterName_
+ packageNamespace_
+ waypointsNavigator_
+ CbLoadWaypointsFile()
+ CbLoadWaypointsFile()
+ onEntry()
+ onExit()
cl_nav2z::CbNav2ZClientBehaviorBase
# nav2ActionInterface_
# actionClient_
# navigationResult_
+ ~CbNav2ZClientBehaviorBase()
+ onStateOrthogonalAllocation()
# sendGoal()
# cancelGoal()
# onNavigationSucceeded()
# onNavigationAborted()
# onNavigationCancelled()
# onNavigationResult()
# onNavigationActionSuccess()
# onNavigationActionAbort()
cl_nav2z::CbNavigateForward
+ options
# odomTracker_
# goalPose_
# forwardDistance_
+ CbNavigateForward()
+ CbNavigateForward()
+ CbNavigateForward()
+ ~CbNavigateForward()
+ onEntry()
+ onExit()
+ setForwardDistance()
cl_nav2z::CbNavigateGlobal Position
+ goalYaw
+ options
+ goalPosition
+ CbNavigateGlobalPosition()
+ CbNavigateGlobalPosition()
+ setGoal()
+ onEntry()
+ onExit()
+ execute()
- readStartPoseFromParameter Server()
cl_nav2z::CbStopNavigation
+ CbStopNavigation()
+ onEntry()
+ onExit()
cl_nav2z::CbNavigateNext Waypoint
# waypointsNavigator_
# options_
+ CbNavigateNextWaypoint()
+ ~CbNavigateNextWaypoint()
+ onEntry()
+ onExit()
cl_nav2z::CbNavigateNamed Waypoint
+ waypointsNavigator_
+ waypointname_
+ CbNavigateNamedWaypoint()
+ ~CbNavigateNamedWaypoint()
+ onEntry()
+ onExit()
cl_nav2z::CbNavigateNext WaypointUntilReached
- goalWaypointName_
- postEvGoalWaypointReached_
+ CbNavigateNextWaypointUntil Reached()
+ ~CbNavigateNextWaypointUntil Reached()
+ onStateOrthogonalAllocation()
+ onEntry()
+ onExit()
+ onNavigationActionSuccess()
cl_nav2z::CbRotate
+ rotateDegree
+ goalChecker_
+ spinningPlanner
- listener
+ CbRotate()
+ CbRotate()
+ onEntry()
cl_nav2z::CbUndoPathBackwards
- listener
- odomTracker
- options_
+ CbUndoPathBackwards()
+ onEntry()
+ onExit()
cl_nav2z::CbAbsoluteRotate
+ listener
+ absoluteGoalAngleDegree
+ yawGoalTolerance
+ maxVelTheta
+ spinningPlanner
- oldYawTolerance
- oldMaxVelTheta
- oldMinVelTheta
+ CbAbsoluteRotate()
+ CbAbsoluteRotate()
+ onEntry()
+ onExit()
- updateTemporalBehaviorParameters()
cl_nav2z::CbRotateLookAt
+ listener
+ lookAtPose_
+ CbRotateLookAt()
+ CbRotateLookAt()
+ onEntry()
cl_nav2z::CbNavigateBackwards
+ backwardDistance
+ backwardSpeed
+ goalChecker_
+ odomTracker_
+ CbNavigateBackwards()
+ onEntry()
+ onExit()
cl_nav2z::CbNavigateNext WaypointFree
# waypointsNavigator_
+ CbNavigateNextWaypointFree()
+ ~CbNavigateNextWaypointFree()
+ onEntry()
+ onSucessCallback()
+ onExit()
cl_nav2z::CbPositionControl FreeSpace
+ yaw_goal_tolerance _rads_
+ threshold_distance_
+ target_pose_
- targetYaw_
- goalReached_
- k_betta_
- max_angular_yaw_speed_
- prev_error_linear_
- prev_error_angular_
- integral_linear_
- integral_angular_
- max_linear_velocity
- max_angular_velocity
- cmd_vel_pub_
+ CbPositionControlFreeSpace()
+ updateParameters()
+ onEntry()
+ onExit()
cl_nav2z::CbPureSpinning
+ yaw_goal_tolerance _rads_
- targetYaw__rads
- goalReached_
- k_betta_
- max_angular_yaw_speed_
- cmd_vel_pub_
+ CbPureSpinning()
+ updateParameters()
+ onEntry()
+ onExit()
cl_nav2z::CbSpiralMotion
- cmdVelPub_
- options_
+ CbSpiralMotion()
+ onEntry()
+ onExit()
cl_nav2z::CbTrackPathOdometry
+ CbTrackPathOdometry()
+ onEntry()
+ onExit()
cl_nav2z::CbTrackPathSLAM
+ CbTrackPathSLAM()
+ onEntry()
+ onExit()
cl_nav2z::CbWaitNav2Nodes
- topicname_
- sub_
- receivedAliveMsg_
- waitNodes_
+ CbWaitNav2Nodes()
+ CbWaitNav2Nodes()
+ onEntry()
- onMessageReceived()
cl_nav2z::CbWaitPose
# nav2zClient_
+ CbWaitPose()
+ CbWaitPose()
+ ~CbWaitPose()
+ onStateOrthogonalAllocation()
+ onEntry()
cl_nav2z::CbWaitTransform
# tfBuffer_
# tfListener_
# targetFrame_
# referenceFrame_
# timeout_
# result_
+ CbWaitTransform()
+ ~CbWaitTransform()
+ onStateOrthogonalAllocation()
+ onEntry()
smacc2::client_behaviors ::CbRosLaunch
+ packageName_
+ launchFileName_
+ launchMode_
# result_
# client_
# future_
- detached_futures_
+ CbRosLaunch()
+ CbRosLaunch()
+ ~CbRosLaunch()
+ onStateOrthogonalAllocation()
+ onEntry()
smacc2::client_behaviors ::CbRosLaunch2
+ packageName_
+ launchFileName_
+ launchMode_
# result_
# client_
# future_
- detached_futures_
+ CbRosLaunch2()
+ CbRosLaunch2()
+ ~CbRosLaunch2()
+ onStateOrthogonalAllocation()
+ onEntry()
smacc2::client_behaviors ::CbRosStop2
+ packageName_
+ launchFileName_
# result_
# client_
# future_
- detached_futures_
+ CbRosStop2()
+ CbRosStop2()
+ ~CbRosStop2()
+ onStateOrthogonalAllocation()
+ onEntry()
smacc2::client_behaviors ::CbSequence
- sequenceNodes_
- conn_
- conn2_
- bh_
- consume_
+ CbSequence()
+ onEntry()
+ onExit()
+ then()
- onSubNodeSuccess()
- onSubNodeAbort()
- recursiveConsumeNext()
smacc2::client_behaviors ::CbSleepFor
- sleeptime_
+ CbSleepFor()
+ onEntry()
+ onExit()
smacc2::client_behaviors ::CbWaitActionServer
- client_
- timeout_
+ CbWaitActionServer()
+ ~CbWaitActionServer()
+ onStateOrthogonalAllocation()
+ onEntry()
smacc2::client_behaviors ::CbWaitActionServer2< ActionT >
- cp_action_client_
- timeout_
+ onStateOrthogonalAllocation()
+ CbWaitActionServer2()
+ ~CbWaitActionServer2()
+ onEntry()
smacc2::client_behaviors ::CbWaitNode
# nodeName_
# rate_
+ CbWaitNode()
+ onEntry()
smacc2::client_behaviors ::CbWaitTopic
# topicName_
# rate_
+ CbWaitTopic()
+ ~CbWaitTopic()
+ onEntry()
smacc2::client_behaviors ::CbWaitTopicMessage< TMessage >
# success
# sub_
# guardFn_
# topicname_
+ CbWaitTopicMessage()
+ ~CbWaitTopicMessage()
+ onEntry()
+ onMessageReceived()
smacc2::client_behaviors ::CbServiceCall< ServiceType >
+ resultFuture_
# client_
# serviceName_
# request_
# result_
# pollRate_
+ CbServiceCall()
+ CbServiceCall()
+ onEntry()
# onServiceResponse()
< slam_toolbox::srv ::Pause >
smacc2::client_behaviors ::CbServiceCall< slam_toolbox ::srv::Pause >
+ resultFuture_
# client_
# serviceName_
# request_
# result_
# pollRate_
+ CbServiceCall()
+ CbServiceCall()
+ onEntry()
# onServiceResponse()
cl_nav2z::CbResumeSlam
# slam_
+ CbResumeSlam()
+ onEntry()
cl_nav2z::CbPauseSlam
# slam_
+ CbPauseSlam()
+ onEntry()
cl_nav2z::CbSaveSlamMap < nav2_msgs::srv::SaveMap >
+ CbSaveSlamMap()
+ onExit()
+ getRequest()
cl_lifecycle_node:: CbActivate
- lifecycleNodeClient_
- eventMonitor_
+ CbActivate()
+ ~CbActivate()
+ onStateOrthogonalAllocation()
+ onEntry()
cl_lifecycle_node:: CbCleanup
- lifecycleNodeClient_
- eventMonitor_
+ CbCleanup()
+ ~CbCleanup()
+ onStateOrthogonalAllocation()
+ onEntry()
cl_lifecycle_node:: CbConfigure
- lifecycleNodeClient_
- eventMonitor_
+ CbConfigure()
+ ~CbConfigure()
+ onStateOrthogonalAllocation()
+ onEntry()
cl_lifecycle_node:: CbDeactivate
- lifecycleNodeClient_
- eventMonitor_
+ CbDeactivate()
+ ~CbDeactivate()
+ onStateOrthogonalAllocation()
+ onEntry()
cl_lifecycle_node:: CbDeactivateOnExit
- lifecycleNodeClient_
- eventMonitor_
+ CbDeactivateOnExit()
+ ~CbDeactivateOnExit()
+ onStateOrthogonalAllocation()
+ onExit()
cl_lifecycle_node:: CbDestroy
- lifecycleNodeClient_
- eventMonitor_
+ CbDestroy()
+ ~CbDestroy()
+ onStateOrthogonalAllocation()
+ onEntry()
cl_lifecycle_node:: CbShutdown
- lifecycleNodeClient_
- eventMonitor_
+ CbShutdown()
+ ~CbShutdown()
+ onStateOrthogonalAllocation()
+ onEntry()
cl_moveit2z::CbAttachObject
+ targetObjectName_
+ CbAttachObject()
+ CbAttachObject()
+ onEntry()
+ onExit()
cl_http::CbHttpRequestBase
- kRequestType
- requestExecutor_
+ CbHttpRequestBase()
+ onStateOrthogonalAllocation()
+ runtimeConfigure()
+ onResponseReceived()
+ onEntry()
+ onExit()
cl_http::CbHttpPostRequest
+ CbHttpPostRequest()
cl_http::CbHttpGetRequest
+ CbHttpGetRequest()
cl_keyboard::CbDefaultKeyboard Behavior
+ cpSubscriber1
+ postEventKeyPress
+ onEntry()
+ onStateOrthogonalAllocation()
+ OnKeyPress()
+ postKeyEvent()
cl_multirole_sensor ::CbDefaultMultiRoleSensor Behavior< ClientType >
+ sensor_
+ deferedEventPropagation
+ CbDefaultMultiRoleSensor Behavior()
+ onStateOrthogonalAllocation()
+ propagateEvent()
+ propagateEvent2()
+ onEntry()
+ onExit()
+ onMessageCallback()
+ getEventLabel()
cl_nav2z::CbSeekWaypoint
+ waypointsNavigator_
+ options_
- count_
- seekWaypointName_
+ CbSeekWaypoint()
+ ~CbSeekWaypoint()
+ onEntry()
+ onExit()
cl_ros2_timer::CbTimer
- timerClient_
- postTimerEvent_
- c_
+ onEntry()
+ onExit()
+ onStateOrthogonalAllocation()
+ onClientTimerTickCallback()
cl_ros2_timer::CbTimerCountdownLoop
- tickTriggerCount_
- tickCounter_
- timerClient_
- postCountDownEvent_
- onTimerTick_
+ CbTimerCountdownLoop()
+ onEntry()
+ onExit()
+ onStateOrthogonalAllocation()
+ onTimerTick()
- onClientTimerTickCallback()
cl_ros2_timer::CbTimerCountdownOnce
- tickCounter_
- tickTriggerCount_
- timerClient_
- postCountDownEvent_
- onTimerTick_
+ CbTimerCountdownOnce()
+ onEntry()
+ onExit()
+ onStateOrthogonalAllocation()
+ onTimerTick()
- onClientTimerTickCallback()
smacc2::CbServiceServerCallback Base< TService >
# attachedClient_
+ onEntry()
+ onServiceRequestReceived()
smacc2::client_behaviors ::CbSubscriptionCallbackBase < TMsg >
# attachedClient_
+ onEntry()
+ onMessageReceived()