

smacc2::ISmaccClient
components_ - stateMachine_ - orthogonal_
+ ISmaccClient() + ~ISmaccClient() + onInitialize() + getName() + getComponent() + getComponent() + getComponent() + getType() + getStateMachine() + connectSignal() + requiresClient() + getComponents() + iterateComponents() + postEvent() + postEvent() # onComponentInitialization() # onOrthogonalAllocation() # onStateOrthogonalAllocation() # createComponent() # createNamedComponent() # getNode() # getLogger() - initialize() - setStateMachine() - setOrthogonal()



cl_ros_timer::CIROS_TIMER
timer_ # duration_ # oneshot_ # postTimerEvent_ # onTimerTick_
+ CIROS_TIMER() + ~CIROS_TIMER() + onInitialize() + onTimerTick() + onOrthogonalAllocation() + CIROS_TIMER() + ~CIROS_TIMER() + initialize() + onTimerTick() + onOrthogonalAllocation() + CIROS_TIMER() + ~CIROS_TIMER() + initialize() + onTimerTick() + onOrthogonalAllocation() + CIROS_TIMER() + ~CIROS_TIMER() + onInitialize() + onTimerTick() + onOrthogonalAllocation() # timerCallback() # timerCallback() # timerCallback() # timerCallback()