

| smacc2::ISmaccComponent                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| # stateMachine_<br># owner_                                                                                                                                                                                                                                                                                                                                                                                                   |
| + ISmaccComponent()<br>+ ~ISmaccComponent()<br>+ getName()<br># onInitialize()<br># onComponentInitialization()<br># postEvent()<br># postEvent()<br># onStateOrthogonalAllocation()<br># requiresComponent()<br># requiresComponent()<br># requiresClient()<br># createSiblingComponent()<br># createSiblingNamedComponent()<br># getNode()<br># getLogger()<br># getStateMachine()<br>- initialize()<br>- setStateMachine() |

| smacc2::ISmaccUpdatable                                                                              |
|------------------------------------------------------------------------------------------------------|
| - periodDuration_<br>- lastUpdate_                                                                   |
| + ISmaccUpdatable()<br>+ ISmaccUpdatable()<br>+ executeUpdate()<br>+ setUpdatePeriod()<br># update() |

| cl_gcalcli::CpCalendarPoller                                                                                                                                                                                                                                                                                                                                   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| + onAgendaUpdated_<br>+ postAgendaUpdatedEvent_<br>- connection_<br>- cached_events_<br>- last_poll_time_<br>- last_poll_attempt_<br>- initialized_<br>- events_mutex_                                                                                                                                                                                         |
| + CpCalendarPoller()<br>+ ~CpCalendarPoller()<br>+ onInitialize()<br>+ refreshAgenda()<br>+ getEvents()<br>+ findEvents()<br>+ getEventsInWindow()<br>+ getActiveEvents()<br>+ getLastPollTime()<br>+ onAgendaUpdated()<br>+ onStateOrthogonalAllocation()<br># update()<br>- parseTsvOutput()<br>- parseTsvLine()<br>- parseDateTime()<br>- generateEventId() |

